Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Inorganic Chemistry Communications 5 (2002) 1099–1102
INORGANIC CHEMISTRY COMMUNICATIONS
www.elsevier.com/locate/inoche

Author Index of Volume 5

Abdelaziz, G., 694
Abram, U., 461
Abrantes, M., 1069
Adams, H., 12, 211, 1044, 1063
Adams, L., 765
Aduroja, A., 694
Ahmad, S., 355, 816
Akilan, P., 422
Al-Mandhary, M.R.A., 954
Alonso, B., 288
Alvarez-Larena, A., 130
Aly, A.A.M., 411
Anderson, G.K., 653
Andriès, J., 1048
Andruh, M., 42
Anson, C.E., 1022
Aragoni, M.C., 869
Arca, M., 869
Arturo García-Vázquez, J., 337
Ashraf, W., 816

Baše, T., 46
Baba, A.I., 555
Bacsa, J., 724
Bai, C., 181
Bai, G.-Y., 841
Baker, P.K., 115
Balakrishna, M.S., 782, 1016
Bandyopadhyay, R., 259, 452
Bao, J., 147
Barnard, T.S., 527
Barrett, S.A., 328
Barry, A.H., 235
Barszcz, B., 1056
Barton, L., 127
Becke, S., 159
Beer, R.H., 206, 283
Bellabarba, R.M., 15
Belli Dell' Amico, D., 733, 848
Belot, J.A., 706
Bernauer, K., 787, 913
Berti, E., 1041
Bhattacharyya, R., 259, 452
Bie, L., 966
Binotti, B., 319
Blower, P.J., 832
Böhme, U., 377
Bonfada, E., 461
Borel, A., 811
Bortoluzzi, A.J., 418, 434
Bortun, A.I., 824
Boskovic, C., 881
Boucher, C., 596
Bradshaw, D., 12
Brewer, K.J., 1078
Brüggeller, P., 490
Bu, X.-H., 1003
Bugella-Altamirano, E., 727
Burns, R.C., 23
Burrow, R.A., 552

Cabort, A., 787, 913
Cai, C.-X., 621
Cai, J., 637
Calderazzo, F., 733, 848
Camalli, M., 430
Campo, J.A., 887
Canaria, C.A., 560
Cano, M., 887
Cao, D.X., 482
Cao, E.-H., 181
Cao, J., 407
Cao, R., 366, 487, 565, 589
Carballo, R., 727, 800
Carfagna, C., 319
Casabó, J., 130
Casado, C.M., 288
Casagrande, O.L., Jr., 192
Cassano, T., 869
Castiñeiras, A., 727, 800
Castro, J., 337
Císařová, I., 46
Cecconi, F., 1041
Chakraborty, D., 698
Chang, F., 660
Chang, L.-S., 107
Chassagneux, F., 316
Chaudhuri, N.R., 472
Chen, D., 1095
Chen, D.H., 482
Chen, E.Y.-X., 698
Chen, H., 139, 633
Chen, J.-D., 215
Chen, J.-H., 150
Chen, R., 724
Chen, S.-T., 1003
Chen, X.-T., 621, 1090
Chen, X.H., 399
Chen, Y., 667, 796
Chen, Z.-F., 35
Chen, Z.-Q., 242
Cheng, P., 361, 512, 1012, 1017
Cheng, S.-H., 761
Cheng, X.F., 468
Cheshire, P., 803
Chi, T.-Y., 119
Chipperfield, J.R., 99, 249
Choi, K.-Y., 220, 496
Choi, S.-N., 496
Choi, S.K., 612
Choquesillo-Lazarte, D., 727, 800
Chowdhury, S., 304
Chu, D.-Q., 989
Chu, S., 1086
Chun, K.-M., 496
Chung, C.-S., 119
Chung, T.-M., 439
Cingolani, A., 430
Clark, J.L., 706
Clark, S., 99, 249
Claver, C., 351
Clearfield, A., 625, 873
Clunas, S., 211, 1044, 1063
Colbran, S.B., 958
Constable, E.C., 199, 519
Cornu, D., 316
Costaz, G., 702
Cotton, F.A., 59, 501, 527
Craig, D.C., 958
Crayston, J.A., 853
Cuadrado, I., 288
Cuevas, J.V., 340
Cunico, R.F., 1066
Czeluśniak, I., 682
Czermak, G., 490

Dalai, S., 472
Daly, R.I., 777
Daniele, S., 347
Daniels, L.M., 527
Darensbourg, D.J., 38
Das, S.K., 996
Datta, D., 304
Day, V.W., 706
de los Rios, I., 879
de Mesquita, M.E., 292
de Sá, G.F., 292
del Peso, I., 288
Delfosse, S., 941
Demonceau, A., 941
Denotti, C., 869
Derek Woollins, J., 803, 853
Deronzier, A., 5
Devillanova, F.A., 869
Dey, M., 380, 924
Di Vaira, M., 879
Dilworth, J.R., 337
Ding, H., 572
Ding, Y., 671
Doh, M.-K., 163, 756
Dolbecq, A., 333, 702
Domrachev, G.A., 909
Donahue, J.P., 59
Dong, T.-Y., 107
Dreßel, B., 837
Drew, M.G.B., 304, 472, 596
Du, M., 1003
du Peloux, C., 333
Duan, C., 139
Duan, L.-M., 989
Dubey, S., 903
Dunand, F.A., 811
Dupont, J., 192, 552
Dyson, P.J., 808

Ebel, M., 768
Ebeling, G., 552
Elango, S., 150
Ellerbrock, J.C., 555
Elliott, J.M., 99, 249
Elokhina, V.N., 690
Emge, T.J., 694
Englert, U., 829
Englich, U., 274
Ernst, L., 808
Ershova, V.A., 963
Espina, A., 372

Facchin, G., 915
Fallon, G.D., 715
Fan, R., 399
Fan, Y., 166, 929
Fang, Z., 1078
Fanwick, P.E., 134, 175, 1073
Farnocchi, S., 848
Farrar, D.H., 552
Faure, M., 9
Feldmann, A.A., 64
Feng, X.-L., 637
Feng Song, C., 187
Fenton, D.E., 12, 211, 537, 1044, 1063
Fereday, A., 805

Elsevier Science B.V.
PII: S1387-7003(02)00660-3

Fillaut, J.-L., 1048
Foresti, E., 319
Forniés-Cámer, J., 351
Forster, L.S., 657
Franken, A., 581
Freire, R.O., 292
Freytag, M., 808
Fronczek, F.R., 384
Fujii, M., 606
Fujisawa, M., 606

Gallagher, J.F., 1034
Galland, B., 5
Ganesan, M., 1073
Gao, J., 1095
Gao, L.-H., 841
Gao, S., 28, 660
García, J.R., 372, 685, 824
García, M.P., 245
García-Granda, S., 685, 824
García-Herbosa, G., 340
Garcia Fidalgo, E., 569
Garoufis, A., 844
Gatto, C.C., 461
Gaye, M., 235
Gelbrich, T., 577
Gentschev, P., 64
Ghilardi, C.A., 1041
Giddings, P., 596
Gilbes, B., 694
Golovin, A.V., 963
Gomes, E.L.S., 192
Gonçalves, I.S., 1069
González-Pérez, J.M., 727, 800
Goodgame, D.M.L., 805
Gou, S., 711
Gómez, M., 67
Górski, M., 682
Görls, H., 78
Güdel, H.U., 881
Głowiak, T., 682, 1056
Granell, J., 67
Gregson, T.J., 211
Gruber, A.S., 552
Gu, F., 468, 482
Gui, Z., 399
Gulinski, J., 464
Gutmann, R., 490

Ha Park, J., 756
Haase, W., 418
Hadjiliadis, N., 844
Hajeebu, S., 996
Hakala, H., 1059
Halcrow, M.A., 328
Hamza, M.S.A., 937
Han, Z., 509
Handa, M., 1031
Handley, G., 1044
Hannu-Kuure, M., 223
Harwood, L.M., 596
Hayashi, H., 156, 606
He, J., 796
He, X., 633
Helm, L., 811
Hemkar, S., 903
Heras, J.V., 887
Hey-Hawkins, E., 115
Hiratani, K., 984
Holder, A., 1078
Holland, J.M., 328
Hong, C.-P., 496
Hong, M., 366, 487, 589
Hong, M.-C., 565
Horikawa, K., 56
Hosmane, N.S., 296, 458, 522, 602, 765
Hosmane, S.N., 765
Hou, H., 166, 929
Hou, S.-Y., 388
Houjou, H., 984
Housecroft, C.E., 199
Hovinen, J., 1059
Hsieh, H.-Y., 150
Hu, C., 505, 509
Hu, N., 505, 509, 796
Huang, J.-S., 171, 664
Huang, P., 501
Huang, R., 975, 1000
Huang, R.-B., 629
Huang, W., 711
Hubert-Pfalzgraf, L.G., 347
Hudson, M.J., 596
Hursthouse, M.B., 577
Hwang, L.-P., 150

Ichii, T., 156, 606
Ida, Y., 1034
Isab, A.A., 355, 816
Isaia, F., 869
Itoh, S., 949
Ivanovic-Burmazovic, I., 937
Iveson, P.B., 596

Jain, S.L., 853
Jason Adams, M., 38
Jeffery, J.C., 832
Jezierska, J., 1056
Ji, L.-N., 637
Jia, H., 505, 509, 796
Jia, H.-B., 572
Jiang, Z.-H., 76, 478, 512, 1007, 1012, 1017
Jin, C.-M., 642
Jin, L.-P., 841
Jing, W.-J., 572
Jo, H., 616
Jones, C., 533
Jones, P.G., 808
Jouini, T., 235
Journaux, Y., 42
Jun Zhou, G., 187
Jung, D.Y., 439
Jung, E., 439
Jung, J.H., 820
Junk, P.C., 533, 1082
Júnior, N.B.C., 292
Júnior, S.A., 292
Jürgen Meyer, H., 230

Kai Lü, M., 187
Kandaswamy, M., 422
Kanesato, M., 984
Kapoor, P.N., 1073
Kariuki, B.M., 199
Karolak, A., 464
Karsten, P., 434
Karvinen, J., 1059
Kasuga, K., 1031
Katsoulakou, E., 719
Kawashiro, K., 606
Kelly, D.G., 577
Kelly, N., 199
Kennedy, J.D., 581
Kenny, P.T.M., 1034
Kessler, V.G., 549, 946
Ketkov, S.Yu., 909
Keutel, H., 78
Khainakov, S.A., 372, 685, 824
Khandelwal, C.L., 903
Khem, R., 316
Kighelman, Z., 316
Kilner, C.A., 328, 581
Kim, C.G., 439
Kim, H., 771
Kim, J., 820
Kim, J.C., 616, 771
Kim, S.-J., 592, 612
Kim, Y., 439, 592, 612
Kim, Y.-S., 496
Kim, Y.-Y., 496
Kirin, V.P., 32
Kisko, J.L., 283
Kitagawa, S., 358
Knör, G., 993
Kohler, E.E., 196, 600
Kokozay, V.N., 19
Kolehmainen, E., 649
Kong, D., 625, 873
Kopacka, H., 490
Koskinen, A.M.P., 1052
Kostas, I.D., 252
Kou, H.-Z., 28, 403, 660
Krebs, B., 64
Kuang, S.-M., 134, 175
Kuge, K., 862
Kumar Sinha, R., 255
Kunkely, H., 112, 239, 391, 674, 730
Kurdziel, K., 1056

Labella, L., 733, 848
Laguitton-Pasquier, H., 5
Lahoz, F.J., 245
Lajunen, L.H.J., 223
Lalioti, N., 719
Laly, M., 569
Lang, H., 159, 203
Lange, T., 377
Langes, C., 490
Langford, S.J., 715
Latif Abuhijleh, A., 269
Lavrenova, L.G., 690
Leary, S.G., 533
Lecocq, S., 316, 347
Lee, B.-W., 163, 856
Lee, B.W., 756
Lee, C.-J., 585
Lee, G.-H., 107, 621
Lee, H.-O., 496
Lee, K.-C., 496
Lee, M.A.-P., 715
Lee, S.S., 820
Lee, S.W., 143, 978
Lee, U., 756
Lee, Y.H., 820
Lees, I.N., 560
Lehtonen, A., 267
Leschke, M., 203
Li, B., 711
Li, C.-H., 403
Li, D., 308
Li, D.-f., 791
Li, G., 633, 929
Li, H., 71, 747
Li, H.-d., 751
Li, J., 51
Li, J.-R., 28
Li, L., 453
Li, L.-H., 1090
Li, Q., 427, 933
Li, S., 458, 522, 602
Li, S.-a., 791
Li, T., 637
Li, X., 589
Li, X.-Y., 637
Li, X.-Z., 478
Li, Y., 102, 505, 509, 671
Li, Y.-D., 403
Li, Y.-Z., 642, 1090
Liang, Y., 366, 589
Liao, D.-Z., 76, 361, 478, 512, 1007, 1012, 1017
Liao, F.-L., 150
Liao, J.-H., 761
Liau, B.-C., 150
Lickiss, P.D., 805
Liebsch, S., 525
Liitti, P., 1059
Limosin, D., 5
Lin, H.-H., 585
Lin, J., 966
Lin, X., 664
Liou, L.-S., 215
Lippolis, V., 869
Lisnard, L., 702
Liu, D., 181
Liu, D.-J., 35
Liu, G., 427
Liu, J., 796
Liu, K., 283
Liu, S.W., 482, 919
Liu, X., 1007, 1012
Liu, X.-W., 1086
Liu, Y., 407
Lobbia, G.G., 430
Lobete, F., 288
Loman, K., 1059
Long, L.-S., 629
Lonnon, D.G., 958
Loong, C.-K., 966
Lönnecke, P., 115
Lorenz, I.-P., 897
Losada del Barrio, J., 288
Lough, A.J., 552, 616, 771
Lozano Diz, E., 414

Lu, C., 395, 865
Lu, C.-Z., 171, 664
Lu, J., 369, 475
Lu, J.Y., 196, 600, 1028
Lu, S.-F., 171
Lu, Y., 505
Luan, G., 509
Luck, R.L., 384
Lü, M.K., 187, 468, 482
Lü, M.K., 919
Lügger, T., 837
Lüken, M., 64
Lygris, E., 715

Ma, C., 747
Ma, C.-l., 751
Ma, H.-Zh., 226
Ma, P., 147
Ma, Z.-J., 388
Macchioni, A., 319
Maciejewski, H., 464
MacLean, E.J., 832
Madic, C., 596
Maguire, J.A., 296, 458, 602, 765
Maichle-Mössmer, C., 434
Maiti, S.K., 259, 452
Mak, T.C.W., 442
Maksakov, V.A., 32
Mallah, T., 472
Manessi-Zoupa, E., 719
Mangrich, A.S., 418
Mani, F., 879
Manseki, K., 56
Mao, J., 625
Mapolie, S.F., 724
Marchetti, F., 733, 848
Marciniec, B., 464
Marrot, J., 702
Martínez, A.P., 245
Martell, A.E., 625, 873, 1095
Martin, L.L., 777
Martin, W.J., 577
Martinez, M., 67
Masdeu-Bultó, A.M., 351
Matesanz, A.I., 344
Matsumoto, T., 105
Mayer, P., 897
McDermott, A.E., 283
McDonald, R., 782, 1016
McHugh, P.E., 211, 1044
McLoughlin, S.M., 555
McMorran, D.A., 449
Meng, Q., 395
Meng, X., 929
Mi, L., 929
Mialane, P., 702
Michelin, R.A., 915
Midollini, S., 1041
Migchielsen, S., 301
Miguel, D., 340
Min, D., 143, 978
Min, K.S., 163
Mishra, T.K., 119
Miskelly, G.M., 560
Mitchell, J.L.A., 522
Mohanta, S., 585
Möller, N., 64
Mozzon, M., 915
Mu, Z.-C., 572
Muñoz, A., 340
Mukherjee, P.S., 472
Mukkala, V.-M., 1059
Murillo, C.A., 59, 501, 527
Murphy, B.P., 577
Müller, A., 42

Nagawa, Y., 984
Nair, P., 653
Nakamura, O., 56
Nakanishi, S., 177
Nakashima, S., 312
Nam, W., 612
Nascimento, O.R., 337, 418
Nastopoulos, V., 844
Natali, D., 869
Naumov, D.Yu., 690
Neels, A., 264, 414
Neves, A., 418, 434
Niclós-Gutiérrez, J., 727, 800
Nishida, Y., 56, 609
Nishino, S., 609
Nitti, L., 869
Niu, W., 1
Noels, A.F., 941
Nojima, J., 1031
Núñez, R., 941

Oakley, M.A., 525
Ogata, K., 862
Okawa, H., 56
Oki, A.R., 694
Okuda, T., 312
Oliveira, F.C., 292
Ollikka, P., 1059
Ongania, K.-H., 490
Orlandini, A., 1041
Oro, L.A., 245
Ouyang, X., 873

Padhye, S., 1022
Pampaloni, G., 733
Pan, C.-L., 989
Panja, S., 304
Pariya, C., 119
Park, K.-M., 820
Park, S.-M., 592, 612
Parker, B., 516
Parola, S., 316
Paschke, R., 525
Pastor, C., 344
Pellei, M., 430
Peng, S.-M., 107, 621
Peng, Y., 369
Perlepes, S.P., 719
Perotti, A., 577
Perruchon, J., 1048
Pertierra, P., 685, 824
Peruzzini, M., 879
Pérez-Lourido, P., 337
Peuralahti, J., 1059
Pfadenhauer, S., 449
Phillips, D., 519
Picart, J.P., 130
Pillinger, M., 1069
Pinilla, E., 887
Piotrowski, H., 897
Pistilli, J., 206
Pitzalis, E., 1041
Plakatouras, J.C., 844
Pogrebnyak, V.M., 963
Popov, A., 223
Popov, K., 223
Popov, S.A., 32
Powell, A.K., 1022
Pugliese, S., 915
Puukka, K., 1059

Qi, H., 147
Qi, P., 369
Qian, Y., 369, 407, 475, 933, 971
Qin, T., 369
Qiu, Q.-F., 242
Quinti, L., 577

Raithby, P.R., 519
Rajsekhar, G., 649
Rana, G., 458, 522
Rao, C.P., 380, 649, 924
Raptopoulou, C.P., 719
Rath, N.P., 127, 653
Reemers, S., 829
Reetz, M.T., 252
Reger, D.L., 278
Rehder, D., 768
Reibenspies, J., 873, 1095
Rein, F.N., 891
Ren, X., 395
Ren, Y.-P., 629
Rheingold, A.L., 1
Rheinwald, G., 159
Ribas, J., 1003
Richens, D.T., 853
Rissanen, K., 380, 649, 924
Rius, J., 130
Roces, L., 685
Rocha, J., 1069
Rocha, R.C., 891
Rodríguez, L., 337
Roewer, G., 377
Romão, C.C., 1069
Romero, J., 337
Rong Yuan, D., 187
Rönkkömäki, H., 223
Rooke, S.J., 805
Ros, J., 130
Rossi, L.M., 418
Ruhlandt, K., 274
Rusanov, E., 881

Saarenketo, P.K., 380, 649, 924
Sabatino, P., 319
Sachse, H., 159
Sadaoka, Y., 56
Saha, D.K., 1022
Sahureka, F., 23
Sailor, M.J., 560
Sakamoto, M., 56
Sakiyama, H., 56
Sall, A.S., 235
Salvadó, M.A., 685, 824
Sampietro, M., 869
Sanchez, F.J., 130
Sánchez-Moreno, M.J., 800
Santini, C., 430
Sasabe, H., 177
Saunders, G.C., 15
Savage, D., 1034
Schauss, V., 1028
Schlag, E.W., 909
Schmidtmann, M., 42
Schmutzler, R., 808
Schuetz, S.A., 706
Schulz Lang, E., 461
Scott, S., 15
Seisenbaeva, G.A., 946
Selzle, H.L., 909
Semeniuc, R.F., 278
Setter, N., 316
Sécheresse, F., 333, 702
Sgarbossa, P., 915
Shakirova, O.G., 690
Shao, C., 667
Shao, M., 933
Shao, T., 642
Sharma, P.D., 903
Shen, D., 453
Shen, D.-Z., 1086
Shen, G., 453
Shen, G.-Q., 1086
Shen, P.-W., 512
Shen, W.-Z., 512
Shi, Q., 51, 589
Shi, Q.-Zh., 226
Shi, W., 361
Shi, Y.-J., 621, 1090
Shivaiah, V., 996
Shreeve, J.M., 856
Shvedenkov, Y.G., 690
Si, S.-F., 76, 478, 1012
Sillanpää, R., 267
Simal, F., 941
Singh, N., 255
Sinn, E., 99, 249, 525
Sirges, H., 64
Skvortsov, N.K., 464
Slawin, A.M.Z., 803
Smith, C.B., 199
Smith, M.D., 278
Smith, M.K., 1082
Smithies, N.A., 533
Sokolova, O., 694
Sommer, R., 115
Sommer, R.D., 1
Son, D.Y., 516
Song, C.F., 187, 468, 482, 919
Song, H.-B., 442
Song, X., 139
Song, Y., 166, 395
Sousa, A., 337
Souza, P., 344
Sowrey, F.E., 832
Spagna, R., 430
Spencer, J.T., 274
Spey, S.E., 211

Spielvogel, B.F., 458, 522
Stampfl, T., 490
Steed, J.W., 533
Steel, P.J., 323, 449, 954
Stœckli-Evans, H., 9, 264, 414, 569, 787, 881, 913
Štěpnička, P., 46
Stoppioni, P., 879
Strähle, J., 434
Ströbele, M., 230
Strasser, A., 411, 993
Straub, T., 1052
Styring, P., 249
Su, C.-T., 761
Su, C.-W., 215
Sugimori, T., 1031
Sugiyama, S., 156, 606
Sumby, C.J., 323
Sun, D., 366, 589
Sun, D.-F., 565
Sun, H.-L., 28, 660
Sun, W.-H., 667
Sun, X., 747
Sun, X.-d., 751
Sun, X.-G., 181
Sun, Y.-J., 512
Sun, Z.-G., 629
Suslova, E., 946
Süss-Fink, G., 9, 264, 414, 569, 787, 913
Swavey, S., 1078
Szymańska-Buzar, T., 682

Takagi, H.D., 949
Takahashi, Y., 609
Takata, T., 177
Tamboura, F.B., 235
Tamm, M., 837
Tanaka, M., 312
Tang, G.-Q., 361
Tang, J.-K., 76, 1012
Tang, W.-x., 791
Tao, J., 975, 1000
Tassan, A., 915
Tatsumi, K., 862
Taylor, J.W., 274
Tcheboukov, D., 347
Teixidor, F., 941
Terzis, A., 719
Therrien, B., 787, 913
Thirumavalavan, M., 422
Thomas, C.M., 264
Thornton-Pett, M., 581
Timmons, D.J., 501
Tkachev, A.V., 32
Tobikawa, K., 1031
Toma, H.E., 891
Tomida, T., 156
Tominaka, S., 1031
Tomlinson, S., 765
Tommasi, R., 869
Tong, W., 395
Torikata, M., 1031
Torralba, M.C., 887
Torres, M.R., 887
Torzilli, M.A., 283
Trobajo, C., 372
Tsai, K.-R., 388
Tsiouri, M., 844
Tung, J.-Y., 150
Turevskaya, E.P., 549
Turova, N.Ya., 549
Tutusaus, O., 941
Twamley, B., 856

Urban, V., 837

Valente, A.A., 1069
van Eldik, R., 937
VanDerveer, D., 124
Vassilyeva, O.Yu., 19
Vendilo, A., 223
Verani, G., 869
Viñas, C., 941
Vinogradova, E.A., 19
Virovets, A.V., 32, 690, 963
Visinescu, D., 42
Vogler, A., 112, 239, 391, 411, 674, 730
Volkov, O., 127
von Nagy-Felsobuki, E.I., 23
Vyakaranam, K., 458, 522

Wagner, J., 78
Waldvogel, S.R., 252
Walton, R.A., 134, 175, 1073
Wan, H.-L., 388
Wang, B., 102, 226
Wang, D., 475, 768
Wang, E., 505, 509
Wang, G., 384
Wang, G.-L., 1007
Wang, H., 242
Wang, J., 51, 602, 765
Wang, J.-C., 215
Wang, K.-Z., 841
Wang, L.-M., 989
Wang, L.-Y., 1012
Wang, R., 366, 453, 487, 667, 1086
Wang, R.-J., 403
Wang, S., 308
Wang, S.-L., 150
Wang, T.-G., 572, 989
Wang, W.-Z., 1007, 1017
Wang, X., 453, 796
Wang, X.-Q., 1086
Wang, Y., 51, 407, 747, 966
Wang, Y.-d., 751
Wang, Z., 230, 642
Wang, Z.-M., 28
Wei, H.-H., 585
Wei, S., 369
Wei, Y., 166
Wei, Z., 147
Weiß, T., 159
Weisman, G.R., 1
Weng, J., 366, 487
Weng Ng, S., 388, 975
Went, M.J., 832
White, A.J.P., 805
White, K.M., 124
Wilberger, R., 897
Wilkinson, A.P., 124
Williams, D.J., 124, 805
Winkel, B., 1078
Wojcicki, A., 82
Wong, E.H., 1
Woods, C., 269
Wook Lee, B., 756
Wu, C.-D., 171, 664
Wu, C.-P., 215
Wu, J., 933
Wu, J.-Z., 71
Wu, M., 971
Wu, Q., 308, 671
Wu, X., 768
Wun, A.W., 560

Xi, C., 667
Xia, G.M., 919
Xie, J., 395
Xie, X., 308
Xiong, R.-G., 35, 677
Xiong, Y., 361
Xu, D., 187, 468, 482, 919
Xu, J.-H., 71
Xu, J.-N., 572
Xu, J.-Q., 572, 989
Xu, S., 102
Xu, Y., 711, 1090
Xue, Z., 621, 1090

Yamamoto, Y., 862
Yan, S.-P., 76, 478, 512, 1007, 1012, 1017
Yang, D.-x., 791
Yang, G.-D., 572
Yang, P., 187, 468, 482, 919
Yang, W., 865
Yang, Z., 369
Yao, J.-c., 711
Yao, K., 139
Yao, Y., 395
Yarbrough, J.C., 38
Ye, L., 572
Yin, X., 975, 1000
Yizhen, S., 1095
Ylikoski, A., 1059
Yoo, S.H., 439
Yoon, Il., 820
Yoon, S.S., 143
Yoshida, H., 105
You, X.-Z., 35, 230, 621, 642, 677, 1090
Yu, D., 475
Yu, G., 933
Yu, J.-H., 572, 989
Yu, L.-h., 478
Yu, Z., 230
Yuan, D.R., 187, 468, 482, 919
Yuan, F., 102
Yuan, M., 505

Zarić, S.D., 446
Zeng, J., 407
Zhang, F., 51
Zhang, H., 637
Zhang, H.-T., 642
Zhang, H.T., 399
Zhang, J.-G., 71
Zhang, J.-R., 242
Zhang, K.-L., 230, 642
Zhang, L.Z., 361, 1017
Zhang, P., 35
Zhang, S.-W., 427
Zhang, W., 768
Zhang, X.-y., 181
Zhang, Y., 621, 1086
Zhang, Y.-Z., 28
Zhang, Z.-Z., 442
Zhao, Y., 366, 487
Zhao, Y.-J., 565
Zheng, C., 458, 522, 602, 1066
Zheng, H., 971
Zheng, L., 975, 1000
Zheng, L.-S., 629
Zheng, N., 671
Zhou, G.J., 187, 468
Zhou, X., 102
Zhou, Z., 51
Zhou, Z.-H., 388
Zhu, J.-J., 242
Zhu, J.-M., 242
Zhu, L.-G., 358
Zhu, L.-N., 1017
Zhu, Y., 166, 296, 929, 971
Zhuang, H., 865
Zhuang, H.-H., 171, 664
Zhuang, Y., 102
Zuccaccia, C., 319
Žmirić, A., 446

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Inorganic Chemistry Communications 5 (2002) 1103–1130
INORGANIC CHEMISTRY COMMUNICATIONS
www.elsevier.com/locate/inoche

Subject Index of Volume 5

Absolute configuration
Optically active triosmium cluster with bridging terpenic thioureato-like ligand – synthesis, structure, and absolute configuration, 32
Optically active complexes (μ-H)Os_3(μ-OCNH-(*R*)-CHMePh)$(CO)_{10}$: the absolute configuration of the (+)-rotating stereoisomer, 963
Acetate
Insights in the sol–gel processing of $Pb(Mg_{1/3}Nb_{2/3})O_3$. The synthesis and crown structure of a new lead magnesium cluster: $Pb_6Mg_{12}(\mu\text{-OAc})_6(\mu_2, \eta^2\text{-OAc})_{18}(\mu_3, \eta^2\text{-OC}_2H_4OPr^i)_{12}$, 316
Acetate complex
A 2-D polymer constructed through bridging acetate, hydroxo, aqua and bipyridine ligands: crystal structure of $\{[Cu_2(\mu\text{-CH}_3COO)(\mu\text{-OH})(\mu\text{-}H_2O)(4,4'\text{-bipy})](2H_2O)(SiF_6)\}_n$, 358
Acetylacetonate
The first examples of triply bonded dirhenium(II) complexes that contain β-diketonate ligands, 1073
σ-Acetylide complexes
Ruthenium-acetylide barbituric derivatives: evidence for H-bonding donor effects, 1048
Actinides
Bis{diacetylpyridinebis(benzoylhydrazonato)}thorium(IV) – a novel thorium chelate with co-ordination number 10, 461
12-coordinate complexes formed by the early lanthanide metals with 2,6-bis(-1,2,4-triazin-3-yl)-pyridine, 596
Activation by Co(II) salts
C–S bond cleavage by cobalt: synthesis, characterization and crystal structure determination of 1,2-di-(*o*-salicylaldiminophenylthio)ethane and its Co(III) product with C–S bond cleaved fragments, 649
Adenine
Inter-ligand interactions and the selective formation of the unusual metal–N3(adenine) bond in ternary copper(II) complexes with *N*-benzyliminodiacetato(2−) ligands, 800
Adipic acid
Guest controlled coordination framework: syntheses, crystal structures and thermal properties of two three-dimensional structures of $[Ce_2(adipate)_3(OH_2)_4]\cdot 6H_2O$ and $[Ce_2(adipate)_3(OH_2)_4]\cdot 4H_2O\cdot$(adipic acid), 629
AFM (Atomic force microscopy)
The divalent cation-induced DNA condensation studied by atomic force microscopy and spectra analysis, 181
Alane
Chlorobis(pentafluorophenyl)alane: synthesis, crystal structure, and polymerization catalysis, 698
Alkali cation hydroxides
^7Li, ^{23}Na, ^{39}K and ^{133}Cs NMR comparative equilibrium study of alkali metal cation hydroxide complexes in aqueous solutions. First numerical value for CsOH formation, 223
Alkene complex
A novel heterobimetallic W–Ge compound. X-ray crystal structure of $[W(\mu\text{-Cl})(GeCl_3)(CO)_3(\eta^4\text{-}C_7H_8)]$, 682
Alkenyl ruthenium complex
Preparation of $Ru(\eta^3\text{-2-alkenylallyl})(CO)Cl(PPh_3)_2$ complexes via carbometallation of allenes with alkenyl ruthenium complexes, 177
Alkenyl·phosphonio complexes
A convenient one-step synthesis of alkenyl-phosphonio complexes of ruthenium(II), rhodium(III) and iridium(III), 862
Alkoxide
Insights in the sol–gel processing of $Pb(Mg_{1/3}Nb_{2/3})O_3$. The synthesis and crown structure of a new lead magnesium cluster: $Pb_6Mg_{12}(\mu\text{-OAc})_6(\mu_2, \eta^2\text{-OAc})_{18}(\mu_3, \eta^2\text{-OC}_2H_4OPr^i)_{12}$, 316
Alkoxide complexes
New practical tungsten(VI) based catalyst systems for ring opening metathesis polymerisation, 267
Alkoxo bridged compounds
Comparison of 1-hydroxymethyl-3,5-dimethylpyrazole and 1-benzyl-2-hydroxymethylimidazole coordination properties towards copper(II), 1056
Alkoxoaluminates
Synthesis and X-ray single crystal study of $Co_2Al_2(O^i Pr)_6(acac)_4$ – first representative of a new structure type for the heterometallic alkoxide complexes, 946
Alkylation
Acid-catalyzed self-alkylation of $FcCH_2NHPh$. Solid-state structures of $FcCH_2NHPh$ and $(FcCH_2)NPh$, 46
Alkylcobaloxime
A new cucurbituril-based metallo-rotaxane, 633
Alkyne ligands
Coordinatively unsaturated molybdenum complexes with chelating cycloheptatrienyl-phosphane ligands and their use in transition metal catalysis, 837
Allenyl complexes
Allenyls and propargyls: versatile ligands in transition-metal chemistry, 82
η^3-Allyl ruthenium complex
Preparation of $Ru(\eta^3\text{-2-alkenylallyl})(CO)Cl(PPh_3)_2$ complexes via carbometallation of allenes with alkenyl ruthenium complexes, 177
Amide
The unexpected tridentate role of the tripodal ligand *N*-(carbamoylmethyl)iminodiacetato(2−) (ADA) in a new mixed-ligand nickel(II) complex with 2,2′-bipyridine (bipy) as secondary ligand: structure of $[Ni(ADA)(bipy)(H_2O)]\cdot 4H_2O$, 727
Investigations into the small-bite N-functionalised amido chemistry of silicon and tin(IV), 533
Amine dehydrogenation
Ligand dehydrogenation in ruthenium trinitrogen complexes: synthesis, structure and chirality of the cations $[Ru(LH_4)(L)]^{2+}$ [LH_4 = 2,6-bis(pyrrolidin-2-yl)pyridine], 787

Elsevier Science B.V.
PII: S1387-7003(02)00661-5

Amines
Acid-catalyzed self-alkylation of $FcCH_2NHPh$. Solid-state structures of $FcCH_2NHPh$ and $(FcCH_2)NPh$, 46
Direct synthesis of bis(*n*-alkylammonium) monohydrogen phosphates by solid–vapour reaction, 372
Amino-acid esters
Semi-rigid *N-para*-ferrocenyl(benzoyl)amino-acid esters for biomaterials: synthesis and characterization of Fc-$C_6H_4CONHCH(R)CO_2Me$ where Fc = $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4)$ and R = H, CH_3, $CH_2CH(CH_3)_2$, $CH_2C_6H_5$ and the X-ray crystal structures of Fc-$C_6H_4CO_2Me$ and the L-alanine derivative Fc-$C_6H_4CONHCH(CH_3)CO_2Me$, 1034
β-Amino alcohol
Synthesis of the dimeric μ_2-O aminoalkoxy complexes of rhenium $[(CO)_3Re(\mu_2\text{-}O^{\frown}NH_2)]_2$ and their condensation products with acetone $[(CO)_3Re(\mu_2\text{-}O^{\frown}N=CMe_2)]_2$, 897
2-Aminopyridine
Synthesis and structural characterization of two chain complexes of Mn(II) containing 2-aminopyridinium, 215
3-Aminopyridine-2-carboxylic acid
Synthesis, spectroscopic studies and structure prediction of the new $Tb(3\text{-}NH_2PIC)_3 \cdot 3H_2O$ complex, 292
Ammonium iodide
An incomplete cube-like array of Cu, Zn, I with O atoms from 2-dimethylaminoethanol formed directly from zero-valent metal powders, 19
Anion receptors
A polymerizable pyrrole–cobaltocenium receptor for the electrochemical recognition of anions in solution and immobilised onto electrode surfaces, 288
Anti-$B_{18}H_{22}$, Synthesis, BNCT
Novel approach to boron-10 enriched decaborane(14): an important advance in synthetic boron hydride chemistry, 765
Anti-Markovnikov
Regioselective olefin arylation catalyzed by $[Ir(acac)_2Cl]_2$ with base, 105
Antiarthritic drug
Synthesis of a gold(I) complex with a (thio)phosphine-modified β-cyclodextrin, 252
Antimycobacterial activity
Hydrothermal synthesis, crystal structure, spectroscopy, electrochemistry and antimycobacterial evaluation of the copper (II) ciprofloxacin complex: $[Cu(cf)_2(BF_4)_2] \cdot 6H_2O$, 1022
Antineoplastic
Convenient one-pot synthesis of triphenylphosphinecarbomethoxyborane: antitumor activity and structural investigation, 458
Aqua complex
A 2-D polymer constructed through bridging acetate, hydroxo, aqua and bipyridine ligands: crystal structure of $\{[Cu_2(\mu\text{-}CH_3COO)(\mu\text{-}OH)(\mu\text{-}H_2O)(4,4'\text{-bipy})](2H_2O)(SiF_6)\}_n$, 358
Aqueous ammonia route
Aqueous ammonia route to $Cu_{1.8}S$ with triangular and rod-like shapes, 407
η^6-Arene
Synthesis of a ruthenium complex of a cyclic trifunctional η^6, η^1, η^1-arene–diphosphine ligand by intramolecular dehydrofluorinative carbon–carbon coupling, 15
η^2-arenel
Self-assembly of an organometallic silver(I) 1D architecture supported by three different types of bonding interactions, 278
Arene ligand
The cluster dication $[(\eta^6\text{-}C_6H_6)_2(\eta^6\text{-}C_6Me_6)_4Ru_8(\mu_2\text{-}H)_2(\mu_3\text{-}O)_2(\mu_2\text{-}Cl)_2]^{2+}$: a chloro-bridged framework containing two metal tetrahedra, 9
(η^6-arene)tricarbonylchromium
Synthesis and structure of a new heteronuclear (η^6-arene) tricarbonylchromium compound incorporating propargyl amine unit, 192
Aromatic ring–ring π,π-stacking
Inter-ligand interactions and the selective formation of the unusual metal–N3(adenine) bond in ternary copper(II) complexes with *N*-benzyliminodiacetato(2−) ligands, 800
Arylation
Regioselective olefin arylation catalyzed by $[Ir(acac)_2Cl]_2$ with base, 105
Asymmetric
A chiral spiro-oxime ligand and its organopalladium(II) coordination chemistry, 552
Atomic force microscopy
The divalent cation-induced DNA condensation studied by atomic force microscopy and spectra analysis, 181
Autocatalysis
$[Ph_4P][CrO_3(OH)]$ – a wonder molecule: its behaviour as a bifunctional autocatalyst in water-splitting for the perpetual generation of dihydrogen and a catalyst mimicking catalase function, 259
Azaferrocene derivatives
Substituent effect on the oxidation of azaferrocene studied by ^1H NMR and ^{57}Fe Mössbauer spectroscopy, 312
Azide
A doubly end-to-end azido bridged 1D ferromagnetic chain, 472
Azido
Synthesis and transition metal coordination of 2-(azidomethyl) phenyl isocyanide, 915
1,2,4,5-Benzenetetracarboxylate
Syntheses and X-ray crystal structures of 14-membered tetraaza macrocyclic copper(II) complexes with polycarboxylate ligands, 616
Benzenetetracarboxylic acid
Structurally different nickel(II) hexaaza macrocyclic complexes with the same btc^{2-} anions (btc^{2-} = 1,2,4,5-benzenetetracarboxylic acid dianion), 771
Benzotriazole
Synthesis and crystal structure of $Zn[(C_6H_5N_3)_4(H_2O)_2](ClO_4)_2$ and $Cu[(C_6H_5N_3)_4(H_2O)_2](ClO_4)_2$, 453
Benzoyl hydrazonato complexes
Bis{diacetylpyridinebis(benzoylhydrazonato)}thorium(IV) – a novel thorium chelate with co-ordination number 10, 461
Benzyne
$Ru_4(\mu\text{-}CO)(CO)_9(\eta^4\text{-}\mu_4\text{-}C_6H_4)(\eta^2\text{-}\mu_1,\mu_4\text{-}PPhCH_2CH_2PPh_2)$: an unusual pyrolysis product of $Ru_3(CO)_{10}$(dppe) containing a benzyne ligand, 414
Bi-capped α-Keggin
Hydrothermal synthesis and crystal structure of a novel compound: $[Ni(phen)_3]_2[SiMo_{10}V_2^{IV}O_{40}(V^{IV}O)_2] \cdot 2H_2O$, 509
Bidentate ligand
Synthesis of a gold(I) complex with a (thio)phosphine-modified β-cyclodextrin, 252
Biferrocenium
^{57}Fe Mössbauer spectroscopic and X-ray structural analyses on the mixed-valence state of biferrocenium derivatives with bromoalkyl substituents, 107
Bifunctional
Synthesis and structure of copper-DMPLED complex, a bifunctional ligand with positive charged pyridine rings, 625
Binary crystals
Cobalt complexes derived from chiral quasi-racemic ligands as building blocks for binary crystals, 829

Binuclear cadmium
A non-interpenetrating 3-D coordination polymer built from binuclear Cd units elaborated with square pyramidal geometry of cadmium, 196
Binuclear complexes
Allenyls and propargyls: versatile ligands in transition-metal chemistry, 82
Bioinorganic chemistry
Insights into the role of zinc(II) sites in hydrolytic enzymes: study of the $Zn^{II}/X/(py)_2CO$ ($X = Cl^-$, N_3^-, SO_4^{2-}; $(py)_2CO$=di-2-pyridyl ketone) reaction systems, 719
Biomaterials
Semi-rigid *N-para*-ferrocenyl(benzoyl)amino-acid esters for biomaterials: synthesis and characterization of Fc-$C_6H_4CONHCH(R)CO_2Me$ where Fc = $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4)$ and R = H, CH_3, $CH_2CH(CH_3)_2$, $CH_2C_6H_5$ and the X-ray crystal structures of Fc-$C_6H_4CO_2Me$ and the L-alanine derivative Fc-$C_6H_4CONHCH(CH_3)CO_2Me$, 1034
Biomimetic complex
Characterisation of a coordinated imidazole as a structural model for superoxide dismutase, 777
Bioorganometallic chemistry
Semi-rigid *N-para*-ferrocenyl(benzoyl)amino-acid esters for biomaterials: synthesis and characterization of Fc-$C_6H_4CONHCH(R)CO_2Me$ where Fc = $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4)$ and R = H, CH_3, $CH_2CH(CH_3)_2$, $CH_2C_6H_5$ and the X-ray crystal structures of Fc-$C_6H_4CO_2Me$ and the L-alanine derivative Fc-$C_6H_4CONHCH(CH_3)CO_2Me$, 1034
2,2′-bipyridine
Heteroditopic ligands containing a 2,2′-bipyridine and a 2,2′:6′,2″-terpyridine moiety and their ruthenium tris(bipyridine)-like complexes, 5
Bipyridine
The unexpected tridentate role of the tripodal ligand *N*-(carbamoylmethyl)iminodiacetato(2−) (ADA) in a new mixed-ligand nickel(II) complex with 2,2′-bipyridine (bipy) as secondary ligand: structure of $[Ni(ADA)(bipy)(H_2O)]\cdot 4H_2O$, 727
4,4′-Bipyridine
A heterobimetallic copper(I)–silver(I) complex spanned by 4,4′-bipyridine, 203
2,2′-bipyridine-5,5′-dicarboxylic acid
Two-dimensional cobalt-bipyridinedicarboxylate coordination polymer: [Co(2,2′-bipyridine-5,5′-dicarboxylato) $(H_2O)] \cdot (H_2O)$, 143
Bis(bidentate) phosphines
First regioselective protonation or selenization of a bis(bidentate) phosphine: synthesis and characterization of *cis,trans,cis*-1,3-bis(diphenylphosphonium)-PH, P′H′-2,4-bis(diphenylphosphino)cyclobutane-diiodide and *cis,trans,cis*-1,3-bis(diphenylphosphinoselenoyl)-2,4-bis(diphenylphosphino)cyclobutane, 490
2,6-Bis(diphenylphosphino)pyridine
Synthesis and structural study of tri- and dinuclear palladium complexes of 2,6-bis(diphenylphosphino)pyridine, 442
1,2-Bis(4-pyridyl)ethene
Synthesis and crystal structure of a novel zinc(II) coordination polymer with mixed ferrocenyl diketone and bipyridine ligands, 929
Bis(thiosemicarbazone)
Preparation and structural characterisation of a novel palladium (II) binuclear complex containing triazole bisthiosemicarbazone bridges, 344
Bismuth sulfide
Synthesis of nano-fibrillar bismuth sulfide by a surfactant-assisted approach, 933
3,6-bis(2-pyridyl)-1,2,4,5-tetrazine
A near planar disilver complex of 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine, 199
BNCT
Convenient one-pot synthesis of triphenylphosphinecarbomethoxyborane: antitumor activity and structural investigation, 458
Synthesis and crystal structure of 1,4-diaminobutyl-*N,N′*-bis(cyanoborane): the first substituted-borane adduct of putrescine, 522
^{10}B-NMR
Novel approach to boron-10 enriched decaborane(14): an important advance in synthetic boron hydride chemistry, 765
Bond cleavage
The effect of substitution of a thioether donor by a phosphine donor in thiacrown complexes of iron, 832
Borane cluster
Polyhedral monocarbaborane chemistry: positional isomerism within the 10-vertex monocarbaborane cluster: synthesis and characterisation of the [2-Ph-*closo*-2-CB_9H_9]$^-$ anion, 581
Borane clusters
The synthesis and characterization of two new 19-vertex metallaborane clusters: $[B_{18}H_{20}Ni(\eta^5\text{-}C_5H_5)]^{-1}$ and $[B_{18}H_{19}(2\text{-THF})Ni(\eta^5\text{-}C_5H_5)]$, 274
Boranes
Formation of $[8,8\text{-}\eta^2\text{-}\{(\mu\text{-}Cl)_2Ru(\eta^6\text{-}p\text{-}cym)Ph_2PCH_2PPh_2\}\text{-}nido\text{-}8,7\text{-}RhSB_9H_{10}]$, a bimetallic derivative of the novel species $[8,8\text{-}(\eta^2\text{-}dppm)\text{-}8\text{-}(\eta^1\text{-}dppm)\text{-}nido\text{-}8,7\text{-}RhSB_9H_{10}]$, 127
Borohydrides
Photoreactivity of (2,9-dimethyl-1,10-phenanthroline) copper(I) borohydride, 239
Boron biomolecules
Convenient one-pot synthesis of triphenylphosphinecarbomethoxyborane: antitumor activity and structural investigation, 458
Boron compounds
Crystal structure of tetraphenyldiboroxane a monomer diboroxane, 377
Boron hydrides
Novel approach to boron-10 enriched decaborane(14): an important advance in synthetic boron hydride chemistry, 765
Boron-10 enriched
Novel approach to boron-10 enriched decaborane(14): an important advance in synthetic boron hydride chemistry, 765
C–H bond activation
Regioselective olefin arylation catalyzed by $[Ir(acac)_2Cl]_2$ with base, 105
Cadmium nicotinate
A non-interpenetrating 3-D coordination polymer built from binuclear Cd units elaborated with square pyramidal geometry of cadmium, 196
Cage-degradation
A novel cesium–carborane cluster: synthesis and structure of $[Cs_5\text{–}(C_2B_9H_{12})_4Cl]_n$, 694
Calcium hydrogen phosphates
Lead immobilization by non-apatite-type calcium phosphates in aqueous solutions, 156
Facile preparation of lead hydroxyapatite through lead immobilization by calcium hydrogen phosphates in aqueous solutions, 606
Calcium phosphates
Lead immobilization by non-apatite-type calcium phosphates in aqueous solutions, 156
Carbamato complexes
The NHR_2/CO_2 system as a metal ion extraction reagent from aqueous solution into hydrocarbons: copper(II) and zinc(II), 848
Carbamoylborane
Preparation of an externally uncomplexed carbamoylborane dimer, 1066

Carbamoylsilane
Preparation of an externally uncomplexed carbamoylborane dimer, 1066
Carbometallation
Preparation of Ru(η^3-2-alkenylallyl)(CO)Cl(PPh_3)$_2$ complexes via carbometallation of allenes with alkenyl ruthenium complexes, 177
Carbon dioxide
Terbium-oxalate-pyridinedicarboxylate coordination polymers suggesting the reductive coupling of carbon dioxide (CO_2) to oxalate ($C_2O_4^{2-}$) : [Tb_2 (3,5-PDC)$_2$(H_2O)$_4$(C_2O_4)] · $2H_2O$ and [Tb(2,4-PDC)(H_2O)(C_2O_4)$_{0.5}$] (PDC = pyridinedicarboxylate), 978
Carbonyl
The preparation and molecular structure of the first primary ferrocenylphosphine complex of tungsten(II), [$WI_2(CO)_3(FcCH_2PH_2)_2$] [Fc = Fe(η^5-C_5H_5)(η^5-C_5H_4)], 115
Ru_4(μ-CO)$(CO)_9$(η^4-μ_4-C_6H_4)(η^2-μ_1, μ_4-$PPhCH_2CH_2PPh_2$): an unusual pyrolysis product of $Ru_3(CO)_{10}$(dppe) containing a benzyne ligand, 414
Carborane
A novel cesium–carborane cluster: synthesis and structure of [Cs_5–($C_2B_9H_{12}$)$_4$Cl]$_n$, 694
Carboxylate shift
A tetranuclear manganese oxo complex with terminal and bridging trifluoroacetate ligands: synthesis and structure of [$Mn_4O_2(O_2CCF_3)_8$(bpy)$_2$], 206
Catalase activity
[Ph_4P][CrO_3(OH)] – a wonder molecule: its behaviour as a bifunctional autocatalyst in water-splitting for the perpetual generation of dihydrogen and a catalyst mimicking catalase function, 259
Catalase-like activity
Synthesis, structure and catalase-like activity of a new dinuclear mixed valence $Mn^{II}Mn^{III}$ complex containing an unsymmetric N_5O_2 donor ligand, 434
The first macrocyclic "layer-to-layer" type tetranuclear copper(II) complex: structure, stability and unprecedented catalase-like activity, 1095
Catalysis
New practical tungsten(VI) based catalyst systems for ring opening metathesis polymerisation, 267
Synthesis, characterization and reactivity of $MoCl_2(O)(O_2)(OPR_3)_2$, OPR_3 = $OPMePh_2$, $OPPh_3$; an isomerization catalyst for some allylic alcohols, 384
Catalyst
Chlorobis(pentafluorophenyl)alane: synthesis, crystal structure, and polymerization catalysis, 698
Catalytic aerobic oxidation
Catalytic oxidation of THF with homo and hetero metallic Mo/Ru complexes and molecular oxygen, 1052
Catalytic applications
First regioselective protonation or selenization of a bis(bidentate) phosphine: synthesis and characterization of *cis*,*trans*,*cis*-1,3-bis(diphenylphosphonium)-PH, P′H′-2,4-bis(diphenylphosphino)cyclobutane-diiodide and *cis*,*trans*,*cis*-1,3-bis(diphenylphosphinoselenoyl)-2,4-bis(diphenylphosphino)cyclobutane, 490
Catechol oxidation by Cu(II) complexes
Synthesis, structural diversity, inter-conversion and reactivity of Cu(II) complexes of hydroxy-rich molecules, 380
$C_{(cage)}$-Alkyloxo
Synthesis and characterization of constrained-geometry half-sandwich sila- and germacarboranes derived from a trianionic $C_{(cage)}$-appended alkyloxo-C_2B_9-carborane ligand, 296
C_2B_4-carborane ligand
Synthesis and crystal structure of the first "carbons apart" diamagnetic lutetiacarborane sandwich complex, 602
CD (Circular Dichroism)
The divalent cation-induced DNA condensation studied by atomic force microscopy and spectra analysis, 181
CD spectra
Some lanthanide (III) complexes of (S, S)-(+)-2, 3-dimethoxyl-*N*, *N*′-dimethyl-1, 4-diaminobutane, 226
Cd(II)complex
The first one-dimensional metal–organic coordination polymer with 4-quinolineacarboxylate as building block: [Cd(μ_2-H_2O) (4-quinolinecarboxylato-O, O)$_2$], 35
Cesium
A novel cesium–carborane cluster: synthesis and structure of [Cs_5–($C_2B_9H_{12}$)$_4$Cl]$_n$, 694
Characterization
Preparation and characterization of decatungstomolybdoniobogermanic heteropoly acid H_5[$GeW_{10}MoNbO_{40}$] · $20H_2O$, 308
Charge transfer
Electronic spectra of π-cylopentadienyl(triethyl phosphine) copper(I). Ligand-to-ligand charge transfer, 112
Photoreactivity of (2,9-dimethyl-1,10-phenanthroline) copper(I) borohydride, 239
Photochemistry of tris(diethyldithiocarbamato)iron(III). Reduction to a stable iron(II) complex induced by ligand-to-metal charge transfer excitation, 730
Ruthenium-acetylide barbituric derivatives: evidence for H-bonding donor effects, 1048
Chelate
Synthesis, spectroscopic study and X-ray crystal structure of unsymmetrical bis(phosphine)-platinum complex, [$PtCl_2$\{η^2-$Ph_2POCH_2CH_2N(CH_3)PPh_2$], 782
Chelate complex
Tetrakis(pyrazol-1-ylmethyl)methane and its hypodentate binuclear complex with silver(I) nitrate, 449
Chelate N,O ligands
The unexpected synthesis of rhodium(I) complexes with the 1-(2′-pyridyl)-3-oxo-1-propenoxide anionic ligand, 245
Chemical Synthesis
Preparation and characterization of MnOOH and β-MnO_2 whiskers, 747
Chiral
The first supramolecular assemblies comprised of dimetal units and chiral dicarboxylates, 59
Chiral amidate ligand
Copper(II) complexes with novel chiral amidate ligands, 163
Chiral ligand
Synthesis and structure of Cu(II) complex with chiral amidate ligand, 4(*S*)-1-(2-pyridyl)-3-oxo-4-aza-7-thiaoctane, 756
Chirality
A chiral spiro-oxime ligand and its organopalladium(II) coordination chemistry, 552
Ligand dehydrogenation in ruthenium trinitrogen complexes: synthesis, structure and chirality of the cations [$Ru(LH_4)(L)]^{2+}$ [LH_4 = 2,6-bis(pyrrolidin-2-yl)pyridine], 787
Chloro complexes
Synthesis of a novel tetranuclear Cu(II) complex with the dinucleating ligand α, α'-bis(*N*-1,4,7-triazacyclononane)-*m*-xylene (XYL-tacn): first crystal structure of [$(CuCl)_4$(XYL-tacn)$_2$(μ-Cl)$_2$][PF_6]$_2$, 64
New practical tungsten(VI) based catalyst systems for ring opening metathesis polymerisation, 267

C—H bond activation
Reaction of $Ru_3(CO)_{12}$ with supermesityldiphosphene: a new type of reaction of a Group 8 transition metal carbonyl with a diphosphene, 808
Ciprofloxacin
Hydrothermal synthesis, crystal structure, spectroscopy, electrochemistry and antimycobacterial evaluation of the copper (II) ciprofloxacin complex: $[Cu(cf)_2(BF_4)_2] \cdot 6H_2O$, 1022
Circular dichroism
The divalent cation-induced DNA condensation studied by atomic force microscopy and spectra analysis, 181
Citrate
Synthesis, characterization and sorption properties of a porous coordination polymer: $Co_3(citrate)_2(4,4'\text{-bipyridine})_4(H_2O)_2 \cdot 4(H_2O)$, 761
Cluster
The cluster dication $[(\eta^6\text{-}C_6H_6)_2(\eta^6\text{-}C_6Me_6)_4Ru_8(\mu_2\text{-}H)_2(\mu_3\text{-}O)_2(\mu_2\text{-}Cl)_2]^{2+}$: a chloro-bridged framework containing two metal tetrahedra, 9
$Ru_4(\mu\text{-}CO)(CO)_9(\eta^4\text{-}\mu_4\text{-}C_6H_4)(\eta^2\text{-}\mu_1,\mu_4\text{-}PPhCH_2CH_2PPh_2)$: an unusual pyrolysis product of $Ru_3(CO)_{10}$(dppe) containing a benzyne ligand, 414
Cluster compounds
Three-dimensional framework containing $Mn(salen)^+$ and $Re_6Se_8(CN)_6^{4-}$ cluster, 592
Synthesis and reactivity of rhenium cluster-supported manganese porphyrin complexes, 612
Cluster isomers
Polyhedral monocarbaborane chemistry: positional isomerism within the 10-vertex monocarbaborane cluster: synthesis and characterisation of the $[2\text{-Ph-}closo\text{-}2\text{-}CB_9H_9]^-$ anion, 581
Co spinel
Synthesis and X-ray single crystal study of $Co_2Al_2(O^iPr)_6(acac)_4$ – first representative of a new structure type for the heterometallic alkoxide complexes, 946
Co-ordination chemistry
First example of a Rh–N–C–O–P heterocycle – a rare example of a five membered true heterocycle, 803
Co-ordination number 10
Bis{diacetylpyridinebis(benzoylhydrazonato)}thorium(IV) – a novel thorium chelate with co-ordination number 10, 461
Cobalt
$[CoI_2(C_6H_4N_3CH_2CO_2C_4H_2SCO_2CH_2C_6H_4N_3)]$, a coordination polymer containing the thiophene-2,5-di(carboxylatomethylenebenzotriazole) bridging ligand: synthesis, structure, redox properties, 264
Cobalt complex
Synthesis and structural characterisation of a new cobalt(II) pentanuclear complex with a tetranucleating pyrazole-derived ligand, 130
Cobalt complexes
Cobalt complexes derived from chiral quasi-racemic ligands as building blocks for binary crystals, 829
Isostructural organic–inorganic hybrids of *P*, *P*′-diphenylmethylenediphosphinate $(CH_2(P(Ph)O_2)_2)^{2-}$ with divalent transition metals, 1041
Cobalt(II)
Cobalt(II) and manganese(II) complexes of unsymmetric compartmental ligands bearing adjacent $\{N_2O\}$ and {N,S,O} donor sets, 1044
Cobalt(II) complex
Synthesis and characterization of cobalt(II) complex with a di-*N*-carboxymethylated tetraaza macrocycle, 220
Cobalt(III) complex
The first example of half-sandwich cobalt(III) complex with hydrotris(pyrazolyl)borate ligand, 512
Cobaltocenium
A polymerizable pyrrole–cobaltocenium receptor for the electrochemical recognition of anions in solution and immobilised onto electrode surfaces, 288
Coenzyme B_{12}
Synthesis and crystal structure of a novel bridged coenzyme B_{12} model complex, 139
Coinage metal
Oligocyanometallic cords as building blocks in luminescent three-dimensional coordination polymers: $[Ag_4Cd_2(tren)_2(CN)_{6.5}][Ag(CN)_{1.5}]$ and $[Au_2Cd(tren)(CN)_4] \cdot H_2O$, 637
Complex
Synthesis and structure of copper-DMPLED complex, a bifunctional ligand with positive charged pyridine rings, 625
π-complex
A study of the reaction between phenyl substituted cyclopentadiene and iron pentacarbonyl: the unusual structure of π-complex $(\eta^4\text{-}C_5Ph_4H_2)Fe(CO)_3$, 102
Complexes
Silver(I) complexes of selenourea (^{13}C and ^{15}N labeled); characterization by ^{13}C, ^{15}N and ^{107}Ag NMR, 355
Condensation reaction
Synthesis of the dimeric μ_2-O aminoalkoxy complexes of rhenium $[(CO)_3Re(\mu_2\text{-}O\frown NH_2)]_2$ and their condensation products with acetone $[(CO)_3Re(\mu_2\text{-}O\frown N=CMe_2)]_2$, 897
Constrained-geometry
Synthesis and characterization of constrained-geometry half-sandwich sila- and germacarboranes derived from a trianionic $C_{(cage)}$-appended alkyloxo-C_2B_9-carborane ligand, 296
10-coordinate
Interactions of trivalent lanthanide cations with tetradentate Schiff bases. Synthesis and characterization of lanthanide(III) complexes with *N*,*N*′-bis(pyridin-2-ylmethylene)benzene-1,2-diamine, 844
Coordination
Synthesis and crystal structure of the first "carbons apart" diamagnetic lutetiacarborane sandwich complex, 602
12-coordination
12-coordinate complexes formed by the early lanthanide metals with 2,6-bis(-1,2,4-triazin-3-yl)-pyridine, 596
Coordination modes
Two-dimensional rare earth coordination polymers involving different coordination modes of thiodiglycolic acid, 28
Coordination polymer
Two-dimensional rare earth coordination polymers involving different coordination modes of thiodiglycolic acid, 28
Structure and physical properties of a novel three-dimensional nickel coordinated polymer with mixed ligands resulting from hydrothermal reaction, 171
A non-interpenetrating 3-D coordination polymer built from binuclear Cd units elaborated with square pyramidal geometry of cadmium, 196
A new family of two-dimensional lanthanide(III) coordination polymers: synthesis, structures and properties of $[Ln(SIP)(H_2O)_4]_n$ (Ln=Eu, Gd, Ce, and NaH_2SIP = 5-sulfoisophthalic acid monosodium salt), 230
A 2-D polymer constructed through bridging acetate, hydroxo, aqua and bipyridine ligands: crystal structure of $\{[Cu_2(\mu\text{-}CH_3COO)(\mu\text{-}OH)(\mu\text{-}H_2O)(4,4'\text{-bipy})](2H_2O)(SiF_6)\}_n$, 358
Synthesis and crystal structure of a novel two-dimensional corrugated coordination polymer, 487
Hydrothermal synthesis and structural characterization of a novel gadolinium(III) coordination polymer $[Gd(Hdtpc)(OH)(H_2O)]_n$, 589
A new 2-D chiral coordination polymer of $[Zn(nicotinate)_2]_n$, 600
Guest controlled coordination framework: syntheses, crystal structures and thermal properties of two three-dimensional

structures of $[Ce_2(adipate)_3(OH_2)_4] \cdot 6H_2O$ and $[Ce_2(adipate)_3(OH_2)_4] \cdot 4H_2O \cdot$ (adipic acid), 629
Self-assembly of dinuclear $M_2Cl_4(C_{13}H_9N_3)_2$: stepwise supramolecular array by π–π stacking, 667
Synthesis, characterization and sorption properties of a porous coordination polymer: $Co_3(citrate)_2(4,4'\text{-bipyridine})_4(H_2O)_2 \cdot 4(H_2O)$, 761
The encapsulation of $[Cu(en)_2]^{2+}$ (en = ethylenediamine) by a novel three-dimensional Cu^{II}–Mo^{IV} bimetallic porous coordination polymer containing zigzag-ladder structure, 791
The crystal structures of two types of bis(fluorinated-acetylacetonato)copper(II) complexes with 4-(trifluoromethyl)-1,2-phenylenediamine, 856
Synthesis and crystal structure of a novel zinc(II) coordination polymer with mixed ferrocenyl diketone and bipyridine ligands, 929
Hydrothermal synthesis of a novel microporous framework sustained by polycatenated $[Cu_2^I(ip)(4,4'\text{-bipyridine})]_n$ (ip = isophthalate) ladders, 1000
$[Zn(BDC)(H_2O)_2]_n$: a novel blue luminescent coordination polymer constructed from BDC-bridged 1-D chains via interchain hydrogen bonds (BDC = 1,4-benzenedicarboxylate), 1017
The 3D CuO (tenorite) as copper-ion source afforded the first 1,4-naphthalenedicarboxylate bridged coordination dimmer linked via triple-hydrogen-bonding water molecule into a 2D network, 1028
Syntheses and structures of two- and one-dimensional organic–inorganic hybrid compounds assembled from PbI_2 and 1,4-bis(4-pyridyl)-2,3-diaza-1,3-butadiene, 1090

Coordination polymers
Anion-directed self-assembly of metallosupramolecular coordination polymers of the radialene ligand hexa(2-pyridyl)[3]radialene, 323
Oligocyanometallic cords as building blocks in luminescent three-dimensional coordination polymers: $[Ag_4Cd_2(tren)_2(CN)_{6.5}][Ag(CN)_{1.5}]$ and $[Au_2Cd(tren)(CN)_4] \cdot H_2O$, 637
Syntheses, structures, and luminescence properties of a new family of three-dimensional open-framework lanthanide coordination polymers, 642
Terbium-oxalate-pyridinedicarboxylate coordination polymers suggesting the reductive coupling of carbon dioxide (CO_2) to oxalate ($C_2O_4^{2-}$) : $[Tb_2(3,5\text{-}PDC)_2(H_2O)_4(C_2O_4)] \cdot 2H_2O$ and $[Tb(2,4\text{-}PDC)(H_2O)(C_2O_4)_{0.5}]$ (PDC = pyridinedicarboxylate), 978

Copper
Synthesis and structure of a supramolecular octanuclear Cu(II) complex $\{[Cu(sae)]_4 2CH_3OH \cdot H_2O\}_2$ through both μ-oxo and hydrogen bonds (sae = 2-salicylideneamino-1-ethanol), 76
A heterobimetallic copper(I)–silver(I) complex spanned by 4,4′-bipyridine, 203
Molecular structure of $[In_2(\mu,\eta^1\text{-}OR)(\mu,\eta^2\text{-}OR)(\eta^2\text{-}OR)_3(\eta^1\text{-}OR)]$ R = $C_2H_4NMe_2$, a pincer ligand, 347
Synthesis and structure of copper-DMPLED complex, a bifunctional ligand with positive charged pyridine rings, 625
First macrocyclic oxamide Cu(II)–Co(II) complex: synthesis, crystal structure and magnetic properties, 1012

Copper complex
Synthesis, properties and X-ray structure for the mononuclear complex of [{(1-methyl imidazol-2-yl)methylene}-2-aminoethylpyridine]-dichloro copper (II) monohydrate, 235
Synthesis and crystal structure of $Zn[(C_6H_5N_3)_4(H_2O)_2](ClO_4)_2$ and $Cu[(C_6H_5N_3)_4(H_2O)_2](ClO_4)_2$, 453
A puckered 2D copper coordination polymer with dimensions 14.91 × 12.63 Å, 565
Redox behavior of copper(II)/(I) couples with quadridentate ligand: evidence of novel dual gated electron transfer reactions, 949
Crystal structure of a new oximato-bridged one-dimension(1D) chain-like copper complex polymer $\{[Cu_4(dmg)_2(Hdmg)_2(H_2dmg)_2(H_2O)_2](ClO_4)_2\}_\infty$, 1086

Copper complexes
Design of molecular rectangles by using compartmental and *exo*-bidentate ligands, 42
Electronic spectra of π-cylopentadienyl(triethyl phosphine) copper(I). Ligand-to-ligand charge transfer, 112
Photoreactivity of (2,9-dimethyl-1,10-phenanthroline) copper(I) borohydride, 239
Unexpected assembly of a tetranuclear copper(II) complex bridged by glyoximate groups, 403
Syntheses and X-ray crystal structures of 14-membered tetraaza macrocyclic copper(II) complexes with polycarboxylate ligands, 616
The NHR_2/CO_2 system as a metal ion extraction reagent from aqueous solution into hydrocarbons: copper(II) and zinc(II), 848
Monomeric and dimeric metal complexes of a simply prepared and versatile pentapyridyldiamine, 958

Copper oxide
The 3D CuO (tenorite) as copper-ion source afforded the first 1,4-naphthalenedicarboxylate bridged coordination dimmer linked via triple-hydrogen-bonding water molecule into a 2D network, 1028

Copper–sulfur clusters
Molecular assembly of novel hetero-metal clusters: $[(O=MoS_3Cu_2)_2(\mu\text{-}Sn_2S_6)]^{4-}$ and $[(S=MoS_3Cu_2)_3(\mu_3\text{-}S)_2]^{4-}$, 768

Copper(I) complex
Observation of photoluminescence in a $Cu^I(amino\ N)_2(imino\ N)_2$ chromophore at room temperature and 77 K, 304
Unprecedented phosphino copper(I) derivatives of tris(pyrazolyl)methanesulfonate ligand co-ordinated to metal in an unusual κ^3-N, N′, O fashion, 430

Copper(I) halide
Hydrothermal synthesis and characterization of a copper(I) halide coordination polymer with isonicotinic acid (IN) ligand as a template possessing three-dimensional supramolecular network structure, 572

Copper(II)
A doubly end-to-end azido bridged 1D ferromagnetic chain, 472
Synthesis and crystal structure of Cu(II) complex with 4-(pyridyl-2)-1,2,4-triazole, 690
Inter-ligand interactions and the selective formation of the unusual metal–N3(adenine) bond in ternary copper(II) complexes with *N*-benzyliminodiacetato(2−) ligands, 800

Copper(II) complex
Synthesis and characterization of nickel(II) and copper(II) complexes with a tetramethyltetraaza macrocycle containing 2-pyridylmethyl pendant arms, 496
Synthesis of a novel tetranuclear Cu(II) complex with the dinucleating ligand α, α′-bis(*N*-1,4,7-triazacyclononane)-*m*-xylene (XYL-tacn): first crystal structure of $[(CuCl)_4(XYL\text{-}tacn)_2(\mu\text{-}Cl)_2][PF_6]_2$, 64
Synthesis of new macrobicyclic tricompartmental ligands and site preference of metal ion: structural and electrochemical properties of mononuclear copper(II) complexes, 422

Copper(II) salicylate
Synthesis, crystal structure and superoxide dismutase mimetic activity of hexakis (*N*-methylimidazole) copper(II) salicylate, 269

Copper(II)/(III)/(I)
Spectroelectrochemistry of copper(II) complexes with deprotonated tetradentate pyridine-2-carboxamide ligands: EC reaction of the electrogenerated Cu(III) species, 853

Corundum structure
Preparation of corundum structure Sn-doped In_2O_3 nanoparticles via controlled co-precipitating and postannealing route, 475
Cross-bridged ligands
Gallium(III) and indium(III) complexes of cross-bridged tetraamine ligands, 1
Crown ethers
Influence of guests and protonation on the conformation of *N,N'*-dipyridyl-bis-aza-18-crown-6, 1082
Crystal structure
A dinuclear zinc(II) complex of 2,6-bis[((2-hydroxybenzyl)(2-pyridylmethyl)amino)methyl]-4-methylphenol derived from bis(acetylacetonato)zinc(II), 12
An incomplete cube-like array of Cu, Zn, I with O atoms from 2-dimethylaminoethanol formed directly from zero-valent metal powders, 19
Acid-catalyzed self-alkylation of $FcCH_2NHPh$. Solid-state structures of $FcCH_2NHPh$ and $(FcCH_2)NPh$, 46
Synthesis and structure of a supramolecular octanuclear Cu(II) complex $\{[Cu(sae)]_4 2CH_3OH \cdot H_2O\}_2$ through both μ-oxo and hydrogen bonds (sae = 2-salicylideneamino-1-ethanol), 76
A study of the reaction between phenyl substituted cyclopentadiene and iron pentacarbonyl: the unusual structure of π-complex $(\eta^4\text{-}C_5Ph_4H_2)Fe(CO)_3$, 102
Dichlorobis[1,3-dimethyl-2(3*H*)-imidazoleselone]zinc(II): a potential zinc selenide synthon, 124
Synthesis and structural characterisation of a new cobalt(II) pentanuclear complex with a tetranucleating pyrazole-derived ligand, 130
Preparation and structural characterization of mercury 21-thiaporphyrin complex: Hg^{II}(Stpp)Cl (Stpp = tetraphenyl-21-thiaporphyrin anion), 150
A 2-indenyl-amido-bridged titanium complex with C_s-symmetry, 159
A near planar disilver complex of 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine, 199
Synthesis and characterization of cobalt(II) complex with a di-*N*-carboxymethylated tetraaza macrocycle, 220
Observation of photoluminescence in a $Cu^I(\text{amino N})_2(\text{imino N})_2$ chromophore at room temperature and 77 K, 304
Control of the spin state of Fe(II) 2,6-di(pyrazol-1-yl)pyridine complexes by distal ligand substitution, 328
Synthesis and structure of an octanuclear oxothiomolybdenum(V) wheel with bridging hydrazine ligands encapsulating a central $Mo^{VI}O_4$ tetrahedron, $[Mo^V_8S_8O_8(OH)_7(N_2H_4)_2Mo^{VI}O_4]^-$, 333
Preparation and structural characterisation of a novel palladium (II) binuclear complex containing triazole bisthiosemicarbazone bridges, 344
$[Na_8Zn_4(CH_3CO_2)_{16} \cdot 2H_2O]_n$: two-dimensional sheet-like coordination polymer with strong blue emission, 361
Crystal structure of tetraphenyldiboroxane a monomer diboroxane, 377
A hydrogen-bonded oxo-μ-bis[*trans*-nitrilotriacetato-*cis*-dioxotungstate(VI)] synthesized directly from an alkali tungstate and nitrilotriacetic acid, 388
Spontaneous magnetization in [1-(4-cyanobenzyl)pyridinium] $[Pt(mnt)_2]$: synthesis, crystal structure and magnetic property, 395
Synthesis of new macrobicyclic tricompartmental ligands and site preference of metal ion: structural and electrochemical properties of mononuclear copper(II) complexes, 422
Are the cations templates or encapsulated? – The synthesis and characterization of a new polyoxomolybdate, 427
Synthesis and crystal structure of $Zn[(C_6H_5N_3)_4(H_2O)_2](ClO_4)_2$ and $Cu[(C_6H_5N_3)_4(H_2O)_2](ClO_4)_2$, 453
A doubly end-to-end azido bridged 1D ferromagnetic chain, 472
C—H···O, O—H···O and π···π interactions in the crystal structure of a new heterotrinuclear macrocyclic complex, $[Mn^{II}(Ni^{II}L)_2(C_2H_5OH)_2](ClO_4)_2$, 478
Synthesis and crystal structure of a novel two-dimensional corrugated coordination polymer, 487
Hydrothermal synthesis and crystal structure of a novel compound: $[Ni(phen)_3]_2[SiMo_{10}V^{IV}_2O_{40}(V^{IV}O)_2] \cdot 2H_2O$, 509
Nickel(II) chloride adducts of 4′-phenyl-2,2′:6′,2″-terpyridine, 519
A puckered 2D copper coordination polymer with dimensions 14.91 × 12.63 Å, 565
Hydrothermal synthesis and structural characterization of a novel gadolinium(III) coordination polymer $[Gd(Hdtpc)(OH)(H_2O)]_n$, 589
Guest controlled coordination framework: syntheses, crystal structures and thermal properties of two three-dimensional structures of $[Ce_2(adipate)_3(OH_2)_4] \cdot 6H_2O$ and $[Ce_2(adipate)_3(OH_2)_4] \cdot 4H_2O \cdot$ (adipic acid), 629
Structures and magnetism of bimetallic octacyanometallates: honeycomb-like $[Mo(CN)_8Ni_2(pn)_4]_n \cdot 4nH_2O$ and binuclear $[Mo(CN)_8Ni(en)_2(H_2O)][Ni(en)_3] \cdot 2H_2O$ (pn = 1,3-diaminopropane, en = 1,2-diaminoethane), 660
A novel heterobimetallic W–Ge compound. X-ray crystal structure of $[W(\mu\text{-}Cl)(GeCl_3)(CO)_3(\eta^4\text{-}C_7H_8)]$, 682
Synthesis and crystal structure of Cu(II) complex with 4-(pyridyl-2)-1,2,4-triazole, 690
A novel one-dimensional single helix derived from 2,2′-bipyridine based Zn(II) species directed self-assembly with 1,2-benzenedicarboxylate, 711
Structurally different nickel(II) hexaaza macrocyclic complexes with the same btc^{2-} anions (btc^{2-} = 1,2,4,5-benzenetetracarboxylic acid dianion), 771
Synthesis and crystal structure of the dimeric, Ti–O–Ti bridged hydrid form polyoxoanion $[\alpha\text{-}1,2\text{-}PW_{10}Ti_2O_{39}]_2^{10-}$, 796
Inter-ligand interactions and the selective formation of the unusual metal–N3(adenine) bond in ternary copper(II) complexes with *N*-benzyliminodiacetato(2−) ligands, 800
Hydrothermal synthesis and structural characterization of framework microporous mixed tin–zirconium silicates with the structure of umbite, 824
Interactions of trivalent lanthanide cations with tetradentate Schiff bases. Synthesis and characterization of lanthanide(III) complexes with *N,N'*-bis(pyridin-2-ylmethylene)benzene-1,2-diamine, 844
A novel decamolybdodivanadate: synthesis and crystal structure of $[H_3O^+]_2Na_6[Mo^{VI}_{10}V^{IV}_2O_{38}] \cdot 7H_2O$, 865
Inorganic–organic hybrid metal complexes: 24-membered hexaazamacrocyclic dinuclear nickel complexes hybridized with $CdBr_4^{2-}$, 873
Assembly of a microporous metal-organic framework [Zn(bpdc)(DMSO)] (bpdc = 4,4′-biphenyldicarboxylate) based on paddle-wheel units affording guest inclusion, 975
Synthesis and characterization of dinuclear lanthanide(III) and yttrium(III) cryptates of a hexavalent anionic polydentate ligand, 984
Hydrothermal synthesis of a novel microporous framework sustained by polycatenated $[Cu^I_2(ip)(4,4'\text{-bipyridine})]_n$ (ip = isophthalate) ladders, 1000
Crystal structure and properties of a Cu^{II} coordination polymer with 2-D grid-like host architecture for the inclusion of organic guest molecule, 1003
Syntheses, crystal structures, susceptibility and EPR studies of oxo-bridged dinuclear ruthenium (III) complexes with linear Ru–O–Ru bonds: and $[(Py)_3(C_2O_4)Ru^{III}ORu^{III}(C_2O_4)(Py)_3]$ and $[(4\text{-}MePy)_3(C_2O_4)Ru^{III}ORu^{III}(C_2O_4)(4\text{-}MePy)_3] \cdot 2\text{-}Mebmz$

·3H_2O (Py = pyridine; 4-MePy = 4-methylpyridine; 2-Mebmz = 2-methylbenzimidazole), 1007
First macrocyclic oxamide Cu(II)–Co(II) complex: synthesis, crystal structure and magnetic properties, 1012
$[Zn(BDC)(H_2O)_2]_n$: a novel blue luminescent coordination polymer constructed from BDC-bridged 1-D chains via interchain hydrogen bonds (BDC = 1,4-benzenedicarboxylate), 1017
A dinickel(II) complex of a [5,6]-unsymmetrical Schiff base compartmental ligand, 1063
Crystal structure of a new oximato-bridged one-dimension(1D) chain-like copper complex polymer $\{[Cu_4(dmg)_2(Hdmg)_2(H_2dmg)_2(H_2O)_2](ClO_4)_2\}_\infty$, 1086
Syntheses and structures of two- and one-dimensional organic–inorganic hybrid compounds assembled from PbI_2 and 1,4-bis(4-pyridyl)-2,3-diaza-1,3-butadiene, 1090
The first one-dimensional metal–organic coordination polymer with 4-quinolineacarboxylate as building block: $[Cd(\mu_2\text{-}H_2O)(4\text{-quinolinecarboxylato-}O,O)_2]$, 35
Synthesis, structure and magnetic property of a new oxo-centered mixed-valent trinuclear manganese complex, 51
The preparation and molecular structure of the first primary ferrocenylphosphine complex of tungsten(II), $[WI_2(CO)_3(FcCH_2PH_2)_2]$ [Fc = $Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4)$], 115
The generation of a trinuclear nickel(II) core maintained by tridentate acetate bridges, 211
The unexpected synthesis of rhodium(I) complexes with the 1-(2′-pyridyl)-3-oxo-1-propenoxide anionic ligand, 245
Synthesis, structure and characterisation of a Mn(IV) complex with a potentially tridentate phosphinothiol ligand, 337
Synthesis, structure and properties of a new unsymmetric tetranuclear mixed-valence vanadium(IV/V) complex containing distinct $V_2O_3^{3+}$ cores 418
tetranuclear mixed-valence vanadium(IV/V) complex containing distinct $V_2O_3^{3+}$ cores 418
Unprecedented phosphino copper(I) derivatives of tris(pyrazolyl)methanesulfonate ligand co-ordinated to metal in an unusual κ^3-N, N′, O fashion, 430
Synthesis, structure and catalase-like activity of a new dinuclear mixed valence $Mn^{II}Mn^{III}$ complex containing an unsymmetric N_3O_2 donor ligand, 434
Tetrakis(pyrazol-1-ylmethyl)methane and its hypodentate binuclear complex with silver(I) nitrate, 449
The first example of half-sandwich cobalt(III) complex with hydrotris(pyrazolyl)borate ligand, 512
The encapsulation of $[Cu(en)_2]^{2+}$ (en = ethylenediamine) by a novel three-dimensional Cu^{II}–Mo^{IV} bimetallic porous coordination polymer containing zigzag-ladder structure, 791
The synthesis and structural characterization of a novel layered compound $[Na_{0.5}FeMoH_{1.5}O_5]_n$, 989
Crystal Structure
Synthesis, properties and X-ray structure for the mononuclear complex of [{(1-methyl imidazol-2-yl)methylene}-2-aminoethylpyridine]-dichloro copper (II) monohydrate, 235
Crystal structure of Co(III) complex
C–S bond cleavage by cobalt: synthesis, characterization and crystal structure determination of 1,2-di-(*o*-salicylaldiminophenylthio)ethane and its Co(III) product with C–S bond cleaved fragments, 649
Crystal structure(s)
Bimetallic platinum complexes containing linear tetraphosphine ligands, 653
Crystal structures
Synthesis of a novel tetranuclear Cu(II) complex with the dinucleating ligand α, α′-bis(*N*-1,4,7-triazacyclononane)-*m*-xylene (XYL-tacn): first crystal structure of $[(CuCl)_4(XYL\text{-}tacn)_2\ (\mu\text{-}Cl)_2][PF_6]_2$, 64
Syntheses and X-ray crystal structures of [Zn(cyclen)–im–Zn(cyclen)]$(ClO_4)_3$ and [Ni(cyclen)(imH)(ClO_4)](ClO_4) (cyclen = 1,4,7,10-tetraazacyclododecane, im = imidazolate), 119
Synthesis and crystal structure of a novel bridged coenzyme B_{12} model complex, 139
The synthesis and characterization of two new 19-vertex metallaborane clusters: $[B_{18}H_{20}Ni(\eta^5\text{-}C_5H_5)]^{-1}$ and $[B_{18}H_{19}(2\text{-THF})Ni(\eta^5\text{-}C_5H_5)]$, 274
Anion-directed self-assembly of metallosupramolecular coordination polymers of the radialene ligand hexa(2-pyridyl)[3]radialene, 323
Unexpected assembly of a tetranuclear copper(II) complex bridged by glyoximate groups, 403
First regioselective protonation or selenization of a bis(bidentate) phosphine: synthesis and characterization of *cis*,*trans*,*cis*-1,3-bis(diphenylphosphonium)-PH, P′H′-2,4-bis(diphenylphosphino)cyclobutane-diiodide and *cis*,*trans*,*cis*-1,3-bis(diphenylphosphinoselenoyl)-2,4-bis(diphenylphosphino)cyclobutane, 490
Synthesis and characterization of nickel(II) and copper(II) complexes with a tetramethyltetraaza macrocycle containing 2-pyridylmethyl pendant arms, 496
Structural diversity in oligonuclear nickel(II) complexes of unsymmetrical compartmental ligands, 537
Insights into the role of zinc(II) sites in hydrolytic enzymes: study of the $Zn^{II}/X/(py)_2CO$ (X = Cl^-, N_3^-, SO_4^{2-}; $(py)_2CO$=di-2-pyridyl ketone) reaction systems, 719
Ligand dehydrogenation in ruthenium trinitrogen complexes: synthesis, structure and chirality of the cations $[Ru(LH_4)(L)]^{2+}$ [LH_4 = 2,6-bis(pyrrolidin-2-yl)pyridine], 787
Variable coordination behaviour of N-donor siloxane ligands. The structures of [M(1,3-bis(*N*-imidazoyl)propyl-1,1,3,3-tetramethyldisiloxane)$_2$$(NCS)_2$] (M = Mn, Ni) and [Ni(1,3-bis(3-aminopropyl)-1,1,3,3-tetramethyldisiloxane)$_2$ $(NCS)_2$], 805
New tri- and tetranuclear transition metal spin clusters incorporating a versatile polydentate Schiff base ligand, 881
Monomeric and dimeric metal complexes of a simply prepared and versatile pentapyridyldiamine, 958
Isostructural organic–inorganic hybrids of *P*, *P*′-diphenyl-methylenediphosphinate $(CH_2(P(Ph)O_2)_2)^{2-}$ with divalent transition metals, 1041
Cobalt(II) and manganese(II) complexes of unsymmetric compartmental ligands bearing adjacent $\{N_2O\}$ and {N,S,O} donor sets, 1044
Comparison of 1-hydroxymethyl-3,5-dimethylpyrazole and 1-benzyl-2-hydroxymethylimidazole coordination properties towards copper(II), 1056
Crystallites
α-MnSe crystallites through solvothermal reaction in ethylenediamine, 369
Cu^{2+} and Eu^{3+}
Photoluminescence characteristics and mechanism of $SrAl_2O_4$ co-doped with Eu^{3+} and Cu^{2+}, 919
Cu(II) complex
Copper(II) complexes with novel chiral amidate ligands, 163
Synthesis and structure of Cu(II) complex with chiral amidate ligand, 4(*S*)-1-(2-pyridyl)-3-oxo-4-aza-7-thiaoctane, 756
The crystal structures of two types of bis(fluorinated-acetylacetonato)copper(II) complexes with 4-(trifluoromethyl)-1,2-phenylenediamine, 856
Crystal structure and properties of a Cu^{II} coordination polymer with 2-D grid-like host architecture for the inclusion of organic guest molecule, 1003
Cu(II)La(III) complex
Synthesis of copper(II)–lanthanum(III) complex of a dinucleating macrocycle and its hydrolytic property for 4-nitrophenylphosphate, 56

Cucurbituril
A new cucurbituril-based metallo-rotaxane, 633
$Cu_{1.8}S$
Aqueous ammonia route to $Cu_{1.8}S$ with triangular and rod-like shapes, 407
Cyanide complexes
Three-dimensional framework containing $Mn(salen)^{+}$ and $Re_6Se_8(CN)_6^{4-}$ cluster, 592
Synthesis and reactivity of rhenium cluster-supported manganese porphyrin complexes, 612
Cyano
Oligocyanometallic cords as building blocks in luminescent three-dimensional coordination polymers: $[Ag_4Cd_2(tren)_2(CN)_{6.5}]$ $[Ag(CN)_{1.5}]$ and $[Au_2Cd(tren)(CN)_4] \cdot H_2O$, 637
Cyclam
Gallium(III) and indium(III) complexes of cross-bridged tetraamine ligands, 1
Cyclen
Gallium(III) and indium(III) complexes of cross-bridged tetraamine ligands, 1
Cyclic ether
Catalytic oxidation of THF with homo and hetero metallic Mo/Ru complexes and molecular oxygen, 1052
Cyclic voltammetry
Synthesis, structure and characterisation of a Mn(IV) complex with a potentially tridentate phosphinothiol ligand, 337
Synthesis, structure and catalase-like activity of a new dinuclear mixed valence $Mn^{II}Mn^{III}$ complex containing an unsymmetric N_5O_2 donor ligand, 434
β-Cyclodextrin
Synthesis of a gold(I) complex with a (thio)phosphine-modified β-cyclodextrin, 252
Cycloheptatrienyl complexes
Coordinatively unsaturated molybdenum complexes with chelating cycloheptatrienyl-phosphane ligands and their use in transition metal catalysis, 837
Cyclopentadienyl complexes
Electronic spectra of π-cylopentadienyl(triethyl phosphine) copper(I). Ligand-to-ligand charge transfer, 112
Cyclophane
Photoluminescence of (phanephos)tricarbonylrhenium(I) chloride with phanephos = 4,12-bis(diphenylphosphino)-[2.2]-*para*cyclophane, 391
1D- and 2D-NMR spectroscopy
Cationic olefin Pd(II) complexes bearing α-iminoketone N,O-ligands: unprecedented isomerisation of the methoxycyclooctenyl ligand, 319
1D-chain
Crystal structure of a new oximato-bridged one-dimension(1D) chain-like copper complex polymer $\{[Cu_4(dmg)_2(Hdmg)_2(H_2dmg)_2(H_2O)_2](ClO_4)_2\}_\infty$, 1086
1D coordination polymer
Self-assembly of an organometallic silver(I) 1D architecture supported by three different types of bonding interactions, 278
Deca-tungstomolybdoniobogermanic acid
Preparation and characterization of decatungstomolybdoniobogermanic heteropoly acid $H_5[GeW_{10}MoNbO_{40}] \cdot 20H_2O$, 308
Decaborane(14)
Novel approach to boron-10 enriched decaborane(14): an important advance in synthetic boron hydride chemistry, 765
Decamolybdodivanadate
A novel decamolybdodivanadate: synthesis and crystal structure of $[H_3O^+]_2Na_6[Mo_{10}^{VI}V_2^{IV}O_{38}] \cdot 7H_2O$, 865
Dehydrofluorinative carbon–carbon coupling
Synthesis of a ruthenium complex of a cyclic trifunctional η^6, η^1, η^1-arene–diphosphine ligand by intramolecular dehydrofluorinative carbon–carbon coupling, 15
Demetallation
Expanded hexadentate ligands of Jäger type: synthesis and X-ray analysis, 78
Denticity
The unexpected tridentate role of the tripodal ligand *N*-(carbamoylmethyl)iminodiacetato(2−) (ADA) in a new mixed-ligand nickel(II) complex with 2,2′-bipyridine (bipy) as secondary ligand: structure of $[Ni(ADA)(bipy)(H_2O)]\cdot 4H_2O$, 727
DFT
Theoretical study on intermediate in oxygen transfer reaction in molybdoenzyme model system, 446
Di-*N*-pyridylmethylated macrocycle
Synthesis and characterization of nickel(II) and copper(II) complexes with a tetramethyltetraaza macrocycle containing 2-pyridylmethyl pendant arms, 496
Di-2-pyridyl ketone
Insights into the role of zinc(II) sites in hydrolytic enzymes: study of the $Zn^{II}/X/(py)_2CO$ ($X = Cl^-$, N_3^-, SO_4^{2-}; $(py)_2CO$=di-2-pyridyl ketone) reaction systems, 719
Diamagnetic
Preparation and structural characterization of mercury 21-thiaporphyrin complex: Hg^{II}(Stpp)Cl (Stpp = tetraphenyl-21-thiaporphyrin anion), 150
Dibenzoylmethane
Synthesis and characterization of the firstly observed two brilliantly triboluminescent lanthanide complexes: 2-hydroxyethylammonium and pyrrolidinium tetrakis(dibenzoylmethide) europate(III). Crystal structure of one brilliantly triboluminescent acentric complex: dimethylbenzylammonium tetrakis(dibenzoylmethide)europate, 677
Diboroxanes
Crystal structure of tetraphenyldiboroxane a monomer diboroxane, 377
Dicobaltcarbonyl
Synthesis and structure of a new heteronuclear (η^6-arene) tricarbonylchromium compound incorporating propargyl amine unit, 192
Dicopper(II) complex
Comparison of 1-hydroxymethyl-3,5-dimethylpyrazole and 1-benzyl-2-hydroxymethylimidazole coordination properties towards copper(II), 1056
5,6-dihydroxy-1,10-phenanthroline
Synthesis and DNA binding behavior of a dipyridocatecholate bridged dicopper(II) complex, 71
β-Diketone ligands
The first examples of triply bonded dirhenium(II) complexes that contain β-diketonate ligands, 1073
Dimeric tungstophosphate
Synthesis and crystal structure of the dimeric, Ti–O–Ti bridged hydrid form polyoxoanion $[\alpha\text{-}1,2\text{-}PW_{10}Ti_2O_{39}]_2^{10-}$, 796
Dimesitylboron
Preparation of an externally uncomplexed carbamoylborane dimer, 1066
2-Dimethylaminoethanol
An incomplete cube-like array of Cu, Zn, I with O atoms from 2-dimethylaminoethanol formed directly from zero-valent metal powders, 19
Dimolybdenum
First water soluble Mo_2^{4+} compounds spanned by four α-hydroxycarboxylate anions, 527
Dimolybdenum(II) complexes
The incorporation of the quadruply bonded dimolybdenum(II) unit into an unusual 2-D polymeric assembly through the use of

the asymmetric $[4\text{-}Ph_2P(O)C_6H_4CO_2]^-$ ligand that provides both equatorial and axial donor sites, 134
Dinuclear $Mn^{II}Mn^{III}$ complex
Synthesis, structure and catalase-like activity of a new dinuclear mixed valence $Mn^{II}Mn^{III}$ complex containing an unsymmetric N_5O_2 donor ligand, 434
Dinuclear complex
Synthesis and characterization of dinuclear lanthanide(III) and yttrium(III) cryptates of a hexavalent anionic polydentate ligand, 984
Dinuclear complexes
Structural diversity in oligonuclear nickel(II) complexes of unsymmetrical compartmental ligands, 537
Cobalt(II) and manganese(II) complexes of unsymmetric compartmental ligands bearing adjacent $\{N_2O\}$ and $\{N,S,O\}$ donor sets, 1044
Dinuclear copper(II) complex
Synthesis and DNA binding behavior of a dipyridocatecholate bridged dicopper(II) complex, 71
Dinuclear nickel complex
Inorganic–organic hybrid metal complexes: 24-membered hexaazamacrocyclic dinuclear nickel complexes hybridized with $CdBr_4^{2-}$, 873
Dinuclear nickel(II) complex
A dinickel(II) complex of a [5,6]-unsymmetrical Schiff base compartmental ligand, 1063
Dinuclear ruthenium(III) complex
Syntheses, crystal structures, susceptibility and EPR studies of oxo-bridged dinuclear ruthenium (III) complexes with linear Ru–O–Ru bonds: and $[(Py)_3(C_2O_4)Ru^{III}ORu^{III}(C_2O_4)(Py)_3]$ and $[(4\text{-}MePy)_3(C_2O_4)Ru^{III}ORu^{III}(C_2O_4)(4\text{-}MePy)_3]\cdot 2\text{-}Mebmz\cdot 3H_2O$ (Py = pyridine; 4-MePy = 4-methylpyridine; 2-Mebmz = 2-methylbenzimidazole), 1007
1,2-Di-(*o*-salicylaldiminophenylthio)ethane
C–S bond cleavage by cobalt: synthesis, characterization and crystal structure determination of 1,2-di-(*o*-salicylaldiminophenylthio)ethane and its Co(III) product with C–S bond cleaved fragments, 649
Dioxotungstate(VI)
A hydrogen-bonded oxo-μ-bis[*trans*-nitrilotriacetato-*cis*-dioxotungstate(VI)] synthesized directly from an alkali tungstate and nitrilotriacetic acid, 388
Dioxygen sensors
Coexisting intraligand fluorescence and phosphorescence of hafnium(IV) and thorium(IV) porphyrin complexes in solution, 993
4-Diphenylphosphinylbenzoic acid
The incorporation of the quadruply bonded dimolybdenum(II) unit into an unusual 2-D polymeric assembly through the use of the asymmetric $[4\text{-}Ph_2P(O)C_6H_4CO_2]^-$ ligand that provides both equatorial and axial donor sites, 134
4- and 2-Diphenylphosphinobenzoic acids
The incorporation of the quadruply bonded dimolybdenum(II) unit into an unusual 2-D polymeric assembly through the use of the asymmetric $[4\text{-}Ph_2P(O)C_6H_4CO_2]^-$ ligand that provides both equatorial and axial donor sites, 134
Diphosphine
Reaction of $Ru_3(CO)_{12}$ with supermesityldiphosphene: a new type of reaction of a Group 8 transition metal carbonyl with a diphosphene, 808
Dirhenium(II) complexes
The first examples of triply bonded dirhenium(II) complexes that contain β-diketonate ligands, 1073
Disilver complex
Assembly of a tennis ball-like supramolecule coordinatively encapsulating disilver, 820
Distorted trigonal bipyramid
Preparation and structural characterization of mercury 21-thiaporphyrin complex: Hg^{II}(Stpp)Cl (Stpp = tetraphenyl-21-thiaporphyrin anion), 150
Dithiolates
Reactivity of mononuclear dithiolato palladium and platinum metalloligands towards the formation of homo- and heterobimetallic complexes, 351
Ditungsten complexes
A complete series of $W_2(hpp)_4Cl_n$ ($n = 0, 1, 2$) compounds, 501
Divalent metal cation
The divalent cation-induced DNA condensation studied by atomic force microscopy and spectra analysis, 181
DMPLED
Synthesis and structure of copper-DMPLED complex, a bifunctional ligand with positive charged pyridine rings, 625
DNA
Synthesis and DNA binding behavior of a dipyridocatecholate bridged dicopper(II) complex, 71
The divalent cation-induced DNA condensation studied by atomic force microscopy and spectra analysis, 181
DNA binding
DNA binding of mixed-metal supramolecular Ru, Pt complexes, 1078
DNA condensation
The divalent cation-induced DNA condensation studied by atomic force microscopy and spectra analysis, 181
Doped
Photoluminescence characteristics and mechanism of $SrAl_2O_4$ co-doped with Eu^{3+} and Cu^{2+}, 919
Double-layered structure
Two-dimensional rare earth coordination polymers involving different coordination modes of thiodiglycolic acid, 28
dppm
Synthesis and structure of a new heteronuclear (η^6-arene) tricarbonylchromium compound incorporating propargyl amine unit, 192
EB (Ethidium bromide)
The divalent cation-induced DNA condensation studied by atomic force microscopy and spectra analysis, 181
EC reaction
Spectroelectrochemistry of copper(II) complexes with deprotonated tetradentate pyridine-2-carboxamide ligands: EC reaction of the electrogenerated Cu(III) species, 853
Electrochemical correlations
Electrochemical parametrization of a series of penta- and tetradentate EDTA complexes of ruthenium, 891
Electrochemistry
A heterobimetallic copper(I)–silver(I) complex spanned by 4,4′-bipyridine, 203
Observation of photoluminescence in a Cu^I(amino N)$_2$(imino N)$_2$ chromophore at room temperature and 77 K, 304
Synthesis, structure and properties of a new unsymmetric tetranuclear mixed-valence vanadium(IV/V) complex containing distinct $V_2O_3^{3+}$ cores 418
Synthesis of new macrobicyclic tricompartmental ligands and site preference of metal ion: structural and electrochemical properties of mononuclear copper(II) complexes, 422
Spectroelectrochemistry of copper(II) complexes with deprotonated tetradentate pyridine-2-carboxamide ligands: EC reaction of the electrogenerated Cu(III) species, 853
Electron transfer
^{57}Fe Mössbauer spectroscopic and X-ray structural analyses on the mixed-valence state of biferrocenium derivatives with bromoalkyl substituents, 107
Electronic relaxation
Gd(III) based MRI contrast agents: improved physical meaning in a combined analysis of EPR and NMR data?, 811

Electronic spectra
Electronic spectra of π-cylopentadienyl(triethyl phosphine) copper(I). Ligand-to-ligand charge transfer, 112
Optical properties of bis-(2,4,6-trimethylpyridine)iodine(I) cation: absorption and emission, 674
Photoreactivity of (2,9-dimethyl-1,10-phenanthroline) copper(I) borohydride, 239
Synthesis, characterization and electrical conductivity of mixed-ligand heterobimetallic coordination polymers, 255
Photoluminescence of (phanephos)tricarbonylrhenium(I) chloride with phanephos = 4,12-bis(diphenylphosphino)-[2.2]-*para*cyclophane, 391
Synthesis and spectroscopic properties of anhydrotetracyclineplatinum(II)dichloride, 411
Electronic Spectra
Photochemistry of tris(diethyldithiocarbamato)iron(III). Reduction to a stable iron(II) complex induced by ligand-to-metal charge transfer excitation, 730
Electrospray mass spectrometry
Isopolyoxorhenates observed by positive ion electrospray mass spectrometry, 23
Epoxidations
Epoxidation of olefins catalyzed by molybdenum–siloxane compounds, 1069
EPR
Synthesis, structure and properties of a new unsymmetric tetranuclear mixed-valence vanadium(IV/V) complex containing distinct $V_2O_3^{3+}$ cores 418
Equilibrium constants
^{7}Li, ^{23}Na, ^{39}K and ^{133}Cs NMR comparative equilibrium study of alkali metal cation hydroxide complexes in aqueous solutions. First numerical value for CsOH formation, 223
Erbium
Direct synthesis of a tetranuclear erbium(III) hydroxo cluster bearing a saturated Schiff base, 706
Ethanol amine
A metal-reduction route to synthesis of nickel nanotubules, 971
Ethylene glycol
Synthesis of nano-fibrillar bismuth sulfide by a surfactant-assisted approach, 933
Ethylene polymerization
The synthesis and crystal structure of {*N*-dodecyl-*N*-pyridin-2-ylmethylene]amine}dichloro palladium and its preliminary evaluation as a catalyst for ethylene polymerization, 724
Ethylenediamine
α-MnSe crystallites through solvothermal reaction in ethylenediamine, 369
Ethylenediaminetetraacetate
Electrochemical parametrization of a series of penta- and tetradentate EDTA complexes of ruthenium, 891
Europate
Synthesis and characterization of the firstly observed two brilliantly triboluminescent lanthanide complexes: 2-hydroxyethylammonium and pyrrolidinium tetrakis(dibenzoylmethide) europate(III). Crystal structure of one brilliantly triboluminescent acentric complex: dimethylbenzylammonium tetrakis(dibenzoylmethide)europate, 677
Europium
Lanthanide complexes of new ditopic, tripodal macrocycles: synthetic, structural, stability and luminescence studies, 577
Expanded ligand
Expanded hexadentate ligands of Jäger type: synthesis and X-ray analysis, 78
Extraction
12-coordinate complexes formed by the early lanthanide metals with 2,6-bis(-1,2,4-triazin-3-yl)-pyridine, 596
The NHR_2/CO_2 system as a metal ion extraction reagent from aqueous solution into hydrocarbons: copper(II) and zinc(II), 848
FAB-MS
Semi-rigid *N-para*-ferrocenyl(benzoyl)amino-acid esters for biomaterials: synthesis and characterization of Fc-$C_6H_4CONHCH(R)CO_2Me$ where Fc = $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4)$ and R = H, CH_3, $CH_2CH(CH_3)_2$, $CH_2C_6H_5$ and the X-ray crystal structures of Fc-$C_6H_4CO_2Me$ and the L-alanine derivative Fc-$C_6H_4CONHCH(CH_3)CO_2Me$, 1034
Fe(III)
Substitution behaviour of an unusual seven-coordinate iron(III) complex in different solvents, 937
Ferrocene
Acid-catalyzed self-alkylation of $FcCH_2NHPh$. Solid-state structures of $FcCH_2NHPh$ and $(FcCH_2)NPh$, 46
Nanosecond multiphoton ionisation of jet-cooled ferrocene, 909
Semi-rigid *N-para*-ferrocenyl(benzoyl)amino-acid esters for biomaterials: synthesis and characterization of Fc-$C_6H_4CONHCH(R)CO_2Me$ where Fc = $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4)$ and R = H, CH_3, $CH_2CH(CH_3)_2$, $CH_2C_6H_5$ and the X-ray crystal structures of Fc-$C_6H_4CO_2Me$ and the L-alanine derivative Fc-$C_6H_4CONHCH(CH_3)CO_2Me$, 1034
Ferrocenoylacetone
Synthesis and crystal structure of a novel zinc(II) coordination polymer with mixed ferrocenyl diketone and bipyridine ligands, 929
Ferromagnetic
Structure and physical properties of a novel three-dimensional nickel coordinated polymer with mixed ligands resulting from hydrothermal reaction, 171
A doubly end-to-end azido bridged 1D ferromagnetic chain, 472
Fluorescence
A new family of two-dimensional lanthanide(III) coordination polymers: synthesis, structures and properties of $[Ln(SIP)(H_2O)_4]_n$ (Ln=Eu, Gd, Ce, and NaH_2SIP = 5-sulfoisophthalic acid monosodium salt), 230
Fluorescent sensor
Syntheses, structures, and luminescence properties of a new family of three-dimensional open-framework lanthanide coordination polymers, 642
Fluorinated ligand
The crystal structures of two types of bis(fluorinated-acetylacetonato)copper(II) complexes with 4-(trifluoromethyl)-1,2-phenylenediamine, 856
FTIR
Characterization of the carbon–silicon stretch in methylated porous silicon – observation of an anomalous isotope shift in the FTIR spectrum, 560
Fumarate
Syntheses and X-ray crystal structures of 14-membered tetraaza macrocyclic copper(II) complexes with polycarboxylate ligands, 616
Functional alkoxide
Molecular structure of $[In_2(\mu, \eta^1\text{-}OR)(\mu, \eta^2\text{-}OR)(\eta^2\text{-}OR)_3(\eta^1\text{-}OR)]$ R = $C_2H_4NMe_2$, a pincer ligand, 347
Functionalised triazacyclononane
Characterisation of a coordinated imidazole as a structural model for superoxide dismutase, 777
Functionalized isocyanide
Synthesis and transition metal coordination of 2-(azidomethyl) phenyl isocyanide, 915
Functionalized surfaces
N,N-dialkylcarbamato metal complexes, molecular inorganic precursors to functionalized inorganic matrices, 733

Gadolinium
A two-dimensional $Cu^{II}Gd^{III}$ compound self-assembled by H-bonding and intermolecular weak coordinate bonding between the dinuclear cores: structure and magnetic properties, 585
Gd(III) based MRI contrast agents: improved physical meaning in a combined analysis of EPR and NMR data?, 811
Gallium
Gallium(III) and indium(III) complexes of cross-bridged tetraamine ligands, 1
Gated electron transfer
Redox behavior of copper(II)/(I) couples with quadridentate ligand: evidence of novel dual gated electron transfer reactions, 949
Gd(III) complex
Hydrothermal synthesis and structural characterization of a novel gadolinium(III) coordination polymer $[Gd(Hdtpc)(OH)(H_2O)]_n$, 589
Germacarborane
Synthesis and characterization of constrained-geometry half-sandwich sila- and germacarboranes derived from a trianionic $C_{(cage)}$-appended alkyloxo-C_2B_9-carborane ligand, 296
Germanium
A novel heterobimetallic W–Ge compound. X-ray crystal structure of $[W(\mu\text{-}Cl)(GeCl_3)(CO)_3(\eta^4\text{-}C_7H_8)]$, 682
Girdle-like structure
Are the cations templates or encapsulated? – The synthesis and characterization of a new polyoxomolybdate, 427
Gold complex
Synthesis of a gold(I) complex with a (thio)phosphine-modified β-cyclodextrin, 252
Grid
A near planar disilver complex of 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine, 199
Guanidinate-type ligand
A complete series of $W_2(hpp)_4Cl_n$ $(n = 0, 1, 2)$ compounds, 501
Guest inclusion
Assembly of a microporous metal-organic framework [Zn(bpdc)(DMSO)] (bpdc = 4,4′-biphenyldicarboxylate) based on paddle-wheel units affording guest inclusion, 975
Guest molecules
Guest controlled coordination framework: syntheses, crystal structures and thermal properties of two three-dimensional structures of $[Ce_2(adipate)_3(OH_2)_4] \cdot 6H_2O$ and $[Ce_2(adipate)_3(OH_2)_4] \cdot 4H_2O \cdot$ (adipic acid), 629
H-bonding
A tetranuclear manganese oxo complex with terminal and bridging trifluoroacetate ligands: synthesis and structure of $[Mn_4O_2(O_2CCF_3)_8(bpy)_2]$, 206
A two-dimensional $Cu^{II}Gd^{III}$ compound self-assembled by H-bonding and intermolecular weak coordinate bonding between the dinuclear cores: structure and magnetic properties, 585
Hafnium
Coexisting intraligand fluorescence and phosphorescence of hafnium(IV) and thorium(IV) porphyrin complexes in solution, 993
Half-sandwich
Synthesis and characterization of constrained-geometry half-sandwich sila- and germacarboranes derived from a trianionic $C_{(cage)}$-appended alkyloxo-C_2B_9-carborane ligand, 296
H_2dmg
Crystal structure of a new oximato-bridged one-dimension(1D) chain-like copper complex polymer $\{[Cu_4(dmg)_2(Hdmg)_2(H_2dmg)_2(H_2O)_2](ClO_4)_2\}_\infty$, 1086
Hemidirected complex
Synthesis and crystal structure of a novel 2-D hybrid compound $[(PbBr_2)_2(\mu\text{-}Pyz)]_n$ (Pyz = pyrazine), 621
Heptadentate pyridine-amine ligand
Monomeric and dimeric metal complexes of a simply prepared and versatile pentapyridyldiamine, 958
Hetero bimetallic
Catalytic oxidation of THF with homo and hetero metallic Mo/Ru complexes and molecular oxygen, 1052
Heterobimetallic
A heterobimetallic copper(I)–silver(I) complex spanned by 4,4′-bipyridine, 203
Heterobimetallic compound
A novel heterobimetallic W–Ge compound. X-ray crystal structure of $[W(\mu\text{-}Cl)(GeCl_3)(CO)_3(\eta^4\text{-}C_7H_8)]$, 682
Heterobimetallic compounds
Reactivity of mononuclear dithiolato palladium and platinum metalloligands towards the formation of homo- and heterobimetallic complexes, 351
Heterodifunctional ligands
First regioselective protonation or selenization of a bis(bidentate) phosphine: synthesis and characterization of *cis,trans,cis*-1,3-bis(diphenylphosphonium)-PH, P′H′-2,4-bis(diphenylphosphino)cyclobutane-diiodide and *cis,trans,cis*-1,3-bis(diphenylphosphinoselenoyl)-2,4-bis(diphenylphosphino)cyclobutane, 490
Heterogeneous catalyst
Synthesis and reactivity of rhenium cluster-supported manganese porphyrin complexes, 612
Heterometallic alkoxides
Synthesis and X-ray single crystal study of $Co_2Al_2(O^iPr)_6(acac)_4$ – first representative of a new structure type for the heterometallic alkoxide complexes, 946
Heterometallic complexes
Two new β-octamolybdate supported rare earth metal complexes: $[NH_4]_2[\{Gd(DMF)_7\}_2(\beta\text{-}Mo_8O_{26})][\beta\text{-}Mo_8O_{26}]$ and $[NH_4][La(DMF)_7(\beta\text{-}Mo_8O_{26})]$, 664
Heteronuclear complex
Synthesis of copper(II)–lanthanum(III) complex of a dinucleating macrocycle and its hydrolytic property for 4-nitrophenylphosphate, 56
Heteropoly acid
Preparation and characterization of decatungstomolybdoniobogermanic heteropoly acid $H_5[GeW_{10}MoNbO_{40}] \cdot 20H_2O$, 308
Heteropoly compound
A novel decamolybdodivanadate: synthesis and crystal structure of $[H_3O^+]_2Na_6[Mo_{10}^{VI}V_2^{IV}O_{38}] \cdot 7H_2O$, 865
Heterotrinuclear complex
An incomplete cube-like array of Cu, Zn, I with O atoms from 2-dimethylaminoethanol formed directly from zero-valent metal powders, 19
Hexadentate ligand
Expanded hexadentate ligands of Jäger type: synthesis and X-ray analysis, 78
Hexagonal-perovskite intergrowth manganate
$n = 2$ Member of the hexagonal perovskite-intergrowth manganate family $A_{n+1}Mn_nO_{3n+3}(Ca_2O)$, 966
Hexathiodistannate
Molecular assembly of novel hetero-metal clusters: $[(O = MoS_3Cu_2)_2(\mu\text{-}Sn_2S_6)]^{4-}$ and $[(S = MoS_3Cu_2)_3(\mu_3\text{-}S)_2]^{4-}$, 768
^1H, ^2H, and ^{15}H NMR spectroscopy of paramagnetic complexes
An iron(III)trichloride adduct of *N*-isopropylsalicylaldimine: preparation, X-ray structure and NMR spectroscopic characterization, 283
High pressure
Substitution behaviour of an unusual seven-coordinate iron(III) complex in different solvents, 937

Homogeneous catalysis
Regioselective olefin arylation catalyzed by $[Ir(acac)_2Cl]_2$ with base, 105
Coordinatively unsaturated molybdenum complexes with chelating cycloheptatrienyl-phosphane ligands and their use in transition metal catalysis, 837
Half-sandwich ruthenium complexes for the controlled radical polymerisation of vinyl monomers, 941
Homoleptic derivatives
N,*N*-dialkylcarbamato metal complexes, molecular inorganic precursors to functionalized inorganic matrices, 733
Honeycomb-like
Structures and magnetism of bimetallic octacyanometallates: honeycomb-like $[Mo(CN)_8Ni_2(pn)_4]_n \cdot 4nH_2O$ and binuclear $[Mo(CN)_8Ni(en)_2(H_2O)][Ni(en)_3] \cdot 2H_2O$ (pn = 1,3-diaminopropane, en = 1,2-diaminoethane), 660
Host–guest chemistry
Are the cations templates or encapsulated? – The synthesis and characterization of a new polyoxomolybdate, 427
Crystal structure and properties of a Cu^{II} coordination polymer with 2-D grid-like host architecture for the inclusion of organic guest molecule, 1003
Hybrid
Inorganic–organic hybrid metal complexes: 24-membered hexaazamacrocyclic dinuclear nickel complexes hybridized with $CdBr_4^{2-}$, 873
Hybrid ligands
Synthesis of a ruthenium complex of a cyclic trifunctional η^6, η^1, η^1-arene–diphosphine ligand by intramolecular dehydrofluorinative carbon–carbon coupling, 15
Hydrazine complex
Synthesis and structure of an octanuclear oxothiomolybdenum(V) wheel with bridging hydrazine ligands encapsulating a central $Mo^{VI}O_4$ tetrahedron, $[Mo_8^VS_8O_8(OH)_7(N_2H_4)_2Mo^{VI}O_4]^-$, 333
Hydro(solvo)thermal synthesis
The first one-dimensional metal–organic coordination polymer with 4-quinolineacarboxylate as building block: $[Cd(\mu_2\text{-}H_2O)(4\text{-quinolinecarboxylato-}O,O)_2]$, 35
Hydrogen bonding
Copper(II) complexes with novel chiral amidate ligands, 163
An iron(III)trichloride adduct of *N*-isopropylsalicylaldimine: preparation, X-ray structure and NMR spectroscopic characterization, 283
Synthesis and structure of Cu(II) complex with chiral amidate ligand, 4(*S*)-1-(2-pyridyl)-3-oxo-4-aza-7-thiaoctane, 756
Hydrogen bonds
C—H···O, O—H···O and π···π interactions in the crystal structure of a new heterotrinuclear macrocyclic complex, $[Mn^{II}(Ni^{II}L)_2(C_2H_5OH)_2](ClO_4)_2$, 478
A novel inorganic–organic tetragonal prism supramolecular compound $[Fe(NCS)_6][(Hbpy)(H_2bpy)(bpy)]$: crystal structure and non-linear optical properties, 166
The crystal structures of two types of bis(fluorinated-acetylacetonato)copper(II) complexes with 4-(trifluoromethyl)-1,2-phenylenediamine, 856
The 3D CuO (tenorite) as copper-ion source afforded the first 1,4-naphthalenedicarboxylate bridged coordination dimmer linked via triple-hydrogen-bonding water molecule into a 2D network, 1028
Hydrogen peroxide in L-subunit ferritin
Important role of hydrogen peroxide for storing of iron ions in human L-subunit ferritin, 609
Hydrogen-bonding
Ruthenium-acetylide barbituric derivatives: evidence for H-bonding donor effects, 1048
Hydrogenation reactions
Bimetallic platinum complexes containing linear tetraphosphine ligands, 653
Hydrolysis
Synthesis of copper(II)–lanthanum(III) complex of a dinucleating macrocycle and its hydrolytic property for 4-nitrophenylphosphate, 56
Hydrophilic cavities
Synthesis, characterization and sorption properties of a porous coordination polymer: $Co_3(citrate)_2(4,4'\text{-bipyridine})_4(H_2O)_2 \cdot 4(H_2O)$, 761
Hydrosilanes
From isothiocyanato– to silyl–nickel complexes, 464
Hydrothermal reaction
Two-dimensional cobalt-bipyridinedicarboxylate coordination polymer: [Co(2, 2′-bipyridine-5,5′-dicarboxylato)$(H_2O)] \cdot (H_2O)$, 143
Structure and physical properties of a novel three-dimensional nickel coordinated polymer with mixed ligands resulting from hydrothermal reaction, 171
A non-interpenetrating 3-D coordination polymer built from binuclear Cd units elaborated with square pyramidal geometry of cadmium, 196
A new 2-D chiral coordination polymer of $[Zn(nicotinate)_2]_n$, 600
Hydrothermal synthesis, crystal structure, spectroscopy, electrochemistry and antimycobacterial evaluation of the copper (II) ciprofloxacin complex: $[Cu(cf)_2(BF_4)_2] \cdot 6H_2O$, 1022
The 3D CuO (tenorite) as copper-ion source afforded the first 1,4-naphthalenedicarboxylate bridged coordination dimmer linked via triple-hydrogen-bonding water molecule into a 2D network, 1028
Hydrothermal synthesis
A new route to prepare magnesium oxide whisker, 147
A new family of two-dimensional lanthanide(III) coordination polymers: synthesis, structures and properties of $[Ln(SIP)(H_2O)_4]_n$ (Ln=Eu, Gd, Ce, and NaH_2SIP = 5-sulfoisophthalic acid monosodium salt), 230
Hydrothermal synthesis and characterization of nanorods "$Li_xV_{2-\delta}O_{4-\delta} \cdot H_2O$", 399
A novel one-dimensional manganese phosphomolybdate with rectangular cavities: $[H_3N(CH_2)_4NH_3](H_3O)_2\{[Mn(phen)_2]_4[MnMo_{12}^VO_{30}(HPO_4)_6(H_2PO_4)_2]\} \cdot 4H_2O$, 505
Hydrothermal synthesis and crystal structure of a novel compound: $[Ni(phen)_3]_2[SiMo_{10}V_2^{IV}O_{40}(V^{IV}O)_2] \cdot 2H_2O$, 509
Hydrothermal synthesis and characterization of a copper(I) halide coordination polymer with isonicotinic acid (IN) ligand as a template possessing three-dimensional supramolecular network structure, 572
Hydrothermal synthesis and structural characterization of a novel gadolinium(III) coordination polymer [Gd(Hdtpc)(OH)$(H_2O)]_n$, 589
Hydrothermal synthesis and X-ray powder structure determination of a novel layered tin(IV) phosphate, $Sn(HPO_4)_2 \cdot (NH_3)_{0.4}(H_2O)_{0.6}$, 685
Hydrothermal synthesis and structural characterization of framework microporous mixed tin–zirconium silicates with the structure of umbite, 824
The synthesis and structural characterization of a novel layered compound $[Na_{0.5}FeMoH_{1.5}O_5]_n$, 989
Hydrotris(pyrazolyl)borate ligand
The first example of half-sandwich cobalt(III) complex with hydrotris(pyrazolyl)borate ligand, 512
Hydroxide complex
A 2-D polymer constructed through bridging acetate, hydroxo, aqua and bipyridine ligands: crystal structure of $\{[Cu_2(\mu\text{-}CH_3COO)(\mu\text{-}OH)(\mu\text{-}H_2O)(4,4'\text{-bipy})](2H_2O)(SiF_6)\}_n$, 358

Hydroxo
Direct synthesis of a tetranuclear erbium(III) hydroxo cluster bearing a saturated Schiff base, 706
α-Hydroxycarboxylic acid
First water soluble Mo_2^{4+} compounds spanned by four α-hydroxycarboxylate anions, 527
Hypervalent silicon
Investigations into the small-bite N-functionalised amido chemistry of silicon and tin(IV), 533
Hypophosphorous acid
Kinetics and mechanism of oxidation of hypophosphorous acid by peroxomonosulphate in acid aqueous medium, 903
In_2O_3
Preparation of corundum structure Sn-doped In_2O_3 nanoparticles via controlled co-precipitating and postannealing route, 475
Imidazolate-bridged complex
Syntheses and X-ray crystal structures of [Zn(cyclen)–im–Zn(cyclen)]$(ClO_4)_3$ and [Ni(cyclen)(imH)(ClO_4)](ClO_4) (cyclen = 1,4,7,10-tetraazacyclododecane, im = imidazolate), 119
Iminodiacetate
The unexpected tridentate role of the tripodal ligand *N*-(carbamoylmethyl)iminodiacetato(2−) (ADA) in a new mixed-ligand nickel(II) complex with 2,2′-bipyridine (bipy) as secondary ligand: structure of [Ni(ADA)(bipy)(H_2O)]·$4H_2O$, 727
Immobilization
Lead immobilization by non-apatite-type calcium phosphates in aqueous solutions, 156
Inclusion coordination polymer
Crystal structure and properties of a Cu^{II} coordination polymer with 2-D grid-like host architecture for the inclusion of organic guest molecule, 1003
Indenyl complex
A 2-indenyl-amido-bridged titanium complex with C_s-symmetry, 159
Indium
Gallium(III) and indium(III) complexes of cross-bridged tetraamine ligands, 1
Molecular structure of [$In_2(\mu, \eta^1\text{-OR})(\mu, \eta^2\text{-OR})(\eta^2\text{-OR})_3(\eta^1\text{-OR})$] R = $C_2H_4NMe_2$, a pincer ligand, 347
Inorganic
Inorganic–organic hybrid metal complexes: 24-membered hexaazamacrocyclic dinuclear nickel complexes hybridized with $CdBr_4^{2-}$, 873
Inorganic crown ether
Are the cations templates or encapsulated? – The synthesis and characterization of a new polyoxomolybdate, 427
π–π interaction
Self-assembly of dinuclear $M_2Cl_4(C_{13}H_9N_3)_2$: stepwise supramolecular array by π–π stacking, 667
π···π Interaction
C—H···O, O—H···O and π···π interactions in the crystal structure of a new heterotrinuclear macrocyclic complex, $[Mn^{II}(Ni^{II}L)_2(C_2H_5OH)_2](ClO_4)_2$, 478
Inter-conversion
Synthesis, structural diversity, inter-conversion and reactivity of Cu(II) complexes of hydroxy-rich molecules, 380
Intercalation
Direct synthesis of bis(*n*-alkylammonium) monohydrogen phosphates by solid–vapour reaction, 372
Interdigitation
A new 2-D chiral coordination polymer of $[Zn(nicotinate)_2]_n$, 600
Iodine compounds
Optical properties of bis-(2,4,6-trimethylpyridine)iodine(I) cation: absorption and emission, 674
Iodine oxidation
Substituent effect on the oxidation of azaferrocene studied by ^1H NMR and ^{57}Fe Mössbauer spectroscopy, 312
Iodo ligand
The preparation and molecular structure of the first primary ferrocenylphosphine complex of tungsten(II), $[WI_2(CO)_3(FcCH_2PH_2)_2]$ [Fc = $Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4)$], 115
I.R. photodetector
Photoinduced conductivity and nonlinear optical properties of $[M(R, R'timdt)_2]$ dithiolenes (M=Ni, Pd, Pt; R,R′timdt = monoreduced imidazolidine-2,4,5-trithione) as materials for optically driven switches and photodetectors, 869
Iridium
A convenient one-step synthesis of alkenyl-phosphonio complexes of ruthenium(II), rhodium(III) and iridium(III), 862
Iridium complex
Regioselective olefin arylation catalyzed by $[Ir(acac)_2Cl]_2$ with base, 105
Iron complexes
Control of the spin state of Fe(II) 2,6-di(pyrazol-1-yl)pyridine complexes by distal ligand substitution, 328
Photochemistry of tris(diethyldithiocarbamato)iron(III). Reduction to a stable iron(II) complex induced by ligand-to-metal charge transfer excitation, 730
The effect of substitution of a thioether donor by a phosphine donor in thiacrown complexes of iron, 832
Monomeric and dimeric metal complexes of a simply prepared and versatile pentapyridyldiamine, 958
Iron pentacarbonyl
A study of the reaction between phenyl substituted cyclopentadiene and iron pentacarbonyl: the unusual structure of π-complex $(\eta^4\text{-}C_5Ph_4H_2)Fe(CO)_3$, 102
Iron(III)
An iron(III)trichloride adduct of *N*-isopropylsalicylaldimine: preparation, X-ray structure and NMR spectroscopic characterization, 283
Isocyanide
Synthesis and transition metal coordination of 2-(azidomethyl) phenyl isocyanide, 915
Isomerization
Synthesis, characterization and reactivity of $MoCl_2(O)(O_2)(OPR_3)_2$, OPR_3 = $OPMePh_2$, $OPPh_3$; an isomerization catalyst for some allylic alcohols, 384
Isonicotinic acid
Hydrothermal synthesis and characterization of a copper(I) halide coordination polymer with isonicotinic acid (IN) ligand as a template possessing three-dimensional supramolecular network structure, 572
Isopolyoxorhenates
Isopolyoxorhenates observed by positive ion electrospray mass spectrometry, 23
ITO
Preparation of corundum structure Sn-doped In_2O_3 nanoparticles via controlled co-precipitating and postannealing route, 475
$K_4Na_6[\alpha\text{-}1,2\text{-}PW_{10}Ti_2O_{39}]_2 \cdot 14H_2O$
Synthesis and crystal structure of the dimeric, Ti–O–Ti bridged hydrid form polyoxoanion $[\alpha\text{-}1,2\text{-}PW_{10}Ti_2O_{39}]_2^{10-}$, 796
Ketimine complexes
Synthesis of the dimeric μ_2-O aminoalkoxy complexes of rhenium $[(CO)_3Re(\mu_2\text{-}O\frown NH_2)]_2$ and their condensation products with acetone $[(CO)_3Re(\mu_2\text{-}O\frown N = CMe_2)]_2$, 897
Kinetics
Kinetics and mechanism of oxidation of hypophosphorous acid by peroxomonosulphate in acid aqueous medium, 903
Ladder
Hydrothermal synthesis of a novel microporous framework sustained by polycatenated $[Cu_2^I(ip)(4,4'\text{-bipyridine})]_n$ (ip = isophthalate) ladders, 1000

Lanthanide
Two-dimensional rare earth coordination polymers involving different coordination modes of thiodiglycolic acid, 28
A new family of two-dimensional lanthanide(III) coordination polymers: synthesis, structures and properties of $[Ln(SIP)(H_2O)_4]_n$ (Ln=Eu, Gd, Ce, and NaH_2SIP = 5-sulfoisophthalic acid monosodium salt), 230
Two new β-octamolybdate supported rare earth metal complexes: $[NH_4]_2[\{Gd(DMF)_7\}_2(\beta\text{-}Mo_8O_{26})][\beta\text{-}Mo_8O_{26}]$ and $[NH_4][La(DMF)_7(\beta\text{-}Mo_8O_{26})]$, 664
Synthesis and structure of the first dinuclear lanthanide oxalato complexes $[\{Mo^V_2O_4(C_2O_4)_2(H_2O)_2\}_2\{(Ln_2(H_2O)_4)_2(C_2O_4)\}] \cdot 7H_2O$ ($Ln = La^{3+}, Ce^{3+}$), 702
Direct synthesis of a tetranuclear erbium(III) hydroxo cluster bearing a saturated Schiff base, 706
Lanthanide (III)
Some lanthanide (III) complexes of (S, S)-(+)-2, 3-dimethoxyl-*N*, *N*′-dimethyl-1, 4-diaminobutane, 226
Lanthanide complexes
Interactions of trivalent lanthanide cations with tetradentate Schiff bases. Synthesis and characterization of lanthanide(III) complexes with *N*,*N*′-bis(pyridin-2-ylmethylene)benzene-1,2-diamine, 844
Lanthanide cryptate
Synthesis and characterization of dinuclear lanthanide(III) and yttrium(III) cryptates of a hexavalent anionic polydentate ligand, 984
Lanthanides
Syntheses, structures, and luminescence properties of a new family of three-dimensional open-framework lanthanide coordination polymers, 642
Lanthanide complexes of new ditopic, tripodal macrocycles: synthetic, structural, stability and luminescence studies, 577
12-coordinate complexes formed by the early lanthanide metals with 2,6-bis(-1,2,4-triazin-3-yl)-pyridine, 596
Large dimensions
A novel inorganic–organic tetragonal prism supramolecular compound $[Fe(NCS)_6][(Hbpy)(H_2bpy)(bpy)]$: crystal structure and non-linear optical properties, 166
Large-ring chelates
Variable coordination behaviour of N-donor siloxane ligands. The structures of [M(1,3-bis(*N*-imidazoyl)propyl-1,1,3,3-tetramethyldisiloxane)$_2$(NCS)$_2$] (M = Mn, Ni) and [Ni(1,3-bis(3-aminopropyl)-1,1,3,3-tetramethyldisiloxane)$_2$(NCS)$_2$], 805
Laser spectroscopy
Nanosecond multiphoton ionisation of jet-cooled ferrocene, 909
Late transition metal alkoxides
Synthesis and X-ray single crystal study of $Co_2Al_2(O^iPr)_6(acac)_4$ – first representative of a new structure type for the heterometallic alkoxide complexes, 946
Layered
The synthesis and structural characterization of a novel layered compound $[Na_{0.5}FeMoH_{1.5}O_5]_n$, 989
Layered materials
Hydrothermal synthesis and X-ray powder structure determination of a novel layered tin(IV) phosphate, $Sn(HPO_4)_2 \cdot (NH_3)_{0.4}(H_2O)_{0.6}$, 685
Lead
Lead immobilization by non-apatite-type calcium phosphates in aqueous solutions, 156
Syntheses and structures of two- and one-dimensional organic–inorganic hybrid compounds assembled from PbI_2 and 1,4-bis(4-pyridyl)-2,3-diaza-1,3-butadiene, 1090
Lead complexes
Insights in the sol–gel processing of $Pb(Mg_{1/3}Nb_{2/3})O_3$. The synthesis and crown structure of a new lead magnesium cluster: $Pb_6Mg_{12}(\mu\text{-}OAc)_6(\mu_2, \eta^2\text{-}OAc)_{18}(\mu_3, \eta^2\text{-}OC_2H_4OPr^i)_{12}$, 316
Lead hydroxyapatite
Facile preparation of lead hydroxyapatite through lead immobilization by calcium hydrogen phosphates in aqueous solutions, 606
Lead immobilization
Facile preparation of lead hydroxyapatite through lead immobilization by calcium hydrogen phosphates in aqueous solutions, 606
Least-coordinating anions
Polyhedral monocarbaborane chemistry: positional isomerism within the 10-vertex monocarbaborane cluster: synthesis and characterisation of the [2-Ph-*closo*-2-CB_9H_9]$^-$ anion, 581
Lever parameters
Electrochemical parametrization of a series of penta- and tetradentate EDTA complexes of ruthenium, 891
Lewis-base exchange reaction
Convenient one-pot synthesis of triphenylphosphinecarbomethoxyborane: antitumor activity and structural investigation, 458
Synthesis and crystal structure of 1,4-diaminobutyl-*N*,*N*′-bis(cyanoborane): the first substituted-borane adduct of putrescine, 522
$LiAlO_2$
Heterobimetallic lithium organoaluminum and organogallium complexes: potential single precursors for MOCVD of $LiMO_2$ thin films, 439
Ligand
Silylated amino-triazines: new ligands with potential multi-coordination modes, 516
The effect of pH on the emission and absorption spectra of a ruthenium complex, 555
Synthesis and structure of copper-DMPLED complex, a bifunctional ligand with positive charged pyridine rings, 625
Ligand conformation
The unexpected tridentate role of the tripodal ligand *N*-(carbamoylmethyl)iminodiacetato(2−) (ADA) in a new mixed-ligand nickel(II) complex with 2,2′-bipyridine (bipy) as secondary ligand: structure of $[Ni(ADA)(bipy)(H_2O)]\cdot 4H_2O$, 727
Ligands
Theoretical study on intermediate in oxygen transfer reaction in molybdoenzyme model system, 446
$LiGaO_2$
Heterobimetallic lithium organoaluminum and organogallium complexes: potential single precursors for MOCVD of $LiMO_2$ thin films, 439
^7Li, ^{23}Na, ^{39}K and ^{133}Cs NMR spectrometry
^7Li, ^{23}Na, ^{39}K and ^{133}Cs NMR comparative equilibrium study of alkali metal cation hydroxide complexes in aqueous solutions. First numerical value for CsOH formation, 223
Linear Ru–O–Ru bond
Syntheses, crystal structures, susceptibility and EPR studies of oxo-bridged dinuclear ruthenium (III) complexes with linear Ru–O–Ru bonds: and $[(Py)_3(C_2O_4)Ru^{III}ORu^{III}(C_2O_4)(Py)_3]$ and $[(4\text{-}MePy)_3(C_2O_4)Ru^{III}ORu^{III}(C_2O_4)(4\text{-}MePy)_3] \cdot 2\text{-}Mebmz \cdot 3H_2O$ (Py = pyridine; 4-MePy = 4-methylpyridine; 2-Mebmz = 2-methylbenzimidazole), 1007
$Li_xV_{2-\delta}O_{4-\delta} \cdot H_2O$
Hydrothermal synthesis and characterization of nanorods "$Li_xV_{2-\delta}O_{4-\delta} \cdot H_2O$", 399
Long-chain 3-substituted pyrazoles
Mesogenic Pd(II) complexes based on 3-substituted pyrazol ligands, 887

Luminescence
Electronic spectra of π-cylopentadienyl(triethyl phosphine) copper(I). Ligand-to-ligand charge transfer, 112
The photoluminescence characteristics of Tb_2S_3 nanoparticles embedded in sol–gel silica xerogel, 187
Photoreactivity of (2,9-dimethyl-1,10-phenanthroline) copper(I) borohydride, 239
Synthesis, spectroscopic studies and structure prediction of the new $Tb(3\text{-}NH_2PIC)_3 \cdot 3H_2O$ complex, 292
$[Na_8Zn_4(CH_3CO_2)_{16} \cdot 2H_2O]_n$: two-dimensional sheet-like coordination polymer with strong blue emission, 361
Photoluminescence of (phanephos)tricarbonylrhenium(I) chloride with phanephos = 4,12-bis(diphenylphosphino)-[2.2]-*para*cyclophane, 391
Synthesis and spectroscopic properties of anhydrotetracyclineplatinum(II)dichloride, 411
Lanthanide complexes of new ditopic, tripodal macrocycles: synthetic, structural, stability and luminescence studies, 577
Optical properties of bis-(2,4,6-trimethylpyridine)iodine(I) cation: absorption and emission, 674
Coexisting intraligand fluorescence and phosphorescence of hafnium(IV) and thorium(IV) porphyrin complexes in solution, 993
$[Zn(BDC)(H_2O)_2]_n$: a novel blue luminescent coordination polymer constructed from BDC-bridged 1-D chains via interchain hydrogen bonds (BDC = 1,4-benzenedicarboxylate), 1017
Novel luminescent samarium(III) chelates, 1059
Luminescent emission
Oligocyanometallic cords as building blocks in luminescent three-dimensional coordination polymers: $[Ag_4Cd_2(tren)_2(CN)_{6.5}][Ag(CN)_{1.5}]$ and $[Au_2Cd(tren)(CN)_4] \cdot H_2O$, 637
Lutetiacarborane
Synthesis and crystal structure of the first "carbons apart" diamagnetic lutetiacarborane sandwich complex, 602
Lutetium
Synthesis and crystal structure of the first "carbons apart" diamagnetic lutetiacarborane sandwich complex, 602
Macrobicyclic ligands
Synthesis of new macrobicyclic tricompartmental ligands and site preference of metal ion: structural and electrochemical properties of mononuclear copper(II) complexes, 422
Macrocycle
The effect of substitution of a thioether donor by a phosphine donor in thiacrown complexes of iron, 832
The first macrocyclic "layer-to-layer" type tetranuclear copper(II) complex: structure, stability and unprecedented catalase-like activity, 1095
Macrocyclic
Inorganic–organic hybrid metal complexes: 24-membered hexaazamacrocyclic dinuclear nickel complexes hybridized with $CdBr_4^{2-}$, 873
Macrocyclic compounds
Influence of guests and protonation on the conformation of *N,N′*-dipyridyl-bis-aza-18-crown-6, 1082
Macrocyclic ligand complex
Structurally different nickel(II) hexaaza macrocyclic complexes with the same btc^{2-} anions (btc^{2-} = 1,2,4,5-benzenetetracarboxylic acid dianion), 771
Macrocyclic ligand complexes
Syntheses and X-ray crystal structures of [Zn(cyclen)–im–Zn(cyclen)]$(ClO_4)_3$ and [Ni(cyclen)(imH)(ClO_4)](ClO_4) (cyclen = 1,4,7,10-tetraazacyclododecane, im = imidazolate), 119
Syntheses and X-ray crystal structures of 14-membered tetraaza macrocyclic copper(II) complexes with polycarboxylate ligands, 616
Macrocyclic oxamide
First macrocyclic oxamide Cu(II)–Co(II) complex: synthesis, crystal structure and magnetic properties, 1012
Macrocyclic trinuclear complex
C—H···O, O—H···O and π···π interactions in the crystal structure of a new heterotrinuclear macrocyclic complex, $[Mn^{II}(Ni^{II}L)_2(C_2H_5OH)_2](ClO_4)_2$, 478
Magnesium complexes
Insights in the sol–gel processing of $Pb(Mg_{1/3}Nb_{2/3})O_3$. The synthesis and crown structure of a new lead magnesium cluster: $Pb_6Mg_{12}(\mu\text{-}OAc)_6(\mu_2, \eta^2\text{-}OAc)_{18}(\mu_3, \eta^2\text{-}OC_2H_4OPr^i)_{12}$, 316
Magnesium oxide
A new route to prepare magnesium oxide whisker, 147
Magnesium oxysulfate
A new route to prepare magnesium oxide whisker, 147
Magnetic properties
Control of the spin state of Fe(II) 2,6-di(pyrazol-1-yl)pyridine complexes by distal ligand substitution, 328
A two-dimensional $Cu^{II}Gd^{III}$ compound self-assembled by H-bonding and intermolecular weak coordinate bonding between the dinuclear cores: structure and magnetic properties, 585
First macrocyclic oxamide Cu(II)–Co(II) complex: synthesis, crystal structure and magnetic properties, 1012
Magnetic property
Spontaneous magnetization in [1-(4-cyanobenzyl)pyridinium] $[Pt(mnt)_2]$: synthesis, crystal structure and magnetic property, 395
Magnetic susceptibility
Two new β-octamolybdate supported rare earth metal complexes: $[NH_4]_2[\{Gd(DMF)_7\}_2(\beta\text{-}Mo_8O_{26})][\beta\text{-}Mo_8O_{26}]$ and $[NH_4][La(DMF)_7(\beta\text{-}Mo_8O_{26})]$, 664
Magnetism
Structures and magnetism of bimetallic octacyanometallates: honeycomb-like $[Mo(CN)_8Ni_2(pn)_4]_n \cdot 4nH_2O$ and binuclear $[Mo(CN)_8Ni(en)_2(H_2O)][Ni(en)_3] \cdot 2H_2O$ (pn = 1,3-diaminopropane, en = 1,2-diaminoethane), 660
Maleonitriledithiolate
Spontaneous magnetization in [1-(4-cyanobenzyl)pyridinium] $[Pt(mnt)_2]$: synthesis, crystal structure and magnetic property, 395
Manganese complex
Synthesis and structural characterization of two chain complexes of Mn(II) containing 2-aminopyridinium, 215
Isostructural organic–inorganic hybrids of *P, P′*-diphenyl-methylenediphosphinate $(CH_2(P(Ph)O_2)_2)^{2-}$ with divalent transition metals, 1041
Manganese oxides
Preparation and characterization of MnOOH and β-MnO_2 whiskers, 747
Manganese phosphomolybdate
A novel one-dimensional manganese phosphomolybdate with rectangular cavities: $[H_3N(CH_2)_4NH_3](H_3O)_2\{[Mn(phen)_2]_4[MnMo^{V}_{12}O_{30}(HPO_4)_6(H_2PO_4)_2]\} \cdot 4H_2O$, 505
Manganese(II)
Cobalt(II) and manganese(II) complexes of unsymmetric compartmental ligands bearing adjacent $\{N_2O\}$ and $\{N,S,O\}$ donor sets, 1044
Manganese(III) porphyrines
Synthesis and reactivity of rhenium cluster-supported manganese porphyrin complexes, 612
Mass spectrometry
Cyclopalladation of N—N′ donor ligands: unusual dinuclear complexes and their solution behaviour, 67
Mechanisms
Substitution behaviour of an unusual seven-coordinate iron(III) complex in different solvents, 937

Mercury thiaporphyrin
Preparation and structural characterization of mercury 21-thiaporphyrin complex: Hg^{II}(Stpp)Cl (Stpp = tetraphenyl-21-thiaporphyrin anion), 150
Mesomorphism
Mesogenic Pd(II) complexes based on 3-substituted pyrazol ligands, 887
Metal oxides
Preparation of nanocrystalline metal oxide powders with the surfactant-mediated method, 751
Metal–metal bond
Synthesis and structural study of tri- and dinuclear palladium complexes of 2,6-bis(diphenylphosphino)pyridine, 442
First water soluble Mo_2^{4+} compounds spanned by four α-hydroxycarboxylate anions, 527
Metal–silicon bond
From isothiocyanato– to silyl–nickel complexes, 464
Metal-organic framework
Assembly of a microporous metal-organic framework [Zn(bpdc)(DMSO)] (bpdc = 4,4′-biphenyldicarboxylate) based on paddle-wheel units affording guest inclusion, 975
Metal-reduction
A metal-reduction route to synthesis of nickel nanotubules, 971
Metallaboranes
Formation of [8,8-η^2-{(μ-Cl)$_2$Ru(η^6-*p*-cym)$Ph_2PCH_2PPh_2$}-*nido*-8,7-$RhSB_9H_{10}$], a bimetallic derivative of the novel species [8,8-(η^2-dppm)-8-(η^1-dppm)-*nido*-8,7-$RhSB_9H_{10}$], 127
The synthesis and characterization of two new 19-vertex metallaborane clusters: $[B_{18}H_{20}Ni(\eta^5\text{-}C_5H_5)]^{-1}$ and $[B_{18}H_{19}(2\text{-THF})Ni(\eta^5\text{-}C_5H_5)]$, 274
Metallacarborane
Synthesis and crystal structure of the first "carbons apart" diamagnetic lutetiacarborane sandwich complex, 602
Metallasiloxanes
Epoxidation of olefins catalyzed by molybdenum–siloxane compounds, 1069
Metallo-rotaxane
A new cucurbituril-based metallo-rotaxane, 633
Metallocene
^{57}Fe Mössbauer spectroscopic and X-ray structural analyses on the mixed-valence state of biferrocenium derivatives with bromoalkyl substituents, 107
Metalloligands
Reactivity of mononuclear dithiolato palladium and platinum metalloligands towards the formation of homo- and heterobimetallic complexes, 351
Metallosupramolecular chemistry
Anion-directed self-assembly of metallosupramolecular coordination polymers of the radialene ligand hexa(2-pyridyl)[3]radialene, 323
Methylation
Characterization of the carbon–silicon stretch in methylated porous silicon – observation of an anomalous isotope shift in the FTIR spectrum, 560
Microporous framework
Hydrothermal synthesis of a novel microporous framework sustained by polycatenated $[Cu^I_2(ip)(4,4'\text{-bipyridine})]_n$ (ip = isophthalate) ladders, 1000
Microporous materials
Hydrothermal synthesis and structural characterization of framework microporous mixed tin–zirconium silicates with the structure of umbite, 824
Mixed ligands
Structure and physical properties of a novel three-dimensional nickel coordinated polymer with mixed ligands resulting from hydrothermal reaction, 171
Mixed valence
Synthesis, structure and catalase-like activity of a new dinuclear mixed valence $Mn^{II}Mn^{III}$ complex containing an unsymmetric N_5O_2 donor ligand, 434
Mixed-ligand heterobimetallic complexes
Synthesis, characterization and electrical conductivity of mixed-ligand heterobimetallic coordination polymers, 255
Mixed-metal
DNA binding of mixed-metal supramolecular Ru, Pt complexes, 1078
Mixed-metal complexes
An incomplete cube-like array of Cu, Zn, I with O atoms from 2-dimethylaminoethanol formed directly from zero-valent metal powders, 19
Allenyls and propargyls: versatile ligands in transition-metal chemistry, 82
Mixed-valence compound
^{57}Fe Mössbauer spectroscopic and X-ray structural analyses on the mixed-valence state of biferrocenium derivatives with bromoalkyl substituents, 107
Mixed-valent
Synthesis, structure and magnetic property of a new oxo-centered mixed-valent trinuclear manganese complex, 51
Mn(IV) complexes
Synthesis, structure and characterisation of a Mn(IV) complex with a potentially tridentate phosphinothiol ligand, 337
α-MnSe
α-MnSe crystallites through solvothermal reaction in ethylenediamine, 369
MOCVD
Heterobimetallic lithium organoaluminum and organogallium complexes: potential single precursors for MOCVD of $LiMO_2$ thin films, 439
Model complex
Synthesis and crystal structure of a novel bridged coenzyme B_{12} model complex, 139
Modified electrodes
A polymerizable pyrrole–cobaltocenium receptor for the electrochemical recognition of anions in solution and immobilised onto electrode surfaces, 288
Molecular recognition
A polymerizable pyrrole–cobaltocenium receptor for the electrochemical recognition of anions in solution and immobilised onto electrode surfaces, 288
Inter-ligand interactions and the selective formation of the unusual metal–N3(adenine) bond in ternary copper(II) complexes with *N*-benzyliminodiacetato(2−) ligands, 800
Molecular rectangles
Design of molecular rectangles by using compartmental and *exo*-bidentate ligands, 42
Molybdenum
Synthesis and structure of an octanuclear oxothiomolybdenum(V) wheel with bridging hydrazine ligands encapsulating a central $Mo^{VI}O_4$ tetrahedron, $[Mo^V_8S_8O_8(OH)_7(N_2H_4)_2Mo^{VI}O_4]^-$, 333
Theoretical study on intermediate in oxygen transfer reaction in molybdoenzyme model system, 446
Synthesis and structure of the first dinuclear lanthanide oxalato complexes $[\{Mo^V_2O_4(C_2O_4)_2(H_2O)_2\}_2\{(Ln_2(H_2O)_4)_2(C_2O_4)\}] \cdot 7H_2O$ ($Ln = La^{3+}, Ce^{3+}$), 702
Coordinatively unsaturated molybdenum complexes with chelating cycloheptatrienyl-phosphane ligands and their use in transition metal catalysis, 837
Catalytic oxidation of THF with homo and hetero metallic Mo/Ru complexes and molecular oxygen, 1052
Epoxidation of olefins catalyzed by molybdenum–siloxane compounds, 1069

Molybdenum and iron oxide
The synthesis and structural characterization of a novel layered compound $[Na_{0.5}FeMoH_{1.5}O_5]_n$, 989
Molybdenum oxo–peroxo compounds
Synthesis, characterization and reactivity of $MoCl_2(O)(O_2)(OPR_3)_2$, $OPR_3 = OPMePh_2$, $OPPh_3$; an isomerization catalyst for some allylic alcohols, 384
Molybdenum–molybdenum quadruple bonds
The first supramolecular assemblies comprised of dimetal units and chiral dicarboxylates, 59
Molybdenum–sulfur clusters
Molecular assembly of novel hetero-metal clusters: $[(O = MoS_3Cu_2)_2(\mu\text{-}Sn_2S_6)]^{4-}$ and $[(S = MoS_3Cu_2)_3(\mu_3\text{-}S)_2]^{4-}$, 768
Mono-, di- and tri-nuclear Ni(II) complexes
Mono-, di- and tri-nuclear Ni(II) complexes of N-, O-donor ligands: structural diversity and reactivity, 924
Monocarbaborane
Polyhedral monocarbaborane chemistry: positional isomerism within the 10-vertex monocarbaborane cluster: synthesis and characterisation of the $[2\text{-Ph-}closo\text{-}2\text{-}CB_9H_9]^-$ anion, 581
Monodisperse
Preparation of nanocrystalline metal oxide powders with the surfactant-mediated method, 751
Monomer/Dimer interconversion
Redox behavior of copper(II)/(I) couples with quadridentate ligand: evidence of novel dual gated electron transfer reactions, 949
Mononuclear
Spectroelectrochemistry of copper(II) complexes with deprotonated tetradentate pyridine-2-carboxamide ligands: EC reaction of the electrogenerated Cu(III) species, 853
MRI contrast agents
Gd(III) based MRI contrast agents: improved physical meaning in a combined analysis of EPR and NMR data?, 811
MRI contrast reagents
Interactions of trivalent lanthanide cations with tetradentate Schiff bases. Synthesis and characterization of lanthanide(III) complexes with *N*,*N*′-bis(pyridin-2-ylmethylene)benzene-1,2-diamine, 844
Multiphoton ionisation
Nanosecond multiphoton ionisation of jet-cooled ferrocene, 909
Multiple metal–metal bonds
The incorporation of the quadruply bonded dimolybdenum(II) unit into an unusual 2-D polymeric assembly through the use of the asymmetric $[4\text{-}Ph_2P(O)C_6H_4CO_2]^-$ ligand that provides both equatorial and axial donor sites, 134
The first examples of triply bonded dirhenium(II) complexes that contain β-diketonate ligands, 1073
N,O-ligands
Cationic olefin Pd(II) complexes bearing α-iminoketone N,O-ligands: unprecedented isomerisation of the methoxycyclooctenyl ligand, 319
N-, O-donor molecules
Mono-, di- and tri-nuclear Ni(II) complexes of N-, O-donor ligands: structural diversity and reactivity, 924
N-ligands
A chiral spiro-oxime ligand and its organopalladium(II) coordination chemistry, 552
Nanocrystalline powder
Preparation of nanocrystalline metal oxide powders with the surfactant-mediated method, 751
Nanofiber
Synthesis of nano-fibrillar bismuth sulfide by a surfactant-assisted approach, 933
Nanoparticles
Preparation of corundum structure Sn-doped In_2O_3 nanoparticles via controlled co-precipitating and postannealing route, 475
Nanorods
Hydrothermal synthesis and characterization of nanorods "$Li_xV_{2-\delta}O_{4-\delta} \cdot H_2O$", 399
Nanowire
Synthesis of silver nanowires by a sonoelectrochemical method, 242
Nanowires
Micelle-template inducing synthesis of winding ZnS nanowires, 671
Naphthalenedicarboxylate
The 3D CuO (tenorite) as copper-ion source afforded the first 1,4-naphthalenedicarboxylate bridged coordination dimmer linked via triple-hydrogen-bonding water molecule into a 2D network, 1028
N-carboxymethyl pendant group
Synthesis and characterization of cobalt(II) complex with a di-*N*-carboxymethylated tetraaza macrocycle, 220
Near-infrared luminescence
First proton-induced near-infrared fluorescent switch at room temperature of a novel Ru(II) complex, 841
N–H···Cl hydrogen bonding
Synthesis and structural characterization of two chain complexes of Mn(II) containing 2-aminopyridinium, 215
Ni, Pd, and Pt dithiolenes
Photoinduced conductivity and nonlinear optical properties of $[M(R,R'timdt)_2]$ dithiolenes (M=Ni, Pd, Pt; R,R′timdt = monoreduced imidazolidine-2,4,5-trithione) as materials for optically driven switches and photodetectors, 869
Nickel complex
Syntheses and X-ray crystal structures of [Zn(cyclen)–im–Zn(cyclen)]$(ClO_4)_3$ and [Ni(cyclen)(imH)(ClO_4)](ClO_4) (cyclen = 1,4,7,10-tetraazacyclododecane, im = imidazolate), 119
Nickel(II) chloride adducts of 4′-phenyl-2,2′:6′,2″-terpyridine, 519
The unexpected tridentate role of the tripodal ligand *N*-(carbamoylmethyl)iminodiacetato(2−) (ADA) in a new mixed-ligand nickel(II) complex with 2,2′-bipyridine (bipy) as secondary ligand: structure of $[Ni(ADA)(bipy)(H_2O)]\cdot 4H_2O$, 727
Structurally different nickel(II) hexaaza macrocyclic complexes with the same btc^{2-} anions (btc^{2-} = 1,2,4,5-benzenetetracarboxylic acid dianion), 771
From isothiocyanato– to silyl–nickel complexes, 464
Isostructural organic–inorganic hybrids of *P*, *P*′-diphenyl-methylenediphosphinate $(CH_2(P(Ph)O_2)_2)^{2-}$ with divalent transition metals, 1041
Nickel nanotubule
A metal-reduction route to synthesis of nickel nanotubules, 971
Nickel–borane complexes
The synthesis and characterization of two new 19-vertex metallaborane clusters: $[B_{18}H_{20}Ni(\eta^5\text{-}C_5H_5)]^{-1}$ and $[B_{18}H_{19}(2\text{-THF})Ni(\eta^5\text{-}C_5H_5)]$, 274
Nickel(II)
Structural diversity in oligonuclear nickel(II) complexes of unsymmetrical compartmental ligands, 537
Nickel(II) complex
Synthesis and characterization of nickel(II) and copper(II) complexes with a tetramethyltetraaza macrocycle containing 2-pyridylmethyl pendant arms, 496
NIR
Photoinduced conductivity and nonlinear optical properties of $[M(R,R'timdt)_2]$ dithiolenes (M=Ni, Pd, Pt; R,R′timdt = monoreduced imidazolidine-2,4,5-trithione) as materials for optically driven switches and photodetectors, 869
Nitrilotriacetic acid
A hydrogen-bonded oxo-μ-bis[*trans*-nitrilotriacetato-*cis*-dioxotungstate(VI)] synthesized directly from an alkali tungstate and nitrilotriacetic acid, 388

Nitrogen ligand
[$CoI_2(C_6H_4N_3CH_2CO_2C_4H_2SCO_2CH_2C_6H_4N_3)$], a coordination polymer containing the thiophene-2,5-di(carboxylatomethylenebenzotriazole) bridging ligand: synthesis, structure, redox properties, 264
Ni:Zn_2SiO_4
Preparation and characteristics of sol–gel derived Zn_2SiO_4 doped with Ni^{2+}, 482
N-methylimidazole
Synthesis, crystal structure and superoxide dismutase mimetic activity of hexakis (*N*-methylimidazole) copper(II) salicylate, 269
4-Nitrophenylphosphate
Synthesis of copper(II)–lanthanum(III) complex of a dinucleating macrocycle and its hydrolytic property for 4-nitrophenylphosphate, 56
NMR spectroscopy
Silver(I) complexes of selenourea (^{13}C and ^{15}N labeled); characterization by ^{13}C, ^{15}N and ^{107}Ag NMR, 355
Multinuclear NMR (^{1}H, ^{13}C, ^{15}N and ^{107}Ag) studies of the silver cyanide complexes of thiourea and substituted thioureas, 816
Polyhedral monocarbaborane chemistry: positional isomerism within the 10-vertex monocarbaborane cluster: synthesis and characterisation of the [2-Ph-*closo*-2-CB_9H_9]$^-$ anion, 581
N,*N*-dialkylcarbamates
N,*N*-dialkylcarbamato metal complexes, molecular inorganic precursors to functionalized inorganic matrices, 733
N-(*p*-methoxybenzyl)-imimodiacetate
Inter-ligand interactions and the selective formation of the unusual metal–N3(adenine) bond in ternary copper(II) complexes with *N*-benzyliminodiacetato(2−) ligands, 800
Nuclear reprocessing
12-coordinate complexes formed by the early lanthanide metals with 2,6-bis(-1,2,4-triazin-3-yl)-pyridine, 596
^{18}O isotopic studies
Synthesis, characterization and reactivity of $MoCl_2(O)(O_2)(OPR_3)_2$, OPR_3 = $OPMePh_2$, $OPPh_3$; an isomerization catalyst for some allylic alcohols, 384
Octa-substituted phthalocyanines
Preparation and properties of octa-substituted phthalocyanines peripherally substituted with phenyl derivatives, 1031
Octacyanometallate
Structures and magnetism of bimetallic octacyanometallates: honeycomb-like $[Mo(CN)_8Ni_2(pn)_4]_n \cdot 4nH_2O$ and binuclear $[Mo(CN)_8Ni(en)_2(H_2O)][Ni(en)_3] \cdot 2H_2O$ (pn = 1,3-diaminopropane, en = 1,2-diaminoethane), 660
Octahedral geometry
Ligand dehydrogenation in ruthenium trinitrogen complexes: synthesis, structure and chirality of the cations $[Ru(LH_4)(L)]^{2+}$ [LH_4 = 2,6-bis(pyrrolidin-2-yl)pyridine], 787
Octamolybdate
Two new β-octamolybdate supported rare earth metal complexes: $[NH_4]_2[\{Gd(DMF)_7\}_2(\beta\text{-}Mo_8O_{26})][\beta\text{-}Mo_8O_{26}]$ and $[NH_4][La(DMF)_7(\beta\text{-}Mo_8O_{26})]$, 664
Octanuclear
The cluster dication $[(\eta^6\text{-}C_6H_6)_2(\eta^6\text{-}C_6Me_6)_4Ru_8(\mu_2\text{-}H)_2(\mu_3\text{-}O)_2(\mu_2\text{-}Cl)_2]^{2+}$: a chloro-bridged framework containing two metal tetrahedra, 9
^{18}O isotopic studies
Synthesis, characterization and reactivity of $MoCl_2(O)(O_2)(OPR_3)_2$, OPR_3 = $OPMePh_2$, $OPPh_3$; an isomerization catalyst for some allylic alcohols, 384
Olefins
Half-sandwich ruthenium complexes for the controlled radical polymerisation of vinyl monomers, 941
One-dimensional chain
The first one-dimensional metal–organic coordination polymer with 4-quinolineacarboxylate as building block: $[Cd(\mu_2\text{-}H_2O)(4\text{-quinolinecarboxylato-}O,O)_2]$, 35
A novel one-dimensional manganese phosphomolybdate with rectangular cavities: $[H_3N(CH_2)_4NH_3](H_3O)_2[Mn(phen)_2]_4[MnMo^{V}_{12}O_{30}(HPO_4)_6(H_2PO_4)_2]\} \cdot 4H_2O$, 505
The first one-dimensional heteropoly tungstovanadate coordination polymer: $[(V^{V}O_4)W^{VI}_8M_4O_{36}(V^{IV}O)_2]^{n-}$ ($M = 0.71V^{IV} + 0.29W^{VI}$, $n = 4.68$), 996
Open framework
Syntheses, structures, and luminescence properties of a new family of three-dimensional open-framework lanthanide coordination polymers, 642
Optically active complexes
Some lanthanide (III) complexes of (S,S)-(+)-2,3-dimethoxyl-*N*,*N*′-dimethyl-1,4-diaminobutane, 226
Optically active triosmium clusters
Optically active triosmium cluster with bridging terpenic thioureato-like ligand – synthesis, structure, and absolute configuration, 32
Optoelectronics
Photoinduced conductivity and nonlinear optical properties of $[M(R,R'timdt)_2]$ dithiolenes (M=Ni, Pd, Pt; R,R′timdt=monoreduced imidazolidine-2,4,5-trithione) as materials for optically driven switches and photodetectors, 869
Organic amide
Synthesis and structure of Cu(II) complex with chiral amidate ligand, 4(*S*)-1-(2-pyridyl)-3-oxo-4-aza-7-thiaoctane, 756
Organic–inorganic hybrid
Synthesis and crystal structure of a novel 2-D hybrid compound $[(PbBr_2)_2(\mu\text{-Pyz})]_n$ (Pyz=pyrazine), 621
Organic–inorganic hybrids
Isostructural organic–inorganic hybrids of *P*,*P*′-diphenyl-methylenediphosphinate $(CH_2(P(Ph)O_2)_2)^{2-}$ with divalent transition metals, 1041
Organoalane
Chlorobis(pentafluorophenyl)alane: synthesis, crystal structure, and polymerization catalysis, 698
Organocobaloxime
Synthesis and crystal structure of a novel bridged coenzyme B_{12} model complex, 139
Organosilicon
Silylated amino-triazines: new ligands with potential multi-coordination modes, 516
Oxalate
Synthesis and structure of the first dinuclear lanthanide oxalato complexes $[\{Mo^{V}_2O_4(C_2O_4)_2(H_2O)_2\}_2\{(Ln_2(H_2O)_4)_2(C_2O_4)\}] \cdot 7H_2O$ ($Ln = La^{3+}, Ce^{3+}$), 702
Terbium-oxalate-pyridinedicarboxylate coordination polymers suggesting the reductive coupling of carbon dioxide (CO_2) to oxalate ($C_2O_4^{2-}$) : $[Tb_2(3,5\text{-PDC})_2(H_2O)_4(C_2O_4)] \cdot 2H_2O$ and $[Tb(2,4\text{-PDC})(H_2O)(C_2O_4)_{0.5}]$ (PDC = pyridinedicarboxylate), 978
Oxidation
Kinetics and mechanism of oxidation of hypophosphorous acid by peroxomonosulphate in acid aqueous medium, 903
Oxidative cleavage of C–S bond
C–S bond cleavage by cobalt: synthesis, characterization and crystal structure determination of 1,2-di-(*o*-salicylaldiminophenylthio)ethane and its Co(III) product with C–S bond cleaved fragments, 649
Oximato-bridge
Unexpected assembly of a tetranuclear copper(II) complex bridged by glyoximate groups, 403

Oximato-bridged
Crystal structure of a new oximato-bridged one-dimension(1D) chain-like copper complex polymer $\{[Cu_4(dmg)_2(Hdmg)_2(H_2dmg)_2(H_2O)_2](ClO_4)_2\}_\infty$, 1086
Oxo cap
The cluster dication $[(\eta^6\text{-}C_6H_6)_2(\eta^6\text{-}C_6Me_6)_4Ru_8(\mu_2\text{-}H)_2(\mu_3\text{-}O)_2(\mu_2\text{-}Cl)_2]^{2+}$: a chloro-bridged framework containing two metal tetrahedra, 9
Oxo-bridged Fe(III) species
Important role of hydrogen peroxide for storing of iron ions in human L-subunit ferritin, 609
Oxo-bridged manganese complexes
A tetranuclear manganese oxo complex with terminal and bridging trifluoroacetate ligands: synthesis and structure of $[Mn_4O_2(O_2CCF_3)_8(bpy)_2]$, 206
Oxomolybdenum complexes
Epoxidation of olefins catalyzed by molybdenum–siloxane compounds, 1069
Oxonium ions
Influence of guests and protonation on the conformation of *N,N′*-dipyridyl-bis-aza-18-crown-6, 1082
Oxygen transfer reaction
Theoretical study on intermediate in oxygen transfer reaction in molybdoenzyme model system, 446
Oxygen-rich chromium (VI) complex
$[Ph_4P][CrO_3(OH)]$ – a wonder molecule: its behaviour as a bifunctional autocatalyst in water-splitting for the perpetual generation of dihydrogen and a catalyst mimicking catalase function, 259
Paddle-wheel unit
Assembly of a microporous metal-organic framework [Zn(bpdc)(DMSO)] (bpdc=4,4′-biphenyldicarboxylate) based on paddle-wheel units affording guest inclusion, 975
Palladacycles
Cyclopalladation of N—N′ donor ligands: unusual dinuclear complexes and their solution behaviour, 67
Palladium
Reactivity of mononuclear dithiolato palladium and platinum metalloligands towards the formation of homo- and heterobimetallic complexes, 351
A chiral spiro-oxime ligand and its organopalladium(II) coordination chemistry, 552
The synthesis and crystal structure of {*N*-dodecyl-*N*-pyridin-2-ylmethylene]amine}dichloro palladium and its preliminary evaluation as a catalyst for ethylene polymerization, 724
Palladium compounds
Cationic olefin Pd(II) complexes bearing α-iminoketone N,O-ligands: unprecedented isomerisation of the methoxycyclooctenyl ligand, 319
Palladium–pyrazole complexes
Mesogenic Pd(II) complexes based on 3-substituted pyrazol ligands, 887
Palladium(I)
Synthesis and structural study of tri- and dinuclear palladium complexes of 2,6-bis(diphenylphosphino)pyridine, 442
Palladium(II)
Synthesis and structural study of tri- and dinuclear palladium complexes of 2,6-bis(diphenylphosphino)pyridine, 442
Palladium(II) complexes
Preparation and structural characterisation of a novel palladium (II) binuclear complex containing triazole bisthiosemicarbazone bridges, 344
Pentaborane(9)
Novel approach to boron-10 enriched decaborane(14): an important advance in synthetic boron hydride chemistry, 765
Pentamethylcyclopentadienyl complexes
A convenient one-step synthesis of alkenyl-phosphonio complexes of ruthenium(II), rhodium(III) and iridium(III), 862
Pentanuclear complex
Synthesis and structural characterisation of a new cobalt(II) pentanuclear complex with a tetranucleating pyrazole-derived ligand, 130
Peroxomonosulphate
Kinetics and mechanism of oxidation of hypophosphorous acid by peroxomonosulphate in acid aqueous medium, 903
pH
The effect of pH on the emission and absorption spectra of a ruthenium complex, 555
Pharmacological applications
Synthesis and crystal structure of 1,4-diaminobutyl-*N,N′*-bis(cyanoborane): the first substituted-borane adduct of putrescine, 522
Phenanthroline
The effect of pH on the emission and absorption spectra of a ruthenium complex, 555
Phenolate ligands
New practical tungsten(VI) based catalyst systems for ring opening metathesis polymerisation, 267
Phenolato-bridge
A dinuclear zinc(II) complex of 2,6-bis[((2-hydroxybenzyl)(2-pyridylmethyl)amino)methyl]-4-methylphenol derived from bis(acetylacetonato)zinc(II), 12
Ph–NH–CH_2–
Effect of "Ph–NH–CH_2–" group on the luminescence properties of sol–gel silica xerogel, 468
Phosphane
A heterobimetallic copper(I)–silver(I) complex spanned by 4,4′-bipyridine, 203
Phosphates
Direct synthesis of bis(*n*-alkylammonium) monohydrogen phosphates by solid–vapour reaction, 372
Phosphine
Synthesis of a ruthenium complex of a cyclic trifunctional η^6, η^1, η^1-arene–diphosphine ligand by intramolecular dehydrofluorinative carbon–carbon coupling, 15
The effect of substitution of a thioether donor by a phosphine donor in thiacrown complexes of iron, 832
Phosphine complexes
Electronic spectra of π-cylopentadienyl(triethyl phosphine) copper(I). Ligand-to-ligand charge transfer, 112
Phosphinidene–phosphine
$Ru_4(\mu\text{-}CO)(CO)_9(\eta^4\text{-}\mu_4\text{-}C_6H_4)(\eta^2\text{-}\mu_1, \mu_4\text{-}PPhCH_2CH_2PPh_2)$: an unusual pyrolysis product of $Ru_3(CO)_{10}$(dppe) containing a benzyne ligand, 414
Phosphinoselenoyl ligands
First regioselective protonation or selenization of a bis(bidentate) phosphine: synthesis and characterization of *cis,trans,cis*-1,3-bis(diphenylphosphonium)-PH, P′H′-2,4-bis(diphenylphosphino)cyclobutane-diiodide and *cis,trans,cis*-1,3-bis(diphenylphosphinoselenoyl)-2,4-bis(diphenylphosphino)cyclobutane, 490
Phosphinothiolate complexes
Synthesis, structure and characterisation of a Mn(IV) complex with a potentially tridentate phosphinothiol ligand, 337
Phosphonium functions
First regioselective protonation or selenization of a bis(bidentate) phosphine: synthesis and characterization of *cis,trans,cis*-1,3-bis(diphenylphosphonium)-PH, P′H′-2,4-bis(diphenylphosphino)cyclobutane-diiodide and *cis,trans,cis*-1,3-bis(diphenylphosphinoselenoyl)-2,4-bis(diphenylphosphino)cyclobutane, 490

Phosphorus compounds
Hydrothermal synthesis and X-ray powder structure determination of a novel layered tin(IV) phosphate, $Sn(HPO_4)_2 \cdot (NH_3)_{0.4}(H_2O)_{0.6}$, 685
Photochemistry
Photoreactivity of (2,9-dimethyl-1,10-phenanthroline) copper(I) borohydride, 239
Photochemistry of tris(diethyldithiocarbamato)iron(III). Reduction to a stable iron(II) complex induced by ligand-to-metal charge transfer excitation, 730
Photoconductivity
Photoinduced conductivity and nonlinear optical properties of $[M(R,R'timdt)_2]$ dithiolenes (M=Ni, Pd, Pt; R,R′timdt=monoreduced imidazolidine-2,4,5-trithione) as materials for optically driven switches and photodetectors, 869
Photoluminescence
Effect of "Ph–NH–CH_2–" group on the luminescence properties of sol–gel silica xerogel, 468
Preparation and characteristics of sol–gel derived Zn_2SiO_4 doped with Ni^{2+}, 482
Photoluminescence characteristics and mechanism of $SrAl_2O_4$ co-doped with Eu^{3+} and Cu^{2+}, 919
Platinum
Reactivity of mononuclear dithiolato palladium and platinum metalloligands towards the formation of homo- and heterobimetallic complexes, 351
Synthesis and spectroscopic properties of anhydrotetracyclineplatinum(II)dichloride, 411
DNA binding of mixed-metal supramolecular Ru, Pt complexes, 1078
Platinum complex
Synthesis, spectroscopic study and X-ray crystal structure of unsymmetrical bis(phosphine)-platinum complex, $[PtCl_2\{\eta^2\text{-}Ph_2POCH_2CH_2N(CH_3)PPh_2]$, 782
Platinum complexes
Bimetallic platinum complexes containing linear tetraphosphine ligands, 653
PMN
Insights in the sol–gel processing of $Pb(Mg_{1/3}Nb_{2/3})O_3$. The synthesis and crown structure of a new lead magnesium cluster: $Pb_6Mg_{12}(\mu\text{-OAc})_6(\mu_2,\eta^2\text{-OAc})_{18}(\mu_3,\eta^2\text{-}OC_2H_4OPr^i)_{12}$, 316
Podand
Assembly of a tennis ball-like supramolecule coordinatively encapsulating disilver, 820
Polyamines
Synthesis and crystal structure of 1,4-diaminobutyl-*N*,*N*′-bis(cyanoborane): the first substituted-borane adduct of putrescine, 522
Polydendate ligand complex
Tetrakis(pyrazol-1-ylmethyl)methane and its hypodentate binuclear complex with silver(I) nitrate, 449
Polyethylene
The synthesis and crystal structure of {*N*-dodecyl-*N*-pyridin-2-ylmethylene]amine}dichloro palladium and its preliminary evaluation as a catalyst for ethylene polymerization, 724
Polymer
$[CoI_2(C_6H_4N_3CH_2CO_2C_4H_2SCO_2CH_2C_6H_4N_3)]$, a coordination polymer containing the thiophene-2,5-di(carboxylatomethylenebenzotriazole) bridging ligand: synthesis, structure, redox properties, 264
A novel cesium–carborane cluster: synthesis and structure of $[Cs_5\text{–}(C_2B_9H_{12})_4Cl]_n$, 694
Polymeric complexes
Variable coordination behaviour of N-donor siloxane ligands. The structures of [M(1,3-bis(*N*-imidazoyl)propyl-1,1,3,3-tetramethyldisiloxane)$_2$(NCS)$_2$] (M = Mn, Ni) and [Ni(1,3-bis(3-aminopropyl)-1,1,3,3-tetramethyldisiloxane)$_2$(NCS)$_2$], 805
Isostructural organic–inorganic hybrids of *P*,*P*′-diphenylmethylenediphosphinate $(CH_2(P(Ph)O_2)_2)^{2-}$ with divalent transition metals, 1041
Polymerisations
Half-sandwich ruthenium complexes for the controlled radical polymerisation of vinyl monomers, 941
Polymerization catalysis
Chlorobis(pentafluorophenyl)alane: synthesis, crystal structure, and polymerization catalysis, 698
Polynuclear complexes
N,*N*-dialkylcarbamato metal complexes, molecular inorganic precursors to functionalized inorganic matrices, 733
Polyoxoanion
Hydrothermal synthesis and crystal structure of a novel compound: $[Ni(phen)_3]_2[SiMo_{10}V^{IV}_2O_{40}(V^{IV}O)_2] \cdot 2H_2O$, 509
Polyoxometalate
Synthesis and structure of an octanuclear oxothiomolybdenum(V) wheel with bridging hydrazine ligands encapsulating a central $Mo^{VI}O_4$ tetrahedron, $[Mo^V_8S_8O_8(OH)_7(N_2H_4)_2Mo^{VI}O_4]^-$, 333
The first one-dimensional heteropoly tungstovanadate coordination polymer: $[(V^VO_4)W^{VI}_8M_4O_{36}(V^{IV}O)_2]^{n-}$ $(M = 0.71V^{IV} + 0.29W^{VI}, n = 4.68)$, 996
Polyoxometalates
Isopolyoxorhenates observed by positive ion electrospray mass spectrometry, 23
Polyoxomolybdate
Are the cations templates or encapsulated? – The synthesis and characterization of a new polyoxomolybdate, 427
Porous
Synthesis, characterization and sorption properties of a porous coordination polymer: $Co_3(citrate)_2(4,4'\text{-bipyridine})_4(H_2O)_2 \cdot 4(H_2O)$, 761
Porous network
The encapsulation of $[Cu(en)_2]^{2+}$ (en=ethylenediamine) by a novel three-dimensional Cu^{II}–Mo^{IV} bimetallic porous coordination polymer containing zigzag-ladder structure, 791
Porous silicon
Characterization of the carbon–silicon stretch in methylated porous silicon – observation of an anomalous isotope shift in the FTIR spectrum, 560
Porphyrin
Self-assembling mixed porphyrin trimers – the use of diaxial Sn(IV)porphyrin phenolates as an organising precept, 715
Porphyrins
Coexisting intraligand fluorescence and phosphorescence of hafnium(IV) and thorium(IV) porphyrin complexes in solution, 993
Preparation
Synthesis, structure and magnetic property of a new oxo-centered mixed-valent trinuclear manganese complex, 51
Preparation and characterization of decatungstomolybdoniobogermanic heteropoly acid $H_5[GeW_{10}MoNbO_{40}] \cdot 20H_2O$, 308
Facile preparation of lead hydroxyapatite through lead immobilization by calcium hydrogen phosphates in aqueous solutions, 606
Primary ferrocenylphosphine
The preparation and molecular structure of the first primary ferrocenylphosphine complex of tungsten(II), $[WI_2(CO)_3(FcCH_2PH_2)_2]$ [Fc = $Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4)$], 115
Propargyl complexes
Allenyls and propargyls: versatile ligands in transition-metal chemistry, 82
Propargylamine
Synthesis and structure of a new heteronuclear (η^6-arene) tricarbonylchromium compound incorporating propargyl amine unit, 192

Pseudo-symmetry
Cobalt complexes derived from chiral quasi-racemic ligands as building blocks for binary crystals, 829
Pseudodouble-cubane
Synthesis, structural diversity, inter-conversion and reactivity of Cu(II) complexes of hydroxy-rich molecules, 380
Puckered grids
A puckered 2D copper coordination polymer with dimensions 14.91 × 12.63 Å, 565
Putrescine
Synthesis and crystal structure of 1,4-diaminobutyl-*N*,*N*′-bis(cyanoborane): the first substituted-borane adduct of putrescine, 522
Pyrazine
Synthesis and crystal structure of a novel 2-D hybrid compound $[(PbBr_2)_2(\mu\text{-Pyz})]_n$ (Pyz=pyrazine), 621
Pyrazole complex
Synthesis and structural characterisation of a new cobalt(II) pentanuclear complex with a tetranucleating pyrazole-derived ligand, 130
Comparison of 1-hydroxymethyl-3,5-dimethylpyrazole and 1-benzyl-2-hydroxymethylimidazole coordination properties towards copper(II), 1056
Pyridine bound mononuclear Ni(II) complex
Mono-, di- and tri-nuclear Ni(II) complexes of N-, O-donor ligands: structural diversity and reactivity, 924
Pyridyl-2-methanimine
The synthesis and crystal structure of {*N*-dodecyl-*N*-pyridin-2-ylmethylene]amine}dichloro palladium and its preliminary evaluation as a catalyst for ethylene polymerization, 724
Pyridylimine
The synthesis and crystal structure of {*N*-dodecyl-*N*-pyridin-2-ylmethylene]amine}dichloro palladium and its preliminary evaluation as a catalyst for ethylene polymerization, 724
2-(Pyrid-2-yl)quinoxaline
Self-assembly of dinuclear $M_2Cl_4(C_{13}H_9N_3)_2$: stepwise supramolecular array by π–π stacking, 667
Pyrolysis
$Ru_4(\mu\text{-CO})(CO)_9(\eta^4\text{-}\mu_4\text{-}C_6H_4)(\eta^2\text{-}\mu_1,\mu_4\text{-}PPhCH_2CH_2PPh_2)$: an unusual pyrolysis product of $Ru_3(CO)_{10}$(dppe) containing a benzyne ligand, 414
Pyrrole
A polymerizable pyrrole–cobaltocenium receptor for the electrochemical recognition of anions in solution and immobilised onto electrode surfaces, 288
Quadridentate ligand
Redox behavior of copper(II)/(I) couples with quadridentate ligand: evidence of novel dual gated electron transfer reactions, 949
Quadruple bonds
A complete series of $W_2(hpp)_4Cl_n$ ($n = 0, 1, 2$) compounds, 501
Quasi-racemates
Cobalt complexes derived from chiral quasi-racemic ligands as building blocks for binary crystals, 829
4-quinolinecarboxylate
The first one-dimensional metal–organic coordination polymer with 4-quinolineacarboxylate as building block: $[Cd(\mu_2\text{-}H_2O)(4\text{-quinolinecarboxylato-}O,O)_2]$, 35
Radical reactions
Half-sandwich ruthenium complexes for the controlled radical polymerisation of vinyl monomers, 941
Rectangular cavity
A novel one-dimensional manganese phosphomolybdate with rectangular cavities: $[H_3N(CH_2)_4NH_3](H_3O)_2[Mn(phen)_2]_4[MnMo^{V}_{12}O_{30}(HPO_4)_6(H_2PO_4)_2]\} \cdot 4H_2O$, 505
Redox potentials
Electrochemical parametrization of a series of penta- and tetradentate EDTA complexes of ruthenium, 891
Reduction
The first one-dimensional heteropoly tungstovanadate coordination polymer: $[(V^{V}O_4)W^{VI}_8M_4O_{36}(V^{IV}O)_2]^{n-}$ ($M = 0.71V^{IV} + 0.29W^{VI}$, $n = 4.68$), 996
Reductive coupling
Terbium-oxalate-pyridinedicarboxylate coordination polymers suggesting the reductive coupling of carbon dioxide (CO_2) to oxalate ($C_2O_4^{2-}$) : $[Tb_2(3,5\text{-PDC})_2(H_2O)_4(C_2O_4)] \cdot 2H_2O$ and $[Tb(2,4\text{-PDC})(H_2O)(C_2O_4)_{0.5}]$ (PDC = pyridinedicarboxylate), 978
Regioselectivity
Regioselective olefin arylation catalyzed by $[Ir(acac)_2Cl]_2$ with base, 105
Reverse micelle
Micelle-template inducing synthesis of winding ZnS nanowires, 671
Rhenium complexes
Photoluminescence of (phanephos)tricarbonylrhenium(I) chloride with phanephos = 4,12-bis(diphenylphosphino)-[2.2]-*para*cyclophane, 391
Three-dimensional framework containing $Mn(salen)^{+}$ and $Re_6Se_8(CN)_6^{4-}$ cluster, 592
Synthesis and reactivity of rhenium cluster-supported manganese porphyrin complexes, 612
Synthesis of the dimeric μ_2-O aminoalkoxy complexes of rhenium $[(CO)_3Re(\mu_2\text{-}O\frown NH_2)]_2$ and their condensation products with acetone $[(CO)_3Re(\mu_2\text{-}O\frown N=CMe_2)]_2$, 897
Rhenium(VII)
Isopolyoxorhenates observed by positive ion electrospray mass spectrometry, 23
Rhodium
Formation of $[8,8\text{-}\eta^2\text{-}\{(\mu\text{-}Cl)_2Ru(\eta^6\text{-}p\text{-cym})Ph_2PCH_2PPh_2\}\text{-}nido\text{-}8,7\text{-}RhSB_9H_{10}]$, a bimetallic derivative of the novel species $[8,8\text{-}(\eta^2\text{-dppm})\text{-}8\text{-}(\eta^1\text{-dppm})\text{-}nido\text{-}8,7\text{-}RhSB_9H_{10}]$, 127
A convenient one-step synthesis of alkenyl-phosphonio complexes of ruthenium(II), rhodium(III) and iridium(III), 862
Rhodium complex
The unexpected synthesis of rhodium(I) complexes with the 1-(2′-pyridyl)-3-oxo-1-propenoxide anionic ligand, 245
First example of a Rh–N–C–O–P heterocycle – a rare example of a five membered true heterocycle, 803
Rod-like
Aqueous ammonia route to $Cu_{1.8}S$ with triangular and rod-like shapes, 407
Ruthenium
The cluster dication $[(\eta^6\text{-}C_6H_6)_2(\eta^6\text{-}C_6Me_6)_4Ru_8(\mu_2\text{-}H)_2(\mu_3\text{-}O)_2(\mu_2\text{-}Cl)_2]^{2+}$: a chloro-bridged framework containing two metal tetrahedra, 9
Synthesis of a ruthenium complex of a cyclic trifunctional η^6, η^1, η^1-arene–diphosphine ligand by intramolecular dehydrofluorinative carbon–carbon coupling, 15
Formation of $[8,8\text{-}\eta^2\text{-}\{(\mu\text{-}Cl)_2Ru(\eta^6\text{-}p\text{-cym})Ph_2PCH_2PPh_2\}\text{-}nido\text{-}8,7\text{-}RhSB_9H_{10}]$, a bimetallic derivative of the novel species $[8,8\text{-}(\eta^2\text{-dppm})\text{-}8\text{-}(\eta^1\text{-dppm})\text{-}nido\text{-}8,7\text{-}RhSB_9H_{10}]$, 127
$Ru_4(\mu\text{-CO})(CO)_9(\eta^4\text{-}\mu_4\text{-}C_6H_4)(\eta^2\text{-}\mu_1,\mu_4\text{-}PPhCH_2CH_2PPh_2)$: an unusual pyrolysis product of $Ru_3(CO)_{10}$(dppe) containing a benzyne ligand, 414
The effect of pH on the emission and absorption spectra of a ruthenium complex, 555
Reaction of $Ru_3(CO)_{12}$ with supermesityldiphosphene: a new type of reaction of a Group 8 transition metal carbonyl with a diphosphene, 808
A convenient one-step synthesis of alkenyl-phosphonio complexes of ruthenium(II), rhodium(III) and iridium(III), 862
Electrochemical parametrization of a series of penta- and tetradentate EDTA complexes of ruthenium, 891
Ruthenium-acetylide barbituric derivatives: evidence for H-bonding donor effects, 1048

DNA binding of mixed-metal supramolecular Ru, Pt complexes, 1078
Ruthenium and compounds
Half-sandwich ruthenium complexes for the controlled radical polymerisation of vinyl monomers, 941
Ruthenium complex
First proton-induced near-infrared fluorescent switch at room temperature of a novel Ru(II) complex, 841
Catalytic oxidation of THF with homo and hetero metallic Mo/Ru complexes and molecular oxygen, 1052
Ruthenium complexes
Heteroditopic ligands containing a 2,2′-bipyridine and a 2,2′:6′,2″-terpyridine moiety and their ruthenium tris(bipyridine)-like complexes, 5
Self-assembling mixed porphyrin trimers – the use of diaxial Sn(IV)porphyrin phenolates as an organising precept, 715
Ruthenium(II) complexes
Ligand dehydrogenation in ruthenium trinitrogen complexes: synthesis, structure and chirality of the cations $[Ru(LH_4)(L)]^{2+}$ [LH_4 = 2,6-bis(pyrrolidin-2-yl)pyridine], 787
Rydberg states
Nanosecond multiphoton ionisation of jet-cooled ferrocene, 909
Samarium chelates
Novel luminescent samarium(III) chelates, 1059
Sandwich complex
Synthesis and crystal structure of the first "carbons apart" diamagnetic lutetiacarborane sandwich complex, 602
Schiff base
Acid-catalyzed self-alkylation of $FcCH_2NHPh$. Solid-state structures of $FcCH_2NHPh$ and $(FcCH_2)NPh$, 46
Synthesis and structure of a supramolecular octanuclear Cu(II) complex $\{[Cu(sae)]_4 2CH_3OH \cdot H_2O\}_2$ through both μ-oxo and hydrogen bonds (sae = 2-salicylideneamino-1-ethanol), 76
Expanded hexadentate ligands of Jäger type: synthesis and X-ray analysis, 78
Observation of photoluminescence in a $Cu^I(amino\ N)_2(imino\ N)_2$ chromophore at room temperature and 77 K, 304
Direct synthesis of a tetranuclear erbium(III) hydroxo cluster bearing a saturated Schiff base, 706
Syntheses and structures of two- and one-dimensional organic–inorganic hybrid compounds assembled from PbI_2 and 1,4-bis(4-pyridyl)-2,3-diaza-1,3-butadiene, 1090
Design of molecular rectangles by using compartmental and *exo*-bidentate ligands, 42
Structural diversity in oligonuclear nickel(II) complexes of unsymmetrical compartmental ligands, 537
Interactions of trivalent lanthanide cations with tetradentate Schiff bases. Synthesis and characterization of lanthanide(III) complexes with *N*,*N*′-bis(pyridin-2-ylmethylene)benzene-1,2-diamine, 844
Schiff base ligands
An iron(III)trichloride adduct of *N*-isopropylsalicylaldimine: preparation, X-ray structure and NMR spectroscopic characterization, 283
New tri- and tetranuclear transition metal spin clusters incorporating a versatile polydentate Schiff base ligand, 881
Selenourea
Silver(I) complexes of selenourea (^{13}C and ^{15}N labeled); characterization by ^{13}C, ^{15}N and ^{107}Ag NMR, 355
Self-assembly
Synthesis and structural characterization of two chain complexes of Mn(II) containing 2-aminopyridinium, 215
Anion-directed self-assembly of metallosupramolecular coordination polymers of the radialene ligand hexa(2-pyridyl)[3]radialene, 323
A new cucurbituril-based metallo-rotaxane, 633
A novel one-dimensional single helix derived from 2,2′-bipyridine based Zn(II) species directed self-assembly with 1,2-benzenedicarboxylate, 711
Selone
Dichlorobis[1,3-dimethyl-2(3*H*)-imidazoleselone]zinc(II): a potential zinc selenide synthon, 124
Semiconductors
Synthesis, characterization and electrical conductivity of mixed-ligand heterobimetallic coordination polymers, 255
Sensor
The effect of pH on the emission and absorption spectra of a ruthenium complex, 555
Seven-coordinate
The preparation and molecular structure of the first primary ferrocenylphosphine complex of tungsten(II), $[WI_2(CO)_3(FcCH_2PH_2)_2]$ [Fc = $Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4)$], 115
Seven-coordinate complexes
Substitution behaviour of an unusual seven-coordinate iron(III) complex in different solvents, 937
Silacarborane
Synthesis and characterization of constrained-geometry half-sandwich sila- and germacarboranes derived from a trianionic $C_{(cage)}$-appended alkyloxo-C_2B_9-carborane ligand, 296
Silica xerogel
The photoluminescence characteristics of Tb_2S_3 nanoparticles embedded in sol–gel silica xerogel, 187
Effect of "Ph–NH–CH_2–" group on the luminescence properties of sol–gel silica xerogel, 468
Silicates
Hydrothermal synthesis and structural characterization of framework microporous mixed tin–zirconium silicates with the structure of umbite, 824
Silicon
Investigations into the small-bite N-functionalised amido chemistry of silicon and tin(IV), 533
Siloxanes
Variable coordination behaviour of N-donor siloxane ligands. The structures of [M(1,3-bis(*N*-imidazoyl)propyl-1,1,3,3-tetramethyldisiloxane)$_2$(NCS)$_2$] (M = Mn, Ni) and [Ni(1,3-bis(3-aminopropyl)-1,1,3,3-tetramethyldisiloxane)$_2$(NCS)$_2$], 805
Silver
A heterobimetallic copper(I)–silver(I) complex spanned by 4,4′-bipyridine, 203
Synthesis of silver nanowires by a sonoelectrochemical method, 242
Silver complexes
A near planar disilver complex of 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine, 199
Tetrakis(pyrazol-1-ylmethyl)methane and its hypodentate binuclear complex with silver(I) nitrate, 449
Anion-directed self-assembly of metallosupramolecular coordination polymers of the radialene ligand hexa(2-pyridyl)[3]radialene, 323
Silver cyanide
Multinuclear NMR (^1H, ^{13}C, ^{15}N and ^{107}Ag) studies of the silver cyanide complexes of thiourea and substituted thioureas, 816
Silver(I)
Self-assembly of an organometallic silver(I) 1D architecture supported by three different types of bonding interactions, 278
Silver(I) complexes of selenourea (^{13}C and ^{15}N labeled); characterization by ^{13}C, ^{15}N and ^{107}Ag NMR, 355
Synthesis and crystal structure of a novel two-dimensional corrugated coordination polymer, 487
Silver(I) complexes
Multinuclear NMR (^1H, ^{13}C, ^{15}N and ^{107}Ag) studies of the silver cyanide complexes of thiourea and substituted thioureas, 816

Silylamide
Silylated amino-triazines: new ligands with potential multi-coordination modes, 516
Simultaneous analysis
Gd(III) based MRI contrast agents: improved physical meaning in a combined analysis of EPR and NMR data?, 811
Single helix coordination polymer
A novel one-dimensional single helix derived from 2,2′-bipyridine based Zn(II) species directed self-assembly with 1,2-benzenedicarboxylate, 711
Single precursor
Heterobimetallic lithium organoaluminum and organogallium complexes: potential single precursors for MOCVD of $LiMO_2$ thin films, 439
SOD
Synthesis, crystal structure and superoxide dismutase mimetic activity of hexakis (*N*-methylimidazole) copper(II) salicylate, 269
Sol–gel
The photoluminescence characteristics of Tb_2S_3 nanoparticles embedded in sol–gel silica xerogel, 187
Insights in the sol–gel processing of $Pb(Mg_{1/3}Nb_{2/3})O_3$. The synthesis and crown structure of a new lead magnesium cluster: $Pb_6Mg_{12}(\mu\text{-}OAc)_6(\mu_2, \eta^2\text{-}OAc)_{18}(\mu_3, \eta^2\text{-}OC_2H_4OPr^i)_{12}$, 316
Effect of "Ph–NH–CH_2–" group on the luminescence properties of sol–gel silica xerogel, 468
Preparation and characteristics of sol–gel derived Zn_2SiO_4 doped with Ni^{2+}, 482
Solid state
$n = 2$ Member of the hexagonal perovskite-intergrowth manganate family $A_{n+1}Mn_nO_{3n+3}(Ca_2O)$, 966
Solid–vapour reactions
Direct synthesis of bis(*n*-alkylammonium) monohydrogen phosphates by solid–vapour reaction, 372
Solid-state conductivity
Synthesis, characterization and electrical conductivity of mixed-ligand heterobimetallic coordination polymers, 255
Solid-state NMR spectroscopy
An iron(III)trichloride adduct of *N*-isopropylsalicylaldimine: preparation, X-ray structure and NMR spectroscopic characterization, 283
Solubility
Preparation and properties of octa-substituted phthalocyanines peripherally substituted with phenyl derivatives, 1031
Solution behaviour
Cyclopalladation of N—N′ donor ligands: unusual dinuclear complexes and their solution behaviour, 67
Solvatochromism
Ruthenium-acetylide barbituric derivatives: evidence for H-bonding donor effects, 1048
Solvothermal
α-MnSe crystallites through solvothermal reaction in ethylenediamine, 369
Solvothermal synthesis
A puckered 2D copper coordination polymer with dimensions 14.91×12.63 Å, 565
Sonoelectrochemistry
Synthesis of silver nanowires by a sonoelectrochemical method, 242
Space filling
Cobalt complexes derived from chiral quasi-racemic ligands as building blocks for binary crystals, 829
Sparkle model
Synthesis, spectroscopic studies and structure prediction of the new $Tb(3\text{-}NH_2PIC)_3 \cdot 3H_2O$ complex, 292
Spectroscopy
The effect of pH on the emission and absorption spectra of a ruthenium complex, 555
Synthesis, properties and X-ray structure for the mononuclear complex of [{(1-methyl imidazol-2-yl)methylene}-2-aminoethylpyridine]-dichloro copper (II) monohydrate, 235
Synthesis and DNA binding behavior of a dipyridocatecholate bridged dicopper(II) complex, 71
Characterization of the carbon–silicon stretch in methylated porous silicon – observation of an anomalous isotope shift in the FTIR spectrum, 560
Preparation and properties of octa-substituted phthalocyanines peripherally substituted with phenyl derivatives, 1031
Spin canting
Spontaneous magnetization in [1-(4-cyanobenzyl)pyridinium] $[Pt(mnt)_2]$: synthesis, crystal structure and magnetic property, 395
Square pyramidal cadmium
A non-interpenetrating 3-D coordination polymer built from binuclear Cd units elaborated with square pyramidal geometry of cadmium, 196
$SrAl_2O_4$
Photoluminescence characteristics and mechanism of $SrAl_2O_4$ co-doped with Eu^{3+} and Cu^{2+}, 919
(S, S)-(+)-2, 3-dimethoxyl-*N*, *N*′-dimethyl-1, 4-diaminobutane
Some lanthanide (III) complexes of (S, S)-(+)-2, 3-dimethoxyl-*N*, *N*′-dimethyl-1, 4-diaminobutane, 226
Stability
Lanthanide complexes of new ditopic, tripodal macrocycles: synthetic, structural, stability and luminescence studies, 577
Stacking interaction
Copper(II) complexes with novel chiral amidate ligands, 163
Structural change
Substituent effect on the oxidation of azaferrocene studied by ^1H NMR and ^{57}Fe Mössbauer spectroscopy, 312
Substituent effect
Substituent effect on the oxidation of azaferrocene studied by ^1H NMR and ^{57}Fe Mössbauer spectroscopy, 312
Substituted borane adducts
Convenient one-pot synthesis of triphenylphosphinecarbomethoxyborane: antitumor activity and structural investigation, 458
Substituted cyclopentadienyl
A study of the reaction between phenyl substituted cyclopentadiene and iron pentacarbonyl: the unusual structure of π-complex $(\eta^4\text{-}C_5Ph_4H_2)Fe(CO)_3$, 102
Substituted-borane adducts
Synthesis and crystal structure of 1,4-diaminobutyl-*N*,*N*′-bis (cyanoborane): the first substituted-borane adduct of putrescine, 522
Sulfur compounds
Photochemistry of tris(diethyldithiocarbamato)iron(III). Reduction to a stable iron(II) complex induced by ligand-to-metal charge transfer excitation, 730
Superoxide dismutase
Characterisation of a coordinated imidazole as a structural model for superoxide dismutase, 777
Supramolecular
DNA binding of mixed-metal supramolecular Ru, Pt complexes, 1078
Supramolecular assemblies
The first supramolecular assemblies comprised of dimetal units and chiral dicarboxylates, 59
Supramolecular chemistry
A near planar disilver complex of 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine, 199
Nickel(II) chloride adducts of 4′-phenyl-2,2′:6′,2″-terpyridine, 519
Supramolecular compound
A novel inorganic–organic tetragonal prism supramolecular compound $[Fe(NCS)_6][(Hbpy)(H_2bpy)(bpy)]$: crystal structure and non-linear optical properties, 166

Supramolecular structure
Heteroditopic ligands containing a 2, 2′-bipyridine and a 2, 2′ : 6′, 2″-terpyridine moiety and their ruthenium tris(bipyridine)-like complexes, 5
Hydrothermal synthesis and characterization of a copper(I) halide coordination polymer with isonicotinic acid (IN) ligand as a template possessing three-dimensional supramolecular network structure, 572
Synthesis and crystal structure of a novel 2-D hybrid compound $[(PbBr_2)_2(\mu\text{-Pyz})]_n$ (Pyz=pyrazine), 621
Supramolecule
Synthesis and structure of a supramolecular octanuclear Cu(II) complex $\{[Cu(sae)]_4 2CH_3OH \cdot H_2O\}_2$ through both μ-oxo and hydrogen bonds (sae = 2-salicylideneamino-1-ethanol), 76
Assembly of a tennis ball-like supramolecule coordinatively encapsulating disilver, 820
Surfactant
Preparation and characterization of MnOOH and β-MnO_2 whiskers, 747
Synthesis of nano-fibrillar bismuth sulfide by a surfactant-assisted approach, 933
Surfactant-mediated method
Preparation of nanocrystalline metal oxide powders with the surfactant-mediated method, 751
Susceptibility study
Syntheses, crystal structures, susceptibility and EPR studies of oxo-bridged dinuclear ruthenium (III) complexes with linear Ru–O–Ru bonds: and $[(Py)_3(C_2O_4)Ru^{III}ORu^{III}(C_2O_4)(Py)_3]$ and $[(4\text{-MePy})_3(C_2O_4)Ru^{III}ORu^{III}(C_2O_4)(4\text{-MePy})_3] \cdot 2\text{-Mebmz} \cdot 3H_2O$ (Py = pyridine; 4-MePy = 4-methylpyridine; 2-Mebmz = 2-methylbenzimidazole), 1007
Suzuki-coupling
Preparation and properties of octa-substituted phthalocyanines peripherally substituted with phenyl derivatives, 1031
Switch
First proton-induced near-infrared fluorescent switch at room temperature of a novel Ru(II) complex, 841
Synthesis
Allenyls and propargyls: versatile ligands in transition-metal chemistry, 82
Synthesis of silver nanowires by a sonoelectrochemical method, 242
Structural diversity in oligonuclear nickel(II) complexes of unsymmetrical compartmental ligands, 537
Novel approach to boron-10 enriched decaborane(14): an important advance in synthetic boron hydride chemistry, 765
A novel decamolybdodivanadate: synthesis and crystal structure of $[H_3O^+]_2Na_6[Mo^{VI}_{10}V^{IV}_2O_{38}] \cdot 7H_2O$, 865
Tb_2S_3 nanocrystallites
The photoluminescence characteristics of Tb_2S_3 nanoparticles embedded in sol–gel silica xerogel, 187
Template synthesis
Micelle-template inducing synthesis of winding ZnS nanowires, 671
Terahedral
The cluster dication $[(\eta^6\text{-}C_6H_6)_2(\eta^6\text{-}C_6Me_6)_4Ru_8(\mu_2\text{-}H)_2(\mu_3\text{-}O)_2(\mu_2\text{-}Cl)_2]^{2+}$: a chloro-bridged framework containing two metal tetrahedra, 9
Terbium
Lanthanide complexes of new ditopic, tripodal macrocycles: synthetic, structural, stability and luminescence studies, 577
Terbium-oxalate-pyridinedicarboxylate coordination polymers suggesting the reductive coupling of carbon dioxide (CO_2) to oxalate ($C_2O_4^{2-}$) : $[Tb_2(3,5\text{-PDC})_2(H_2O)_4(C_2O_4)] \cdot 2H_2O$ and $[Tb(2,4\text{-PDC})(H_2O)(C_2O_4)_{0.5}]$ (PDC = pyridinedicarboxylate), 978
Terbium(III)
Synthesis, spectroscopic studies and structure prediction of the new $Tb(3\text{-}NH_2PIC)_3 \cdot 3H_2O$ complex, 292
Terpenes
Optically active triosmium cluster with bridging terpenic thioureato-like ligand – synthesis, structure, and absolute configuration, 32
2,2′:6′, 2″-Terpyridine
Nickel(II) chloride adducts of 4′-phenyl-2,2′:6′,2″-terpyridine, 519
2, 2′ : 6′, 2″-terpyridine ligand
Heteroditopic ligands containing a 2, 2′-bipyridine and a 2, 2′ : 6′, 2″-terpyridine moiety and their ruthenium tris(bipyridine)-like complexes, 5
tert-Butylhydroperoxide
Epoxidation of olefins catalyzed by molybdenum–siloxane compounds, 1069
Tetraaza macrocycle
Synthesis and characterization of cobalt(II) complex with a di-*N*-carboxymethylated tetraaza macrocycle, 220
Tetracycline
Synthesis and spectroscopic properties of anhydrotetracyclineplatinum(II)dichloride, 411
Tetradentate ligands
Spectroelectrochemistry of copper(II) complexes with deprotonated tetradentate pyridine-2-carboxamide ligands: EC reaction of the electrogenerated Cu(III) species, 853
Tetrahedral zinc
A new 2-D chiral coordination polymer of $[Zn(nicotinate)_2]_n$, 600
Tetranuclear
Direct synthesis of a tetranuclear erbium(III) hydroxo cluster bearing a saturated Schiff base, 706
Tetranuclear complexes
Design of molecular rectangles by using compartmental and *exo*-bidentate ligands, 42
Synthesis of a novel tetranuclear Cu(II) complex with the dinucleating ligand α, α′-bis(*N*-1,4,7-triazacyclononane)-*m*-xylene (XYL-tacn): first crystal structure of $[(CuCl)_4(XYL\text{-}tacn)_2(\mu\text{-}Cl)_2][PF_6]_2$, 64
Unexpected assembly of a tetranuclear copper(II) complex bridged by glyoximate groups, 403
Structural diversity in oligonuclear nickel(II) complexes of unsymmetrical compartmental ligands, 537
New tri- and tetranuclear transition metal spin clusters incorporating a versatile polydentate Schiff base ligand, 881
Tetranuclear copper(II) complex
The first macrocyclic "layer-to-layer" type tetranuclear copper(II) complex: structure, stability and unprecedented catalase-like activity, 1095
Tetranuclear cubane core
Synthesis, structural diversity, inter-conversion and reactivity of Cu(II) complexes of hydroxy-rich molecules, 380
Tetranuclear iron(III) complex
Important role of hydrogen peroxide for storing of iron ions in human L-subunit ferritin, 609
Tetraphenyldiboroxane
Crystal structure of tetraphenyldiboroxane a monomer diboroxane, 377
Tetraphosphine
Bimetallic platinum complexes containing linear tetraphosphine ligands, 653
Thermal property
Preparation and characteristics of sol–gel derived Zn_2SiO_4 doped with Ni^{2+}, 482
Thiaboranes
Formation of $[8,8\text{-}\eta^2\text{-}\{(\mu\text{-}Cl)_2Ru(\eta^6\text{-}p\text{-cym})Ph_2PCH_2PPh_2\}\text{-}nido\text{-}8,7\text{-}RhSB_9H_{10}]$, a bimetallic derivative of the novel species $[8,8\text{-}(\eta^2\text{-dppm})\text{-}8\text{-}(\eta^1\text{-dppm})\text{-}nido\text{-}8,7\text{-}RhSB_9H_{10}]$, 127
Thiocyanate
The first example of half-sandwich cobalt(III) complex with hydrotris(pyrazolyl)borate ligand, 512

Thioether
The effect of substitution of a thioether donor by a phosphine donor in thiacrown complexes of iron, 832
Thioureas
Multinuclear NMR (^{1}H, ^{13}C, ^{15}N and ^{107}Ag) studies of the silver cyanide complexes of thiourea and substituted thioureas, 816
Third-order non-linear optical behavior
A novel inorganic–organic tetragonal prism supramolecular compound $[Fe(NCS)_6][(Hbpy)(H_2bpy)(bpy)]$: crystal structure and non-linear optical properties, 166
Thorium
Bis{diacetylpyridinebis(benzoylhydrazonato)}thorium(IV) – a novel thorium chelate with co-ordination number 10, 461
Coexisting intraligand fluorescence and phosphorescence of hafnium(IV) and thorium(IV) porphyrin complexes in solution, 993
Three-dimensional framework
Three-dimensional framework containing $Mn(salen)^{+}$ and $Re_6Se_8(CN)_6^{4-}$ cluster, 592
Three-dimensional structure
A non-interpenetrating 3-D coordination polymer built from binuclear Cd units elaborated with square pyramidal geometry of cadmium, 196
Self-assembly of dinuclear $M_2Cl_4(C_{13}H_9N_3)_2$: stepwise supramolecular array by π–π stacking, 667
Through-metal coupling
Synthesis, spectroscopic study and X-ray crystal structure of unsymmetrical bis(phosphine)-platinum complex, $[PtCl_2\{\eta^2\text{-}Ph_2POCH_2CH_2N(CH_3)PPh_2]$, 782
Time-resolved saturation dynamics
Photoinduced conductivity and nonlinear optical properties of $[M(R,R'timdt)_2]$ dithiolenes (M=Ni, Pd, Pt; R,R′timdt=monoreduced imidazolidine-2,4,5-trithione) as materials for optically driven switches and photodetectors, 869
Tin compounds
Hydrothermal synthesis and X-ray powder structure determination of a novel layered tin(IV) phosphate, $Sn(HPO_4)_2 \cdot (NH_3)_{0.4}(H_2O)_{0.6}$, 685
Tin(IV)
Investigations into the small-bite N-functionalised amido chemistry of silicon and tin(IV), 533
Tin(IV) complexes
Self-assembling mixed porphyrin trimers – the use of diaxial Sn(IV)porphyrin phenolates as an organising precept, 715
Titanium complex
A 2-indenyl-amido-bridged titanium complex with C_s-symmetry, 159
Titanium-substituted polyoxometalates
Synthesis and crystal structure of the dimeric, Ti–O–Ti bridged hydrid form polyoxoanion $[\alpha\text{-}1,2\text{-}PW_{10}Ti_2O_{39}]_2^{10-}$, 796
Transition metal carbonyl cluster
Reaction of $Ru_3(CO)_{12}$ with supermesityldiphosphene: a new type of reaction of a Group 8 transition metal carbonyl with a diphosphene, 808
Transition metal complexes
Synthesis and transition metal coordination of 2-(azidomethyl) phenyl isocyanide, 915
Transition metal spin clusters
New tri- and tetranuclear transition metal spin clusters incorporating a versatile polydentate Schiff base ligand, 881
Triangular
Aqueous ammonia route to $Cu_{1.8}S$ with triangular and rod-like shapes, 407
Triazacyclononane
Lanthanide complexes of new ditopic, tripodal macrocycles: synthetic, structural, stability and luminescence studies, 577
Triazine
Silylated amino-triazines: new ligands with potential multi-coordination modes, 516
Triazole derivatives
Synthesis and crystal structure of Cu(II) complex with 4-(pyridyl-2)-1,2,4-triazole, 690
1,2,4-Triazoles
Preparation and structural characterisation of a novel palladium (II) binuclear complex containing triazole bisthiosemicarbazone bridges, 344
Triboluminescence
Synthesis and characterization of the firstly observed two brilliantly triboluminescent lanthanide complexes: 2-hydroxyethyl-ammonium and pyrrolidinium tetrakis(dibenzoylmethide) europate(III). Crystal structure of one brilliantly triboluminescent acentric complex: dimethylbenzylammonium tetrakis(dibenzoylmethide)europate, 677
Tricyclic complexes
Synthesis of the dimeric μ_2-O aminoalkoxy complexes of rhenium $[(CO)_3Re(\mu_2\text{-}O\frown NH_2)]_2$ and their condensation products with acetone $[(CO)_3Re(\mu_2\text{-}O\frown N=CMe_2)]_2$, 897
Tridentate imines
Cyclopalladation of N—N′ donor ligands: unusual dinuclear complexes and their solution behaviour, 67
Tridentate ligand
Ligand dehydrogenation in ruthenium trinitrogen complexes: synthesis, structure and chirality of the cations $[Ru(LH_4)(L)]^{2+}$ [LH_4 = 2,6-bis(pyrrolidin-2-yl)pyridine], 787
Trifluoroacetate
A tetranuclear manganese oxo complex with terminal and bridging trifluoroacetate ligands: synthesis and structure of $[Mn_4O_2(O_2CCF_3)_8(bpy)_2]$, 206
Trinuclear complex
Synthesis and crystal structure of Cu(II) complex with 4-(pyridyl-2)-1,2,4-triazole, 690
Trinuclear complexes
Allenyls and propargyls: versatile ligands in transition-metal chemistry, 82
Structural diversity in oligonuclear nickel(II) complexes of unsymmetrical compartmental ligands, 537
New tri- and tetranuclear transition metal spin clusters incorporating a versatile polydentate Schiff base ligand, 881
Trinuclear manganese complex
Synthesis, structure and magnetic property of a new oxo-centered mixed-valent trinuclear manganese complex, 51
Trinuclear nickel(II) complex
The generation of a trinuclear nickel(II) core maintained by tridentate acetate bridges, 211
Triosmium chiral clusters
Optically active complexes $(\mu\text{-}H)Os_3(\mu\text{-}OCNH\text{-}(R)\text{-}CHMePh)(CO)_{10}$: the absolute configuration of the (+)-rotating stereoisomer, 963
Triple bonds
A complete series of $W_2(hpp)_4Cl_n$ ($n = 0, 1, 2$) compounds, 501
Triplet emitters
Coexisting intraligand fluorescence and phosphorescence of hafnium (IV) and thorium(IV) porphyrin complexes in solution, 993
Tripodal macrocycle
Lanthanide complexes of new ditopic, tripodal macrocycles: synthetic, structural, stability and luminescence studies, 577
Tris(pyrazolyl)methane ligand
Self-assembly of an organometallic silver(I) 1D architecture supported by three different types of bonding interactions, 278
Tris(pyrazolyl)methanesulfonate ligand
Unprecedented phosphino copper(I) derivatives of tris(pyrazolyl)methanesulfonate ligand co-ordinated to metal in an unusual κ^3-N, N′, O fashion, 430

True heterocycle
First example of a Rh–N–C–O–P heterocycle – a rare example of a five membered true heterocycle, 803
Tungsten
New practical tungsten(VI) based catalyst systems for ring opening metathesis polymerisation, 267
A hydrogen-bonded oxo-μ-bis[*trans*-nitrilotriacetato-*cis*-dioxotungstate(VI)] synthesized directly from an alkali tungstate and nitrilotriacetic acid, 388
A novel heterobimetallic W–Ge compound. X-ray crystal structure of $[W(\mu\text{-}Cl)(GeCl_3)(CO)_3(\eta^4\text{-}C_7H_8)]$, 682
Tungsten complex
The preparation and molecular structure of the first primary ferrocenylphosphine complex of tungsten(II), $[WI_2(CO)_3(FcCH_2PH_2)_2]$ [Fc = $Fe(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5H_4)$], 115
Tungstovanadate heteropoly complex
The first one-dimensional heteropoly tungstovanadate coordination polymer: $[(V^VO_4)W^{VI}_8M_4O_{36}(V^{IV}O)_2]^{n-}$ ($M = 0.71V^{IV} + 0.29W^{VI}$, $n = 4.68$), 996
Two-dimensional
A two-dimensional $Cu^{II}Gd^{III}$ compound self-assembled by H-bonding and intermolecular weak coordinate bonding between the dinuclear cores: structure and magnetic properties, 585
Two-dimensional coordination polymer
$[Na_8Zn_4(CH_3CO_2)_{16} \cdot 2H_2O]_n$: two-dimensional sheet-like coordination polymer with strong blue emission, 361
Two-dimensional coordination-polymer
Two-dimensional cobalt-bipyridinedicarboxylate coordination polymer: [Co(2, 2′-bipyridine-5,5′-dicarboxylato) $(H_2O)] \cdot (H_2O)$, 143
Two-dimensional structure
A new 2-D chiral coordination polymer of $[Zn(nicotinate)_2]_n$, 600
The 3D CuO (tenorite) as copper-ion source afforded the first 1,4-naphthalenedicarboxylate bridged coordination dimmer linked via triple-hydrogen-bonding water molecule into a 2D network, 1028
Unsymmetric compartmental ligands
Structural diversity in oligonuclear nickel(II) complexes of unsymmetrical compartmental ligands, 537
Unsymmetric ligand
Synthesis, structure and catalase-like activity of a new dinuclear mixed valence $Mn^{II}Mn^{III}$ complex containing an unsymmetric N_5O_2 donor ligand, 434
Unsymmetric tetranuclear vanadium(IV/V) complex
Synthesis, structure and properties of a new unsymmetric tetranuclear mixed-valence vanadium(IV/V) complex containing distinct $V_2O_3^{3+}$ cores 418
Unsymmetrical bis(phosphine)
Synthesis, spectroscopic study and X-ray crystal structure of unsymmetrical bis(phosphine)-platinum complex, $[PtCl_2\{\eta^2\text{-}Ph_2POCH_2CH_2N(CH_3)PPh_2]$, 782
Urea adduct
Mono-, di- and tri-nuclear Ni(II) complexes of N-, O-donor ligands: structural diversity and reactivity, 924
Vanadium oxide
Hydrothermal synthesis and characterization of nanorods "$Li_xV_{2-\delta}O_{4-\delta} \cdot H_2O$", 399
Water internal motion
Gd(III) based MRI contrast agents: improved physical meaning in a combined analysis of EPR and NMR data?, 811
Water soluble
First water soluble Mo_2^{4+} compounds spanned by four α-hydroxycarboxylate anions, 527
Water-splitting to dihydrogen
$[Ph_4P][CrO_3(OH)]$ – a wonder molecule: its behaviour as a bifunctional autocatalyst in water-splitting for the perpetual generation of dihydrogen and a catalyst mimicking catalase function, 259
Whisker
A new route to prepare magnesium oxide whisker, 147
Preparation and characterization of MnOOH and β-MnO_2 whiskers, 747
X-ray
Synthesis of the dimeric μ_2-O aminoalkoxy complexes of rhenium $[(CO)_3Re(\mu_2\text{-}O\frown NH_2)]_2$ and their condensation products with acetone $[(CO)_3Re(\mu_2\text{-}O\frown N = CMe_2)]_2$, 897
X-ray analysis
Expanded hexadentate ligands of Jäger type: synthesis and X-ray analysis, 78
Preparation of $Ru(\eta^3\text{-}2\text{-alkenylallyl})(CO)Cl(PPh_3)_2$ complexes via carbometallation of allenes with alkenyl ruthenium complexes, 177
Optically active complexes $(\mu\text{-}H)Os_3(\mu\text{-}OCNH\text{-}(R)\text{-}CHMePh)(CO)_{10}$: the absolute configuration of the (+)-rotating stereoisomer, 963
X-ray crystal structure
A tetranuclear manganese oxo complex with terminal and bridging trifluoroacetate ligands: synthesis and structure of $[Mn_4O_2(O_2CCF_3)_8(bpy)_2]$, 206
An iron(III)trichloride adduct of *N*-isopropylsalicylaldimine: preparation, X-ray structure and NMR spectroscopic characterization, 283
Hydrothermal synthesis, crystal structure, spectroscopy, electrochemistry and antimycobacterial evaluation of the copper (II) ciprofloxacin complex: $[Cu(cf)_2(BF_4)_2] \cdot 6H_2O$, 1022
X-ray crystal structures
Semi-rigid *N-para*-ferrocenyl(benzoyl)amino-acid esters for biomaterials: synthesis and characterization of Fc-$C_6H_4CONHCH(R)CO_2Me$ where Fc = $(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4)$ and R = H, CH_3, $CH_2CH(CH_3)_2$, $CH_2C_6H_5$ and the X-ray crystal structures of Fc-$C_6H_4CO_2Me$ and the L-alanine derivative Fc-$C_6H_4CONHCH(CH_3)CO_2Me$, 1034
X-ray crystallography
Influence of guests and protonation on the conformation of *N*,*N*′-dipyridyl-bis-aza-18-crown-6, 1082
X-ray diffraction
Cobalt complexes derived from chiral quasi-racemic ligands as building blocks for binary crystals, 829
X-ray molecular structure
Synthesis and structure of a new heteronuclear (η^6-arene) tricarbonylchromium compound incorporating propargyl amine unit, 192
X-ray structure
Optically active triosmium cluster with bridging terpenic thioureato-like ligand – synthesis, structure, and absolute configuration, 32
Cationic olefin Pd(II) complexes bearing α-iminoketone N,O-ligands: unprecedented isomerisation of the methoxycyclooctenyl ligand, 319
Molecular structure of $[In_2(\mu, \eta^1\text{-}OR)(\mu, \eta^2\text{-}OR)(\eta^2\text{-}OR)_3(\eta^1\text{-}OR)]$ R = $C_2H_4NMe_2$, a pincer ligand, 347
Polyhedral monocarbaborane chemistry: positional isomerism within the 10-vertex monocarbaborane cluster: synthesis and characterisation of the [2-Ph-*closo*-2-$CB_9H_9]^-$ anion, 581
Assembly of a tennis ball-like supramolecule coordinatively encapsulating disilver, 820
X-ray study
Synthesis and X-ray single crystal study of $Co_2Al_2(O^iPr)_6(acac)_4$ – first representative of a new structure type for the heterometallic alkoxide complexes, 946
Yttrium cryptate
Synthesis and characterization of dinuclear lanthanide(III) and yttrium(III) cryptates of a hexavalent anionic polydentate ligand, 984

Zero-valent copper
An incomplete cube-like array of Cu, Zn, I with O atoms from 2-dimethylaminoethanol formed directly from zero-valent metal powders, 19
Zero-valent zinc
An incomplete cube-like array of Cu, Zn, I with O atoms from 2-dimethylaminoethanol formed directly from zero-valent metal powders, 19
Zigzag-ladder structure
The encapsulation of $[Cu(en)_2]^{2+}$ (en=ethylenediamine) by a novel three-dimensional Cu^{II}–Mo^{IV} bimetallic porous coordination polymer containing zigzag-ladder structure, 791
Zinc
$[Na_8Zn_4(CH_3CO_2)_{16} \cdot 2H_2O]_n$: two-dimensional sheet-like coordination polymer with strong blue emission, 361
A metal-reduction route to synthesis of nickel nanotubules, 971
$[Zn(BDC)(H_2O)_2]_n$: a novel blue luminescent coordination polymer constructed from BDC-bridged 1-D chains via interchain hydrogen bonds (BDC = 1,4-benzenedicarboxylate), 1017
Zinc chloride
Dichlorobis[1,3-dimethyl-2(3*H*)-imidazoleselone]zinc(II): a potential zinc selenide synthon, 124
Zinc complex
Syntheses and X-ray crystal structures of [Zn(cyclen)–im–Zn(cyclen)]$(ClO_4)_3$ and [Ni(cyclen)(imH)(ClO_4)](ClO_4) (cyclen=1,4,7,10-tetraazacyclododecane, im = imidazolate), 119
Synthesis and crystal structure of $Zn[(C_6H_5N_3)_4(H_2O)_2](ClO_4)_2$ and $Cu[(C_6H_5N_3)_4(H_2O)_2](ClO_4)_2$, 453
The NHR_2/CO_2 system as a metal ion extraction reagent from aqueous solution into hydrocarbons: copper(II) and zinc(II), 848
Insights into the role of zinc(II) sites in hydrolytic enzymes: study of the $Zn^{II}/X/(py)_2CO$ ($X = Cl^-$, N_3^-, SO_4^{2-}; $(py)_2CO$=di-2-pyridyl ketone) reaction systems, 719
Zinc nicotinate
A new 2-D chiral coordination polymer of $[Zn(nicotinate)_2]_n$, 600
Zinc selenide
Dichlorobis[1,3-dimethyl-2(3*H*)-imidazoleselone]zinc(II): a potential zinc selenide synthon, 124
Zinc sites in hydrolytic enzymes
Insights into the role of zinc(II) sites in hydrolytic enzymes: study of the $Zn^{II}/X/(py)_2CO$ ($X = Cl^-$, N_3^-, SO_4^{2-}; $(py)_2CO$=di-2-pyridyl ketone) reaction systems, 719
Zinc sulfide
Micelle-template inducing synthesis of winding ZnS nanowires, 671
Zinc(II)
Synthesis and crystal structure of a novel zinc(II) coordination polymer with mixed ferrocenyl diketone and bipyridine ligands, 929
Zinc(II) complex
A dinuclear zinc(II) complex of 2,6-bis[((2-hydroxybenzyl)(2-pyridylmethyl)amino)methyl]-4-methylphenol derived from bis(acetylacetonato)zinc(II), 12
Self-assembling mixed porphyrin trimers – the use of diaxial Sn(IV)porphyrin phenolates as an organising precept, 715
A novel one-dimensional single helix derived from 2,2′-bipyridine based Zn(II) species directed self-assembly with 1,2-benzenedicarboxylate, 711